



I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Mail Stop Fee Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on April 21, 2004.

Crystal Ross  
Crystal Ross

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant	:	William W. Smith III, et al.
Application No.	:	09/684,010
Filed	:	October 6, 2000
Title	:	Online, Multi-Carrier, Multi-Service Parcel Shipping Management Functional Alignment of Computer Devices
Grp./Div.	:	3629
Examiner	:	Cosimano, Edward R.
Docket No.	:	PSTM0002/MRK

**Substitute Specification Under 37 C.F.R. §1.125**

**Clean Copy**

1     **ONLINE, MULTI-CARRIER, MULTI-SERVICE PARCEL SHIPPING MANAGEMENT**  
2                     **FUNCTIONAL ALIGNMENT OF COMPUTER DEVICES**

3  
4     **CROSS REFERENCE TO RELATED APPLICATIONS**

5     **[0001]** This application claims priority of U.S. Provisional Patent Application Serial No.  
6     60/158,179, filed on October 6, 1999, U.S. Provisional Patent Application Serial No.  
7     60/170,186, filed on December 10, 1999, U.S. Provisional Patent Application Serial No.  
8     60/170,504, filed on December 13, 1999, U.S. Provisional Patent Application Serial  
9     No.60/192,692, filed on March 28, 2000, U.S. Provisional Patent Application Serial No.  
10    60/192,723, filed on March 27, 2000, U.S. Provisional Patent Application Serial No.  
11    60/193,899, filed on March 31, 2000, and U.S. Provisional Patent Application Serial No.  
12    60/195,748, filed on April 6, 2000. The disclosures of U.S. Provisional Patent Application  
13    Serial No. 60/158,179, filed on October 6, 1999, U.S. Provisional Patent Application Serial  
14    No. 60/170,186, filed on December 10, 1999, U.S. Provisional Patent Application Serial No.  
15    60/170,504, filed on December 13, 1999, are incorporated for all purposes herein by reference  
16    as if fully stated here.

17  
18    **FIELD OF THE INVENTION**

19    **[0002]** The field of the present invention is computer systems, and specifically computer  
20    systems for parcel shipping management

21  
22    **BACKGROUND OF THE INVENTION**

23    **[0003]** Individuals, small businesses and major corporations the ("Shipper(s)") ship billions  
24    of parcels every year (small office/home office shippers are referred to as "SOHO" Shippers).  
25    Each parcel, also sometimes referred to herein as a package, is shipped by a Shipper using at  
26    least one parcel carrier (the "carrier(s)", or "Carrier(s)").

27    **[0004]** Each parcel is characterized by a set of "Parcel Specifications. " Parcel  
28    specifications include but are not limited to such factors as: parcel dimensions, parcel weight,  
29    parcel value, parcel value and the like.

1 [0005] Each Shipper is faced with certain shipping requirements and limitations ("Shipping  
2 Requirements"), such as the location from which the parcel is to be shipped, time frame  
3 within which the particular parcel must arrive at its destination, the ability of the shipper to  
4 drop off the parcel, budgetary constraints with regard to the cost of shipping, insurance  
5 against loss, delivery notification, loss protection, and the like.

6 [0006] Each Carrier has its own unique rating schedule, and delivery and pickup rules and  
7 schedules for each of a multitude of different services. In some cases, a particular Carrier's  
8 rules may be available in a standalone Carrier-provided paper-based or computer system.  
9 Many Shippers attempt to work with each of the standalone, individual paper-based and  
10 computer Carrier-provided systems ("standalone Carrier system environment") in order to  
11 ship a parcel.

12 [0007] A Shipper that uses standalone Carrier systems must sort through the various  
13 services offered by each carrier and apply each Carrier's rules to determine whether one or  
14 more carriers offer a service with which to deliver a particular parcel according to the  
15 Shipper's requirements. If the Shipper determines that more than one carrier offers a service  
16 with which to deliver a particular parcel according to the Shipper's requirements, then the  
17 particular Shipper might additionally be concerned with selecting a carrier and service that  
18 provide shipping services at the optimal price.

19 [0008] Some standalone carrier systems dedicate a single computer device to the  
20 performance of all shipping functionalities. Such a configuration does not provide time  
21 effective support for a high volume of shipping input and requests by a high volume of users  
22 over a global communications network. Accordingly, some way is needed to provide time  
23 effective support for a high volume of shipping input and requests by a high volume of users  
24 over a global communications network.

## 25 26 SUMMARY OF THE INVENTION

27 [0009] The present invention provides a computer system for managing shipping of a  
28 plurality of parcels by a plurality of users using a plurality of carriers that functionally aligns  
29 each server computer device of a plurality of server computer devices so that each server  
30 computer device performs a plurality of activities in support of a primary function.

1   **[0010]** The present invention provides a computer system for managing shipping of a  
2   plurality of parcels by a plurality of users using a plurality of carriers, wherein each user  
3   accesses the computer system over a global communications network using a client computer  
4   device, each user client computer device having an individual electronic connection to the  
5   global communications network, said computer system comprising: a plurality of server  
6   computers, wherein a first server computer is programmed to communicate with each of the  
7   plurality of users over multiple telecommunications connections over a global  
8   communications network at one time, wherein a second server computer is programmed to  
9   obtain data from at least one system database in response to each user input of a request by  
10   each particular user to ship a parcel, wherein a third server computer is programmed to use  
11   the data obtained for shipping the parcel to calculate a first shipping rate for a first carrier to  
12   ship the parcel and to calculate a second shipping rate for a second carrier to ship the parcel,  
13   and wherein a fourth server computer is programmed to obtain carrier tracking information  
14   from each of a plurality of carrier computer systems accessible over the global  
15   communications network.

16

#### 17   BRIEF DESCRIPTION OF THE DRAWINGS

18   **[0011]** These and other features of the present invention are more fully set forth in the  
19   following description of exemplary embodiments of the invention. The description is  
20   presented with reference to the accompanying drawings in which:

21   **[0012]** FIG. 1 is an entity relationship diagram depicting the interface relationships provided  
22   by the System between Shippers as Sellers, Carriers, Recipients as Buyers,  
23   eCommerce/eAuction Providers and the System in an exemplary embodiment of the System  
24   in an independent system eCommerce environment;

25   **[0013]** FIG. 2 is an entity relationship diagram depicting the interface relationships provided  
26   by the System between Shippers, Carriers, Recipients and the System in an exemplary  
27   embodiment of the System in an Internet environment;

28   **[0014]** FIG. 3 is a graphic representation depicting an exemplary user computer  
29   configuration and the user computer's interface with the System in an Internet environment;

30   **[0015]** FIG. 4 is a simplified schematic diagram of a user's computer and the interface

1 between the user's computer and the System servers using the Internet in an exemplary  
2 embodiment of the invention in an Internet environment;

3 [0016] FIG. 5 is a simplified graphic representation of an exemplary configuration of the  
4 System, and relationships between the System and Carriers and Users, in an exemplary  
5 embodiment of the System in an independent system eCommerce environment;

6 [0017] FIG. 6 is a simplified graphic representation depicting an alternate view of the  
7 System Data Center and its interfaces in an exemplary embodiment of the System in an  
8 independent system eCommerce environment;

9 [0018] FIG. 7 is a simplified graphic representation of an exemplary configuration of the  
10 System, and relationships between the System and Carriers and Shippers/Users, in an  
11 exemplary simplified Internet embodiment of the invention;

12 [0019] FIG. 8 is a high level System component diagram depicting an exemplary System  
13 Architecture in an exemplary embodiment of the System in an Internet environment;

14 [0020] FIG. 9 is a graphic representation of an exemplary menu architecture for the System  
15 in an exemplary embodiment of the System in an independent system eCommerce  
16 environment;

17 [0021] FIGS. 10A through 10E are high level logic flow diagrams depicting the logic flow  
18 for processing both Shipper/Seller and Buyer/Bidder information in an exemplary  
19 embodiment of the System in an independent system eCommerce environment;

20 [0022] FIG. 11 is a graphic representation depicting an exemplary embodiment of a  
21 registration introduction screen in an exemplary embodiment of the System in an independent  
22 system eCommerce environment;

23 [0022] FIG. 12 is a graphic representation depicting an exemplary embodiment of a User  
24 address collection screen in an exemplary embodiment of the System in an independent  
25 system eCommerce environment;

26 [0023] FIG. 13 is a graphic representation of an exemplary embodiment of a Shipping  
27 Location screen in an exemplary embodiment of the System in an independent system  
28 eCommerce environment;

29 [0024] FIG. 14 is a graphic representation depicting an exemplary embodiment of a  
30 Locations screen in an exemplary embodiment of the System in an independent system

- 1 eCommerce environment;
- 2 **[0025]** FIG. 15 is a graphic representation depicting an alternative exemplary embodiment  
3 of a Locations screen inset in an alternative exemplary embodiment of the System in an  
4 Internet environment;
- 5 **[0026]** FIG. 16 is a graphic representation of an exemplary embodiment of a UPS  
6 registration screen in an exemplary embodiment of the System in an independent system  
7 eCommerce environment;
- 8 **[0027]** FIG. 17 is a graphic representation of an exemplary embodiment of an eCommerce  
9 registration introduction screen in an exemplary embodiment of the System in an independent  
10 system eCommerce environment;
- 11 **[0028]** FIG. 18 is a graphic representation of a registration complete screen in an exemplary  
12 embodiment of the System in an independent system eCommerce environment;
- 13 **[0029]** FIG. 19 is a graphic representation of an exemplary embodiment of the Seller's  
14 Carrier/Service Preferences Screen in an exemplary embodiment of the System in an  
15 independent system eCommerce environment;
- 16 **[0030]** FIG. 20 is a graphic representation of an alternative embodiment of the Seller's  
17 Carrier/Service Preferences Screen in an exemplary embodiment of the System in an  
18 independent system eCommerce environment;
- 19 **[0031]** FIG. 21 is a graphic representation of an exemplary embodiment of a Seller's  
20 Charges and Payment Preferences Screen in an exemplary embodiment of the System in an  
21 independent system eCommerce environment;
- 22 **[0032]** FIG. 22 is a graphic representation of an alternative embodiment of the Seller's  
23 Charges and Payment Preferences Screen in an exemplary embodiment of the System in an  
24 independent system eCommerce environment;
- 25 **[0033]** FIG. 23 is a System interactivity data and logic flow diagram depicting an exemplary  
26 embodiment of the Seller's eCommerce Registration process in an exemplary embodiment of  
27 the System in an independent system eCommerce environment;
- 28 **[0034]** FIG. 24 is a graphic representation of a Registration Needs Completion Screen in an  
29 exemplary embodiment of the System in an independent system eCommerce environment;
- 30 **[0035]** FIG. 25 is a graphic representation of an exemplary embodiment of a Create a

1 Seller's Link Screen in an exemplary embodiment of the System in an independent system  
2 eCommerce environment;

3 **[0036]** FIG. 26 is a graphic representation of an alternative online screen that collects a  
4 user's shipping specifications and preferences in an alternative exemplary embodiment of the  
5 System in an Internet environment;

6 **[0037]** FIGS. 27A through 27C are high level logic flow diagrams control communications  
7 with client machine peripheral devices in an exemplary embodiment of the System in an  
8 Internet environment;

9 **[0038]** FIG. 28 is a graphic representation of an alternative online screen that collects  
10 supplemental user shipping specifications and preferences in an alternative exemplary  
11 embodiment of the System in an Internet environment;

12 **[0039]** FIG. 29 is a graphic representation of an alternative embodiment of a Create a  
13 Seller's Link Screen in an exemplary embodiment of the System in an independent system  
14 eCommerce environment;

15 **[0040]** FIG. 30 depicts an exemplary alternative embodiment of the Create a Seller's Link  
16 screen in an exemplary embodiment of the System in an independent system eCommerce  
17 environment;

18 **[0041]** FIG. 31 depicts the text of an exemplary hypertext link such as is created by an  
19 exemplary embodiment of the "Create Link" feature in an exemplary embodiment of the  
20 System in an independent system eCommerce environment;

21 **[0042]** FIG. 32 is a graphic representation depicting an alternative embodiment of a  
22 hyperlink generated by the System in an exemplary embodiment of the System in an  
23 independent system eCommerce environment;

24 **[0043]** FIGS. 33A and 33B represent a database schema diagram that depicts an exemplary  
25 embodiment of tables in which data is stored by the System regarding a particular Seller  
26 Account in an exemplary embodiment of the System in an independent system eCommerce  
27 environment;

28 **[0044]** FIG. 34 is a graphic representation of an exemplary embodiment of a Seller's  
29 eCommerce/eAuction web site page in an exemplary embodiment of the System in an  
30 independent system eCommerce environment;

1 [0045] FIG. 35 is a graphic representation of an exemplary Buyer shipping rating  
2 information collection screen that the Buyer would see upon entry into the System in an  
3 exemplary embodiment of the System in an independent system eCommerce environment;  
4 [0046] FIG. 36A is a graphic representation depicting an exemplary embodiment of a  
5 dynamically dimensioned, multi-carrier, multi-service shipping rates comparison Graphic  
6 Array in an exemplary embodiment of the System in an independent system eCommerce  
7 environment;  
8 [0047] FIGS. 36B through 36E are high level data retrieval logic flow diagrams depicting  
9 the data and high level logic that the system uses to calculate a shipping rate;  
10 [0048] FIG. 36F is a graphic representation of an alternative exemplary Preview Rates  
11 Screen (also referred to in some embodiments as a Rates and Times Screen) in an alternative  
12 exemplary embodiment of the invention;  
13 [0049] FIGS. 37A and 37B represent a System interactivity data and logic flow diagram  
14 depicting an exemplary embodiment of the Create Link and the Buyer's Preview Shipping  
15 Rates functionality in an exemplary embodiment of the System in an independent system  
16 eCommerce environment;  
17 [0050] FIG. 38 is a high level flow diagram depicting an overview of the System logic to  
18 generate a dynamically dimensioned, multi-carrier, multi-service shipping rates comparison  
19 Graphic Array in an exemplary embodiment of the System in an Internet environment;  
20 [0051] FIGS. 39A through 39C are high level flow diagrams depicting the initial timing and  
21 rating logic to develop a dynamically dimensioned, multi-carrier, multi-service shipping rates  
22 comparison Graphic Array in an exemplary embodiment of the System in an Internet  
23 environment;  
24 [0052] FIG. 40 is a graphic representation depicting an exemplary embodiment of a multi-  
25 carrier, multi-service shipping rates comparison Graphic Array in an exemplary embodiment  
26 of the System in an independent system eCommerce environment;  
27 [0053] FIG. 41 is a graphic representation of a Seller's Buyer Information Screen in an  
28 exemplary embodiment of the System in an independent system eCommerce environment;  
29 [0054] FIG. 42 is a graphic representation of an exemplary embodiment of a Subject Parcel  
30 data screen in an exemplary embodiment of the System in an independent system eCommerce



- 1 environment;
- 2 [0055] FIG. 43 is a graphic representation of an exemplary embodiment of a System-
- 3 prepared e-mail to the Buyer in an exemplary embodiment of the System in an independent
- 4 system eCommerce environment;
- 5 [0056] FIG. 44 is a graphic representation of an exemplary embodiment of the Buyer
- 6 Response Introduction screen in an exemplary embodiment of the System in an independent
- 7 system eCommerce environment;
- 8 [0057] FIG. 45 is a graphic representation of an exemplary embodiment of the Buyer
- 9 Shipping Information Collection screen in an exemplary embodiment of the System in an
- 10 independent system eCommerce environment;
- 11 [0058] FIG. 46 is a graphic representation depicting an alternative exemplary embodiment
- 12 of a dynamically dimensioned, multi-carrier, multi-service shipping rates comparison Graphic
- 13 Array in an alternative exemplary embodiment of the System in an independent system
- 14 eCommerce environment;
- 15 [0059] FIG. 47 is a graphic representation depicting an exemplary embodiment of a
- 16 Shipping Summary Screen in an exemplary embodiment of the System in an independent
- 17 system eCommerce environment;
- 18 [0060] FIG. 48 is a graphic representation depicting an alternative exemplary embodiment
- 19 of a Shipping Summary Screen in an exemplary embodiment of the System in an Internet
- 20 environment;
- 21 [0061] FIG. 49 is a graphic representation depicting an exemplary embodiment of a
- 22 Cardholder Information collection screen in an exemplary embodiment of the System in an
- 23 independent system eCommerce environment;
- 24 [0062] FIG. 50 is a graphic representation depicting an exemplary embodiment of a
- 25 System's Shipping Log in an exemplary embodiment of the System in an independent system
- 26 eCommerce environment;
- 27 [0063] FIG. 51 is a graphic representation depicting an exemplary embodiment of a Seller
- 28 notification e-mail in an exemplary embodiment of the System in an independent system
- 29 eCommerce environment;
- 30 [0064] FIG. 52 is a graphic representation of an exemplary embodiment of a Void Package

1 screen in an exemplary embodiment of the System in an independent system eCommerce  
2 environment;

3 **[0065]** FIG. 53 is a graphic representation of an exemplary embodiment of a Reprint Label  
4 screen in an exemplary embodiment of the System in an independent system eCommerce  
5 environment;

6 **[0066]** FIG. 54 is a high level flow diagram depicting an exemplary embodiment of Label  
7 Printing in an exemplary embodiment of the System in an Internet environment;

8 **[0067]** FIG. 55 is a high level flow diagram depicting an exemplary embodiment of Image  
9 Printing in an exemplary embodiment of the System in an Internet environment;

10 **[0068]** FIGS. 56 through 58 are graphic representations of exemplary online screens with  
11 which a user controls the final shipping and label printing for a particular package in an  
12 alternative exemplary embodiment in an Internet environment;

13 **[0069]** FIG. 59 is a graphic representation of an exemplary embodiment of a Send Ship  
14 Notification screen in an exemplary embodiment of the System in an independent system  
15 eCommerce environment;

16 **[0070]** FIG. 60 is a graphic representation of an alternative exemplary embodiment of a  
17 Send Ship Notification screen in an alternative exemplary embodiment of the System in an  
18 Internet environment;

19 **[0071]** FIG. 61 is a graphic representation depicting an exemplary embodiment of a Ship a  
20 Package Summary online report in an exemplary embodiment of the System in an  
21 independent system eCommerce environment;

22 **[0072]** FIG. 62 is a graphic representation depicting an exemplary embodiment of a UPS  
23 End-of-Day Screen in an exemplary embodiment of the System in an independent system  
24 eCommerce environment;

25 **[0073]** FIG. 63 is a graphic representation of an exemplary embodiment of a Reprint Driver  
26 Record Screen in an exemplary embodiment of the System in an independent system  
27 eCommerce environment;

28 **[0074]** FIGS. 64A-1, 64A-2, 64B-1 and 64B-2 are System interactivity data and logic flow  
29 diagrams depicting an exemplary embodiment of the process by which the System completes  
30 the information necessary to ship a package in an exemplary embodiment of the System in an

1 independent system eCommerce environment;

2 **[0075]** FIGS. 65A and 65B represent a database schema diagram that depicts an exemplary  
3 embodiment of tables in which data is stored by the System regarding a particular package  
4 and a particular Seller's Account in an exemplary embodiment of the System in an  
5 independent system eCommerce environment;

6 **[0076]** FIG. 66 depicts an exemplary XML formatted request for submitting a tracking  
7 request to a Carrier in an exemplary embodiment of the System in an Internet environment;

8 **[0077]** FIG. 67 depicts an exemplary successful tracking response, also in XML format,  
9 returned by the Carrier in an exemplary embodiment of the System in an Internet  
10 environment;

11 **[0078]** FIG. 68 is a graphic representation of a Shipper online user input screen that is  
12 displayed on the Shipper's display screen in an exemplary embodiment of the System in an  
13 Internet environment;

14 **[0079]** FIG. 69 is a logic flow diagram that depicts the high level logic for tracking the  
15 status of a particular package in an exemplary embodiment of the System in an Internet  
16 environment;

17 **[0080]** FIG. 70 is a graphic representation of an exemplary embodiment of a Tracking  
18 Failure Report Screen in an exemplary embodiment of the System in an Internet environment;

19 **[0081]** FIG. 71 is a graphic representation of an exemplary embodiment of a Successful  
20 Tracking Report Screen for a package with Delivered status in an exemplary embodiment of  
21 the System in an Internet environment;

22 **[0082]** FIG. 72 is a graphic representation of an exemplary embodiment of a Successful  
23 Tracking Report Screen for a package with non-final status in an exemplary embodiment of  
24 the System in an Internet environment;

25 **[0083]** FIG. 73 is a graphic representation of an exemplary CMS online user input screen in  
26 an exemplary embodiment of the System in an Internet environment;

27 **[0084]** FIG. 74 is a graphic representation of an exemplary CMS display screen that reports  
28 a successful tracking result in an exemplary embodiment of the System in an Internet  
29 environment;

30 **[0085]** FIG. 75 is a graphic representation of an exemplary CMS error tracking report

1 display screen in an exemplary embodiment of the System in an Internet environment;  
2 [0086] FIG. 76 is a graphic representation of an exemplary embodiment of a "My Tracking"  
3 Screen in an exemplary embodiment of the System in an Internet environment;  
4 [0087] FIG. 77 is a graphic representation of an exemplary embodiment of a Shipping Log  
5 Screen;  
6 [0088] FIG. 78 is a graphic representation of an exemplary embodiment of a Detailed  
7 Shipping Log Entry Screen in an exemplary embodiment of the System in an Internet  
8 environment;  
9 [0089] FIG. 79 is a graphic representation of an exemplary embodiment of a detailed "Quick  
10 Track" result screen in an exemplary embodiment of the System in an Internet environment;  
11 [0090] FIG. 80 is a graphic display of an exemplary embodiment of an "Add Inbound  
12 Packages" Screen in an exemplary embodiment of the System in an Internet environment;  
13 [0091] FIG. 81 is a graphic representation of an exemplary embodiment of a "View Inbound  
14 Packages" Summary Screen in an exemplary embodiment of the System in an Internet  
15 environment; and  
16 [0092] FIG. 82 is a graphic representation of a View Inbound Packages Detail Screen in an  
17 exemplary embodiment of the System in an Internet environment.  
18

#### 19 DETAILED DESCRIPTION OF THE INVENTION

20 [0093] A portion of the disclosure of this patent document, including but not limited to the  
21 renderings of graphic user interface displays in FIGS. 10A through 10E, FIGS. 11 through 22,  
22 FIGS. 24 through 26, FIGS. 28 through 30, FIGS. 34 through 35, FIG. 36A, FIG. 36F, FIGS.  
23 40 through 53, FIGS. 56 through 63, FIGS. 68, and FIGS. 70 through 82, contains material  
24 which is subject to copyright protection by Stamps.com, Inc. Stamps.com, Inc. has no  
25 objection to the facsimile reproduction by anyone of the patent document or the patent  
26 disclosure, as it appears in the Patent and Trademark Office patent file or records, but  
27 otherwise reserves all copyright rights whatsoever.

28 [0094] "iShip.com™" (sometimes also referred to herein as "ISHIP.COM" or simply as  
29 "iShip.com"), "iShip™" (sometimes also referred to herein as "ISHIP" or simply as "iShip"),

1 “The Internet Package Shipper™” (sometimes also referred to herein as “THE INTERNET  
2 PACKAGE SHIPPER” or simply as “The Internet Package Shipper”), “Price It™” (sometimes  
3 also referred to herein as “PRICE IT”, or simply as “Price It”), “Sell It™” (sometimes also  
4 referred to herein as “SELL IT” or simply as “Sell It”), “Track It™” (sometimes also referred  
5 to herein as “TRACK IT” or simply as “Track It”), “Ship It™” (sometimes also referred to  
6 herein as “SHIP IT” or simply as “Ship It”), “Shipping Tools™” (sometimes also referred to  
7 herein as “SHIPPING TOOLS™” or simply as “Shipping Tools”), “My iShip™” (sometimes  
8 also referred to herein as “MY ISHIP” or simply as “My iShip”) and associated logos are  
9 trademarks of Stamps.com, Inc. The names of actual companies and products mentioned  
10 herein may be the trademarks of their respective owners.

11

12 A. CONTEXTUAL OVERVIEW OF EXEMPLARY EMBODIMENT TYPES

13 [0095] Two types of exemplary Internet-related embodiments of the invention will be  
14 described herein: 1.) an exemplary simplified Internet embodiment; and 2.) an exemplary  
15 electronic commerce (“eCommerce”) embodiment. Because these two types of embodiments  
16 differ somewhat in user interface interaction features and flow, a brief perspective overview  
17 of these two exemplary embodiment types is provided below.

18

19 1. Exemplary Simplified Internet Embodiment.

20 [0096] In the exemplary simplified Internet embodiment of the invention, a system (the  
21 “System”) exemplifying features of the invention provides a single automated computer  
22 interface between users of the system who are shippers of parcels (“Shippers”) and multiple  
23 carriers of parcels (“Carriers”). Each Shipper, using a client computer device, accesses the  
24 System over a global communications network such as the Internet. Each Shipper uses the  
25 System to arrange for, and manage the shipment of, one or more parcels. Each shipment  
26 arranged by a Shipper is performed by a particular Carrier, using a particular service offered  
27 by that particular Carrier. References herein to the words “parcel” and “package” include  
28 letters, and larger items (*see, e.g.*, FIG. 15 below and Packaging types 1043 (Carrier Letter),

1 1044 (Carrier Pak), 1046 (Carrier Box), 1047 (Carrier Tube), and 1045 (Other Packaging)).

2 [0097] Each Carrier may provide one or more types of shipment services, such as, for  
3 example, Next Day, Two-Day, etc. Each parcel shipped by the Shipper is shipped to a  
4 particular Recipient. Each supported Carrier has a unique rating schedule, delivery and  
5 pickup rules and schedules, and certification requirements (the "Carrier Rules").

6 [0098] In the exemplary simplified Internet embodiment, the Shipper provides all  
7 information required by the System to facilitate the shipping of each parcel to be shipped by a  
8 Carrier designated by the Shipper; the recipient, once provided with a tracking number can  
9 access the System to track the status of a package but is not called upon to provide any  
10 information necessary to facilitate or manage the shipment. As is further described below, the  
11 provision of information by the Shipper in the exemplary simplified Internet embodiment  
12 differs from the exemplary eCommerce embodiment, in which both the Shipper (also referred  
13 to as the "Seller") and the Recipient (also referred to as the "Buyer") provide information to  
14 the System to facilitate and manage a particular shipment.

15  
16 2. Exemplary eCommerce Embodiment.

17 [0099] In an eCommerce embodiment of the invention, the Shipper is a seller (the "Seller")  
18 of goods through a particular eCommerce or electronic Auction ("eAuction") provider  
19 (eCommerce or eAuction web site). The Seller/Shipper registers with a particular  
20 eCommerce/eAuction provider (the "Provider") at the Provider's Web site to sell, advertise,  
21 or otherwise describe, one or more items that the Seller/Shipper hopes to sell or award to the  
22 highest bidder using an electronic auction facility.

23 [0100] As opposed to the exemplary simplified Internet embodiment where all information  
24 necessary for arranging a particular shipment is provided by the Shipper, in the exemplary  
25 eCommerce embodiment of the invention, the System prompts different individuals to  
26 provide information necessary to rate and ship a particular parcel.

27 [0101] The Seller/Shipper (sometimes referred to herein simply as the "Seller," or as the  
28 "Shipper") provides information to the System concerning the particular parcel that the Seller  
29 will be selling/auctioning and subsequently shipping. The Seller also describes to the System

1 the Seller's rules by which potential and actual buyers (sometimes referred to herein as  
2 "Buyers/Recipients", or simply as "Buyers", or as "Recipients") view the shipping, payment  
3 and other options.

4 [0102] A potential Buyer of an item to be purchased from a particular Seller is prompted by  
5 the System to initially provide certain limited shipping information (such as a destination zip  
6 code) in order to preview shipping rates for the item that the Buyer is considering purchasing.

7 [0103] An actual Buyer is prompted by the System to provide shipping details such as the  
8 Buyer's destination address. If the Seller has instructed the System to require the Buyer to pay  
9 shipping costs, the System prompts the Buyer to make the final selection of Carrier and  
10 Service.

11 [0104] The System in the exemplary eCommerce embodiment provides a communication  
12 link between the Buyer and the Seller, sending certain types of notifications and information  
13 between them.

14 [0105] Further differences between the exemplary eCommerce embodiment and the  
15 exemplary simplified Internet embodiment include, among other things, the typical access  
16 entry into the System. In the exemplary simplified Internet embodiment, the Shipper accesses  
17 the Shipping site directly. In the exemplary eCommerce embodiment, the Seller/Shipper can  
18 additionally "link" to the Shipping site from the relevant eCommerce Provider's Site.

19 [0106] The System and screen flows for the exemplary simplified Internet and eCommerce  
20 embodiments differ somewhat. A description of the features that are common between the  
21 two types of embodiments of the present invention is provided below as is a description of the  
22 differences between the two types of exemplary embodiments.

23 [0107] In the exemplary eCommerce embodiment described below, the present invention is  
24 provided as a web-based application service from a common provider, sometimes referred to  
25 herein as "iShip.com". As such, the relevant eCommerce Provider does not have to install or  
26 manage any server software; the Provider only provides a "link" to the System web site.

27  
28 **B. SYSTEM OVERVIEW**  
29

1                   1.     Entity Interface Relationships

2     **[0108]** FIG. 1 is a graphic representation depicting the interface relationships provided by an  
3     exemplary eCommerce embodiment of the System 1 of the present invention between  
4     electronic Commerce providers 2a-2n, Sellers/Shippers 3a-3n, Carriers 4a-4n, and  
5     Buyers/Recipients 5a-5n. As conceptually depicted in FIG. 1, each Seller/Shipper 3a-3n  
6     views the System 1 as an individualized automated Shipping System.

7     **[0109]** It should be noted that the use of suffixes such as “a” through “n” in connection with  
8     numbered elements of the FIGURES herein are exemplary and are not a limitation of the  
9     invention to any particular number. Rather, the suffixes “a” through “n” and “a” through “z”,  
10    and similar notations, are used to represent any, but unknown, number of similar elements.

11    **[0110]** FIG. 2 depicts the interface relationships provided by an exemplary simplified  
12    Internet embodiment of the System between the Shippers 3a-3n, Carriers 4a-4n, and  
13    Recipients 5a-5n. As conceptually depicted in FIG. 2, each Shipper 3a-3n views the System 1  
14    as an individualized automated Shipping System.

15    **[0111]** In both the exemplary eCommerce and simplified Internet embodiments, the System  
16    1 provides Shippers/Users 3a-3n with a computerized shipping and tracking system that  
17    allows shipment by the same Shipper/User 3a-3n of different packages using different  
18    services provided by different Carriers 4a-4n. Carriers 4a-4n supported by the System include  
19    Carriers such as Airborne, FedEx, United Parcel Service, USPS, and Yellow Freight. The  
20    System 1 is completely expandable and scalable to include additional Carriers.

21  
22                   2.     System Configuration and Architecture

23    **[0112]** In both the exemplary eCommerce and simplified Internet embodiments, as depicted  
24    in FIG. 3, each User 7 (Shipper/Seller or Buyer/Bidder) has access to a computer 8, for  
25    instance a personal computer (“PC”). The computer 8 is configured with a display device 9  
26    that provides a display screen 10. The computer 8 is further configured with one or more user  
27    input devices, such as, for example, a keyboard 11 and a mouse 12. The computer 8 is also  
28    configured with a printing device 13, such as a laser printer. The computer 8 may also be  
29    configured with a scale 1024 and a bar code reader 1027.



1 [0113] Users access 1003 and browse the Internet 15 using a web browser 14 that generally  
2 resides and is executed on the user's PC 8. The web browser 14 is a computer program or set  
3 of computer instructions that allows the Shipper/User 7 to retrieve and render hyper-media  
4 content from one or more Server computers, e.g., 20a-21z available over the Web. Suitable  
5 commercially available web browsers include, e.g., Netscape's Navigator™ (also sometimes  
6 referred to herein as "NETSCAPE NAVIGATOR" or simply as "Netscape Navigator") and  
7 Microsoft Internet Explorer™ (also sometime referred to herein as "MICROSOFT  
8 INTERNET EXPLORER" or simply as "Microsoft Internet Explorer").

9 [0114] FIG. 4 is a simplified schematic diagram of a user's computer and the interface  
10 between the user's computer and the System servers, such as 20a-21z in FIG. 3, using the  
11 Internet in an exemplary embodiment of the invention in an Internet environment. PCs 8a-8n  
12 are used by the Shippers and are connected to the Internet 15 through communication links  
13 1003a-1003n respectively. Optionally, a local network 1004 may serve as the connection  
14 between some of the PCs 8a-8n, such as the PC 8a, and the Internet 15. Servers 20a-21z are  
15 also connected to the Internet 15 through respective communication links.

16 [0115] Continuing with FIG. 4, each of the PCs 8a-8n includes a central processing unit  
17 ("CPU") 1020a for processing and managing data; user input devices such as a keyboard 11a  
18 and a mouse 12a for inputting data and a main memory 1023a such as a Random Access  
19 Memory ("RAM"). Information in text, graphic and other forms is displayed on the display  
20 monitor ("CRT") 9a under the control of the CPU 1020a. A communication device 1028a,  
21 such as a modem, provides access 1003a to the Internet 15. In some embodiments, one or  
22 more Input/Output ("I/O") devices, such as a printer 13a, scale 1024a, or a bar code reader  
23 1027a are configured with the PC.

24 [0116] FIG. 5 is a graphic representation of an exemplary configuration of the System in an  
25 exemplary eCommerce embodiment of the invention depicting interfaces with Carriers  
26 through Carrier Servers, e.g., 23-2 through 27-2, and Shippers/Users through User Input, e.g.,  
27 18. When a Shipper/User ships a package using the System 1, one or more of the System's  
28 Servers, e.g., 21a-21n, create a new System tracking number 19. When a new System  
29 tracking number is created, one of the System's Database Servers, e.g., 20a-20n, adds a new

1 package record with the newly created System tracking number to a Package Table 28. The  
2 Package Table 28 resides in the System database 22 and contains package records for System  
3 processed packages. The System database may be stored on any storage medium, such as but  
4 not limited to, RAM, hard drive, disk drive, tape drive, or other memory device. An  
5 exemplary embodiment of the Package Table contains the following information: 1) Package  
6 Tracking State ID; 2) Package Shipping State ID; 3) Actual Delivery Time; 4) Delivered To  
7 information; 5) Shipping Date; 6) Carrier Tracking Number; 7) System Tracking Number; 8)  
8 Carrier ID; 9) Actual Package Weight; 10) Service Description; and 11) Package OID. The  
9 content of these fields are described further below.

10 [0117] As depicted in FIG. 5, using the Carrier's Internet URL, the System 1 (labeled  
11 "iShip.com" in FIG. 5) then makes an HTTP (HyperText Transfer Protocol) connection over  
12 the Internet 15 to the Carrier's web server, e.g., 23-2, 24-2, 25-2, 26-2, or 27-2, using the  
13 URL information for the particular Carrier's web server.

14 [0118] The World Wide Web (WWW or Web) is an access protocol for HTTP (HyperText  
15 Transfer Protocol is the communication protocol used by the Internet). The unique identifier  
16 for a Server computer is called the IP (Internet Protocol) address; the unique identifier for a  
17 web site (web page) is called the URL (Uniform Resource Locator). A URL indicates, among  
18 other things, where the Server is located, the location of the web site on the Server, the name  
19 of the web page and the file type of each document.

20 [0119] Depending upon the Carrier, the System's 1 request and report interface with the  
21 Carrier's web server is programmed in HyperText Markup Language ("HTML") (e.g., 24-1,  
22 25-1, 27-1), Extensible Markup Language ("XML") (e.g., 26-1), or both HTML and XML  
23 (e.g., 23-1), described by way of example. Examples of XML formatted requests and  
24 responses with respect to Carrier interface communications are described below in connection  
25 with, and depicted in, FIGS. 66 and 67.

26 [0120] While the Shipper's/Seller's PC is connected to the Internet 15, a Shipper/Seller may  
27 enter the System's 1 Internet interface in one of several ways. The two principle ways  
28 discussed herein and described below are: 1) by entering an Internet address, e.g., URL, to the  
29 System's home page; or 2) by clicking on an HTML link in an eCommerce/eAuction

1 provider's Web site that contains the URL address to one of the System's Internet pages, for  
2 instance, an initial User registration page. A User may enter the System 1 in other ways,  
3 among which include a direct communication interface between the User's computer system  
4 and the System 1.

5 [0121] FIG. 6 is a graphic representation depicting an alternate view of the System  
6 comprising the System Data Center's Server Computers 20a-20n and 21a-21z, the System  
7 Database 22, and the System's interfaces with Seller and Buyer computers 8a-8n, Carrier  
8 Server computers 23-2 through 27-2, and eCommerce/eAuction Providers 28a-28n, via the  
9 Internet 15.

10 [0122] FIG. 7 is a simplified graphic representation of an exemplary configuration of the  
11 System, and relationships between the System and Carriers and Shippers/Users, in an  
12 exemplary simplified Internet embodiment of the invention. As depicted in FIG. 7, multiple  
13 servers 20a-21z are provided in a Network Operations Center ("NOC"). At least one of the  
14 Servers 20a-21z can handle multiple telecommunications connections such as over the  
15 Internet 15 at one time. In the embodiment of the NOC depicted in FIG. 7, one Server 20a  
16 provides the computer resources to perform Proxy & Firewall functions between the Internet  
17 15 and the NOC; one Server, e.g., 21n provides the computer resources to act as the NOC  
18 Client Server; one Server, e.g., 21s provides the computer resources to act as the Tracking  
19 Server to obtain Carrier tracking information 1019 from the respective carrier's to provide to  
20 Shippers over the Internet 15; one Server, e.g., 20a provides the computer resources to act as  
21 the Database Server to access data from one or more databases 22 of information; one Server,  
22 e.g., 21t provides the computer resources to act as the Shipping Server; one Server, e.g., 21m  
23 provides the computer resources to act as the Web Server; and one Server, e.g., 21z provides  
24 the resources to provide other services, such as the upload of manifest data 1018 to the Carrier  
25 Host Systems, 23-2 through 23-7.

26 [0123] It should be understood that the overview configurations of the System depicted in  
27 FIG. 5, 6 and 7 are exemplary. For example, the depiction of Server 20a in FIG. 7 as having  
28 access to one or more databases 22 is not a limitation of the invention; in alternative  
29 embodiments, such as depicted in FIG. 5, any or all of the Servers, 20a-20n, have access to

1 databases and external storage medium.

2 [0124] Continuing with FIG. 7, the Servers 20a-21z are connected to or otherwise capable of  
3 communicating through, a communications network such as a global communications  
4 network such as the Internet 15, which is in turn connected to, or capable of communicating  
5 with one or more Personal Computers ("PC") or other like devices, e.g. 8a, 8b, . . . 8n.

6 [0125] Continuing with FIG. 7, Users access and browse the Web using a web browser that  
7 generally resides and is executed on the user's PC, e.g., 8a, 8b, 8c. . . 8n (and as were  
8 depicted in FIG. 4).

9 [0126] The Internet works based on a client/server model. The present invention uses the  
10 client/server model to support the communication with and processing for each of multiple  
11 Shippers. For example, as depicted in FIG. 7, the Servers 20a-21z are the server side of the  
12 client/server model; each Shipper's PC 8a, 8b, . . . 8n is a client. The present invention uses  
13 the web browser with which each Shipper's PC accesses the Internet to perform certain  
14 functions as further described herein.

15 [0127] Web sites are locations on Servers, such as one or more of the Servers, 20a-21z, that  
16 are accessible through the Internet 15. The Servers 20a-21z host one or more web sites which  
17 are accessible by Shipper users with PCs (e.g., 8a, 8b, . . . 8n) connected with the Internet 15.

18 [0128] Carrier Rules, Shipper account information and other content is stored by the  
19 Servers, e.g., 20a in databases e.g. 22. Shippers with PCs (e.g., 8a, 8b, . . . 8n) connected to  
20 the Internet 15 access Carrier Rules, Shipper account information and other content that is  
21 stored by the Servers, e.g., 20a in databases e.g. 22 through a User Interface, which is  
22 described in detail below.

23 [0129] An overview of an exemplary System architecture is depicted in FIG. 8. The  
24 overview depicted is exemplary and meant to be illustrative; it is not a limitation of the  
25 invention. As depicted in FIG. 8, one embodiment of the invention uses a three-tiered  
26 architecture.

27 [0130] The Data Management Tier 1201 is comprised of a Database Storage component  
28 1202 that in the embodiment depicted uses an SQL Server; a Message Queue Storage  
29 component 1203 that in the embodiment depicted uses MS Message Queue; and a File

1 Storage component 1204 that in the embodiment depicted uses NTFS, and DFS. Each of the  
2 Database Storage component 1202, the Message Queue Storage component 1203, and the File  
3 Storage component 1204, communicate with the Component Tier 1208 of the System  
4 architecture, communications by each component with the Component Tier 1208 represented  
5 by elements 1205, 1206 and 1207 respectively. According to the embodiment depicted in  
6 FIG. 8, the Server Components of the Component Tier 1208 use C++ programming language  
7 and COM Objects.

8 [0131] The Application Tier 1212 of the System Architecture is comprised of a Web  
9 Shipper Client component 1213 (which uses HTML, ASP and JavaScript), the NOC  
10 Administration component 1214 (which uses HTML, ASP, VB, and C++), and the Web  
11 Shipping Station component 1215 (which uses HTML, ASP, JavaScript, C++, and ActiveX  
12 Controls). Each of the Web Shipper Client component 1213, the NOC Administration  
13 component 1214, and the Web Shipping Station component 1215 communicate with the  
14 Server Components of the Component Tier 1208 as represented by the communication  
15 elements 1209, 1210 and 1211 respectively.

16 [0132] In one embodiment, the System is implemented in an NT environment. The  
17 description of the System as being implemented in an NT environment is exemplary and is  
18 not a limitation of the invention.

### 19 20 3. Menu Architecture

21 [0133] In both the exemplary eCommerce and simplified Internet embodiments, a User can  
22 enter the System by entering an Internet address, e.g., a URL, to the System's home page  
23 using the User's client web browser.

24 [0134] FIG. 9 is a graphic representation of an exemplary menu architecture as would be  
25 displayed on an exemplary home page in an exemplary eCommerce embodiment of the  
26 System 1 as viewed by the User on a display device, e.g., 9 and 10 as depicted in FIG. 3 and  
27 9a as depicted in FIG. 4, connected to the User's Computer, e.g., 8 as depicted in FIG. 3 and  
28 8a as depicted in FIG. 4. The term display as used herein will be understood by those with  
29 ordinary skill in the art to include visual display on a display device, e.g., 9 and 10 as depicted

in FIG. 3 and 9a as depicted in FIG. 4, connected to the User's Computer, e.g., 8 as depicted in FIG. 3 and 8a as depicted in FIG. 4.

[0135] Other menu configurations and descriptions can be implemented without departing from the spirit of the invention. As depicted in FIG. 9, a main menu bar 34 presents several selection options, including Home 30a, Sell It 31a, Ship It 32a, and Track It 33a. If a User selects, such as by using a keyboard device 11 as shown in FIG. 3, 11a as shown in FIG. 4, or a mouse device 12 as shown in FIG. 3, 12a as shown in FIG. 4, the Home 30a option, the System 1 will display a Home submenu 30b.

[0136] References to a User selecting will be understood by those with reasonable skill in the art to include selection using a user input device, such as a keyboard device 11 as shown in FIG. 3, 11a as shown in FIG. 4, or a mouse device 12 as shown in FIG. 3, 12a as shown in FIG. 4, connected to the User's Computer, e.g., 8 as depicted in FIG. 3 and 8a as depicted in FIG. 4.

[0137] Using the exemplary menu architecture depicted in FIG. 9, if the User selects the Sell It 31a option, the System 1 will display a Sell It submenu 31b. If the User selects the Ship It option, the System 1 will display a Ship It submenu 32b. If the User selects the Track It 33a option, the System 1 will display a Track It submenu 33b.

[0138] In an exemplary simplified Internet embodiment of the invention, the Main Menu would not provide a Sell It 31a application or the submenus and screens associated with the Sell It 31a application.

### C. THE SELLER'S EXPERIENCE

[0139] In an exemplary eCommerce embodiment of the System, if the User enters the System through a link from a Provider, the System 1 will ask the User to log in. (A User that is a Buyer/Bidder that enters the System with a particular Buyer/Bidder URL (Universal Resource Locator), such as through a hypertext e-mail link as is discussed below, is not required to follow the log in procedure.) The log in and registration processes described below are also provided in a similar manner by some simplified Internet embodiments.

[0140] When a User attempts to log in, the System 1 will attempt to validate the User's log

1 in identification and password. If the User's log in is successful, the System 1 will prompt  
2 the User to select one of the available menu options. Otherwise, the System 1 will prompt the  
3 User to register and will display the first of several information collection screens to prompt  
4 the User through the registration process. Following is a description of the registration User  
5 Interface and the associated System 1 processing in an exemplary eCommerce embodiment of  
6 the invention.

7 **[0141]** FIGS. 10A through 10E are high level logic flow diagrams depicting the logic flow  
8 for processing both Shipper/Seller and Buyer/Bidder information in an exemplary  
9 eCommerce embodiment of the invention. An overview of FIGS. 10A through 10E is  
10 provided immediately below for context. However, the detailed description of FIGS. 10A  
11 through 10E is provided in conjunction with the detailed user interface screens depicted in  
12 summary on FIGS. 10A through 10E. Accordingly, the description of FIGS. 10A through  
13 10E is provided gradually below with intervening descriptions of the details concerning the  
14 user interface screens described in more detailed FIGURES that are also described below.

15 **[0142]** FIG. 10A depicts general Seller/Shipper/User registration procedures. FIG. 10B  
16 depicts eCommerce/eAuction Seller registration procedures, including the Creation of a Link  
17 that the Seller can copy and paste in the Seller's Web page description of the item to be  
18 sold/shipped. FIG. 10C depicts the actual sales of the item to be shipped and depicts the  
19 Buyer 80 experience of viewing the shipping rates and times comparison provided by the  
20 System and purchasing or bidding on the item as the case may be. FIG. 10D depicts the  
21 collection of shipping and payment information by the Seller and the System 1 from the  
22 Buyer 80. FIG. 10E depicts post sale shipment and payment processing, tracking and  
23 notification. The components of each of FIGS. 10A through 10E are discussed in detail  
24 below.

25 **[0143]** FIG. 10A depicts general User registration procedures. As depicted in FIG. 10A, the  
26 System 1 displays a registration introduction screen 41 to prompt a new eCommerce/eAuction  
27 Seller 40 to register with the System 1.

28 **[0144]** FIG. 11 is a graphic representation depicting an exemplary embodiment of a  
29 registration introduction screen 41 depicted in FIG. 10A. As depicted in FIG. 11, the

1 registration introduction screen 41 displays introductory text 101 that prompts the User to  
 2 proceed to the Next screen to provide certain information, such as the User's e-mail and  
 3 return address and to identify the Carriers with which the User wishes to ship. The User is  
 4 instructed to press the Next button 102 if the User is ready to proceed with registration. It  
 5 will be understood by those with ordinary skill in the art that a User "presses" or "clicks" an  
 6 onscreen button by using a user input device, such as a keyboard device 11 as shown in FIG.  
 7 3, 11a as shown in FIG. 4, or a mouse device 12 as shown in FIG. 3, 12a as shown in FIG. 4,  
 8 connected to the User's Computer, e.g., 8 as depicted in FIG. 3 and 8a as depicted in FIG. 4.  
 9 [0145] Alternatively, the User can "press", or "click", on the Reset button 103 which, when  
 10 clicked, re-initializes the registration application and returns the User to the Introduction  
 11 page; the Cancel button 104, which when clicked returns the User to the Logged Off Home  
 12 page; or the Help button 105, which when clicked, displays contextual help text in a pop-up  
 13 window.  
 14 [0146] If the User clicks on Next button 102, if the User is using a browser that is not  
 15 supported by the System 1, the System 1 prevents the User from continuing and displays a  
 16 message to the User that the User's browser is unsupported. Otherwise, if the User clicks the  
 17 Next button 102, the System 1 will display the next screen 42 in the registration process as  
 18 depicted in FIG. 10a, which is a User address collection screen.  
 19 [0147] FIG. 12 is a graphic representation depicting an exemplary embodiment of a User  
 20 address collection screen. As depicted in FIG. 12, the System prompts the User to provide  
 21 the User's name 106, e-mail address 107, company name 108, street address 109, floor/room  
 22 number 110, department name 111, city 112, state 113a (using a pull down menu button  
 23 113b), telephone number 114, zip code 115, and fax number 116. As with the previous  
 24 registration introduction screen 41, the Next 102, Reset 103, Cancel 104, and Help 105  
 25 buttons are provided with results similar in nature to the operations of these respective buttons  
 26 as described above. In addition, a Back button 117 is provided. If the User clicks the Back  
 27 button 117, the System returns the User to the screen from which the User entered the present  
 28 screen, in this case, the registration information screen 41. If the User clicks the Next button  
 29 102, the System performs validation edits on the data entered. If any required fields have not



1 been completed, or if any fields contain data found to be in error, the System notifies the User  
2 and requests that corrected data be entered. Because of the similar nature from screen to  
3 screen in the System with which the Back 117, Next 102, Reset 103, Cancel 104 and Help  
4 105 buttons operate, the operation of these buttons will not be further described.

5 **[0148]** If the data entered is successfully validated, the System displays the next screen,  
6 which in this case is the Shipping Location screen 43 as depicted in FIG. 10A. FIG. 13 is a  
7 graphic representation of an exemplary embodiment of a Shipping Location screen 43. In the  
8 Shipping Location screen 43, the System prompts the User to identify a default location 120a  
9 from which the User will typically ship packages and to provide the city 122, state 123a -  
10 123b, and zip code 124 of that location 120b. The Shipping Location screen provides a  
11 shipping location input field 121a and a shipping location pull down menu button 121b. If  
12 the user clicks on the shipping location pull down menu button 121b, the System will display  
13 a selection menu of possible shipping locations. Example shipping location selection options  
14 include: self-service center/drop box; staffed shipping counter; my location by calling for  
15 pickup; my location through regular pickup; and my local Mail Boxes Etc. center. Exemplary  
16 shipping location options are described further below with regard to FIG. 26.

17 **[0149]** If the User selects the "my local Mail Boxes Etc. center" then a Locations screen is  
18 displayed. FIG. 14 is a graphic representation depicting an exemplary embodiment of a  
19 Locations screen. The Locations screen displays a Locations button 126, that when clicked,  
20 causes the System to display a list 127 of Mail Boxes Etc. centers in the area in and around  
21 the User's zip code. Each entry in the list 127 contains the name and address of the location  
22 128, pickup times 129, and comments 130. The User will be asked to highlight and thereby  
23 select one of the centers. According to the User's selection, the System will display  
24 additional comments if appropriate, e.g., 131. Otherwise, for the other shipping location  
25 selection options, the User is required to enter the city, state, and zip code of the location.

26 **[0150]** FIG. 15 depicts an alternative exemplary embodiment of a Locations screen as a  
27 screen inset. If the Shipper selects a particular "ship center" type from a shipping location pull  
28 down menu (not shown) as the shipping location, the User Interface will display, as shown in  
29 FIG. 15, three elements: 1) a table 1058 with the Location Address, Pickup Times and

1 Comments Area; 2) a Browse button 1059; and 3) a destination Zip Code field 1042. Clicking  
2 the Browse button 1059 will display additional Drop Off Locations in a Pop-up window (not  
3 shown).

4 [0151] Returning to FIG. 14, if the User clicks the Next button 102, and if the data entered  
5 in the Shipping Locations screen is successfully validated, the System displays the next  
6 screen, which in this case is the UPS registration screen 44 as depicted in FIG. 10A. FIG. 16  
7 is a graphic representation of an exemplary embodiment of a UPS registration screen 44. If  
8 the User indicates that the User will ship through the System using UPS and that the User  
9 already has a UPS account 140, the User will be asked to provide the UPS account number  
10 141 and the scheduled pickup time 142a, a.m. 142b, and p.m. 142c. The System provides the  
11 User with other UPS shipping options, such as dropping the UPS shipments at a shipping  
12 center such as a Mail Boxes Etc 143, or not using the System for shipping UPS 144.  
13 Depending on the User's selection, the System provides appropriate special circumstance  
14 notification 145 if required.

15 [0152] If User clicks the Next button 102, and if the data entered in the UPS registration  
16 screen is successfully validated, the System displays the next screen, which in this case is the  
17 eCommerce registration introduction screen 45 as depicted in FIG. 10A. FIG. 17 is a graphic  
18 representation of an exemplary embodiment of an eCommerce registration introduction  
19 screen 45. The eCommerce registration introduction screen 45 provides a textual description  
20 150 of the procedure to setup selling preferences for eCommerce transactions.

21 [0153] If the user clicks the Finish button 152 on the eCommerce registration introduction  
22 screen 45, the System finalizes the registration process 46 and sends the User to a registration  
23 complete screen 48a as depicted in FIGS. 10A and 10B. FIG. 10B depicts  
24 eCommerce/eAuction Seller registration procedures, including the Creation of a Link that the  
25 Seller can copy and paste in the Seller's Web page description of the item to be sold/shipped.

26 [0154] FIG. 18 is a graphic representation of a registration complete screen 48a. The  
27 System informs the User that the User is registered 153 and that the User's ID and password  
28 will be e-mailed to the User 154. The System summarizes the registration information for the  
29 User 155 and instructs the User 156 to click on the Close button 157 to log on to the System

1 for the first time. If the User clicks on the Close button 157 and logs on to the system, a  
2 Welcome screen, e.g., 48b as depicted in FIG. 10b, is displayed from which the User can  
3 request that a Seller's Link be created.

4 **[0155]** If the user clicks the Continue button 151 on the eCommerce registration  
5 introduction screen 45, the System will display 47 the next screen, which is an eCommerce  
6 registration screen 49 as depicted in FIGS. 10A and 10B.

7 **[0156]** FIG. 19 is a graphic representation of an exemplary embodiment of the Seller's  
8 Carrier/Service Preferences Screen 49 as depicted in FIG. 10B. With the Seller's  
9 Carrier/Service Preferences Screen 49, the System requests 159 the User to identify the  
10 Carriers and the Services of each Carrier (e.g. Overnight Air Express 161a, Next Afternoon  
11 Service 161b and Second Day Service 161c for Airborne Express 160; First Overnight 163a,  
12 Priority Overnight 163b, Standard Overnight 163c, 2 Day 163d and Express Saver 163e for  
13 FedEx 162; Next Day Air Early AM 165a, Next Day Air 165b, Next Day Air Saver 165c, 2nd  
14 Day Air AM 165d, 2nd Day Air 165e, Three Day Select 165f and Ground 165g for UPS 164;  
15 and Express Mail 167a and Priority Mail 167b for USPS 166) that the User is willing to  
16 allow Buyers/Bidders to choose for shipping the item(s) to be shipped. Each supported  
17 Carrier, e.g., Airborne Express 160, FedEx 162, UPS 164, and USPS 166 is available for  
18 selection by the User. Further, each service offered by a particular Carrier is also available  
19 for User selection. For example, for Airborne Express, Overnight Air Express 161a, Next  
20 Afternoon Service 161b, and Second Day Service 161c are available for User selection. The  
21 User selects a Carrier or a service by clicking on the selection button, e.g., 160.

22 **[0157]** FIG. 20 is a graphic representation of an alternative embodiment of the Seller's  
23 Carrier/Service Preferences Screen 49. In the example depicted in FIG. 20, the User has  
24 selected all Carriers and all services for all Carriers.

25 **[0158]** If the User clicks the Next button 102 on the Seller's Carrier/Service Preferences  
26 Screen 49, the System will display the next screen, which is Seller's Charges and Payment  
27 Preferences Screen 50 as depicted in FIG. 10B. FIG. 21 is a graphic representation of an  
28 exemplary embodiment of a Seller's Charges and Payment Preferences Screen 50. The  
29 System asks the User to select a format for presentation of shipping charges to the

1 Buyer/Bidder 169. The User can select any one of the following choices: 1) the item cost  
2 includes shipping charges 170; 2) buyer pays actual shipping charges 171; or 3) buyer pays  
3 shipping plus additional charges 172.

4 **[0159]** If the User chooses the option that the buyer pays shipping charges plus additional  
5 charges, then the User must select the types of additional charges that apply, and the value to  
6 be added: 1) add percentage of shipping cost 173 and specify percentage 174; 2) add fixed  
7 handling charge 175 and specify the amount of the handling charge 176; and/or 3) add System  
8 Service Fee 177.

9 **[0160]** The System also requires that the User select at least one payment method 178: Visa  
10 179a, American Express 179b, Personal Check 179c, Cashier's Check 179d, MasterCard  
11 179e, Discover 179f, and/or Money Order 179g. The User is also given the option of  
12 requesting that the System collect credit card information and provide the information to the  
13 User so that the User can process the information 180.

14 **[0170]** If the User clicks the Finish button 152 on the Seller's Charges and Payment  
15 Preferences Screen 50, then the System will display the Registration Completion Screen 48a  
16 previously described above.

17 **[0171]** FIG. 22 is a graphic representation of an alternative embodiment of the Seller's  
18 Charges and Payment Preferences Screen 50 depicting User selections of some of the  
19 available options. If the User clicks the Save button 181, the System validates the  
20 information, saves the User's choices and specifications, and completes the registration  
21 process.

22 **[0172]** Similarly, with respect to FIG. 21, if the user clicks the Finish button 152 on the  
23 Seller's Charges and Payment Preferences Screen 50, the System finalizes the registration  
24 process and displays the registration complete screen 48a as depicted in FIG. 10B. As was  
25 previously described above, in the registration complete screen 48a, the System summarizes  
26 the registration information for the User 155 and instructs the User 156 to click on the Close  
27 button 157 to log on to the System for the first time. If the User clicks on the Close button  
28 157 and logs on to the system, a Welcome screen, e.g., 48b as depicted in FIG. 10B, is  
29 displayed from which the User can request that a Seller's Link be created.

[0173] FIG. 23 is a System interactivity data and logic flow diagram depicting an exemplary embodiment of the Seller's eCommerce Registration process. FIG. 23 depicts the interactivity between the User's client machine (Seller's computer) 8 and the System's server computers 20a-21z. Also depicted are the data accesses to the System database 22. An arrow 230 extending from the top of the diagram and pointing down towards the bottom of the figure graphically represents the passage of time.

[0174] As depicted in FIG. 23, the Seller clicks on the Pricing Preferences submenu option 231 (equivalent to 31b-1 as depicted in FIG. 24 under the Sell It option 31a of the main menu 34 as depicted in FIG. 9). The System servers 20a-20n then access the System database 22 to determine whether the Seller's preferences have previously been set 232. In the case that no preferences are found for the specified Seller 233, the System servers 21a-21z generate the signals necessary to display the Carriers and Services Screen 234 to the Seller's computer 8. The Seller selects the Seller's preferred Carriers and Services and clicks the Next button 235 returning control to the System servers 21a-21z. The System servers 21a-21z next generate the signals necessary to display the Charges and Payment screen 236 to the Seller's computer 8. The Seller selects the Charges and Payment options and clicks the Save button 237. The System servers 21a-21z validate the Seller preference information and the System servers 20a-20n store 238 the information on the System database 22. The System servers generate the signals necessary to notify the Seller at the Seller's computer 8 that the Seller's preferences have been saved 239.

[0175] There are different ways by which a User can request the System to create a Seller's Link. One way is for the User to enter the System's home page, log in 48b, e.g., as depicted in FIG. 10B, and click on the Sell It 31a, or equivalent, application on the main selection bar 34 as depicted in FIG. 9. Another way is to click on the System logo icon as provided in an eCommerce/eAuction Provider's web site. There are other ways that a User can enter the System. For instance, the eCommerce/eAuction Provider might provide a hyperlink to the System web site.

[0176] If the User enters the System Web site, and clicks on the Sell It selection 31a, the System presents either a submenu such as 31b as depicted in FIG. 9, or displays a default first

1 screen in the Sell It application, depending on the embodiment.

2 [0177] If the User has not completely registered for the System and for eCommerce shipping  
3 processing, then the System prompts the User to complete the necessary registration process  
4 by displaying a Registration Needs Completion screen 51 as depicted in FIG. 10B.

5 [0178] FIG. 24 is a graphic representation of a Registration Needs Completion Screen 51.  
6 Similar to the screen depicted in FIG. 17, the System requests the User to provide the  
7 necessary information by completing the information requested in subsequent screens 150-1.  
8 If the User clicks the Next button 102, the System displays the Seller's Carrier/Service  
9 Preferences Screen 49, and the Seller's Charges and Payment Preferences Screen 50 as  
10 depicted in FIG. 10B.

11 [0179] Once the User has completed registration for the System and for eCommerce  
12 shipping processing, the System allows the User to select the Create Link submenu option  
13 31b-2 in the Sell It Application 31a of the System. If the User selects the Create Link option  
14 31b-2, the System displays a Create a Seller's Link Screen 52 as depicted in FIG. 10B. FIG.  
15 25 is a graphic representation of an exemplary embodiment of a Create a Seller's Link Screen  
16 52.

17 [0180] Before the System can create a Seller's link, the User must tell the System  
18 information about the particular package that will be shipped. Accordingly, as depicted in  
19 FIG. 25, the System asks the User to enter the shipping weight and value of the item to be  
20 shipped 190. The User is asked to enter the Shipping Weight 191a.

21 [0181] FIG. 26 depicts an exemplary alternative embodiment of a screen for the input of  
22 Shipper Parcel Specifications, which in the exemplary alternative embodiment depicted is  
23 titled the Location and Package Screen. The Location and Package Screen depicted in FIG. 26  
24 collects Shipper input similar to a portion of the information that which was described in  
25 connection with FIGS. 13 and 25.

26 [0182] As shown in FIG. 26, the Shipper is asked to input the location 1040 from which the  
27 parcel will be shipped. A pull down menu activation mechanism 1041 is provided to allow  
28 the user to pull down a menu (not shown) of different shipping locations. It should be noted  
29 that the exemplary selection mechanisms, e.g., "pull down menu", "drop down selection", and

1 others, described herein are used for illustrative purposes and are not a limitation of the  
2 invention.

3 **[0183]** The Shipper activates the pull down menu by placing the cursor of the Shipper's PC  
4 over the pull down menu activation mechanism 1041 and leaving the cursor in the same  
5 position for a certain period of time (this method of activating a selection mechanism will be  
6 referred to herein as a "Pause Activation"). In alternative embodiments, the Shipper activates  
7 the pull down menu by placing the cursor of the Shipper's PC over the pull down menu  
8 activation mechanism 1041 and clicking the Shipper's user input device (this method of  
9 activating a selection mechanism will be referred to herein as a "Click Activation"). It should  
10 be understood that for each activation mechanism depicted in the User Interface of the Present  
11 Invention, that the exemplary embodiments of the User Interface depicted herein use the  
12 Pause Activation method; alternative embodiments use the Click Activation method.

13 **[0184]** References herein to "clicking" mean that the Shipper places the cursor of the  
14 Shipper's PC on the subject item and clicks the Shipper's user input device.

15 **[0185]** If the Shipper activates the pull down menu activation mechanism 1041, a menu of  
16 different shipping locations (not shown) appears in the Location area 1074 of the screen. The  
17 Shipper then selects one of the shipping locations by placing the cursor of the Shipper's PC  
18 over a particular shipping location in the shipping location menu and clicking the Shipper's  
19 user input device, e.g., mouse.

20 **[0186]** It should be understood that for each selection mechanism depicted in the exemplary  
21 embodiments of the invention, selection of a particular choice from such a selection menu is  
22 made by the Shipper clicking the Shipper's user input device.

23 **[0187]** There are two types of shipping locations, ship centers and customer drop offs. Ship  
24 centers are those locations which refer to a database of specific locations, from which a  
25 specific location from the available locations must be selected to determine rates, such as an  
26 "iShip Center". Customer drop offs are those shipping locations from which a specific  
27 location need not be selected to determine rates, such as a "drop box", "carrier counter" or  
28 "call for pickup". The shipping location pull down menu displays each shipping location  
29 category, e.g., iShip Center, other specific shipping center types, drop box, carrier counter,

1 call for pickup, etc.

2 **[0188]** As was described with regard to FIG. 15 above, if the Shipper selects a particular  
3 "ship center" type from the shipping location pull down menu (not shown) as the shipping  
4 location, the User Interface will display, as shown in FIG. 15, three elements: 1) a table 1058  
5 with the Location Address, Pickup Times and Comments Area; 2) a Browse button 1059; and  
6 3) a destination Zip Code field 1042. Clicking the Browse button 1059 will display additional  
7 Drop Off Locations in a Pop-up window (not shown).

8 **[0189]** Returning to FIG. 26, if the Shipper selects a "customer drop off" as the shipping  
9 location, the User Interface will display, as shown in FIG. 26, two elements: 1) Origin Zip  
10 Code Field 1053; and 2) Destination Zip Code Field 1042.

11 **[0190]** For either class of shipping location, if an iShip Shipping Station will not be present  
12 at the selected shipping location, the System displays a notice (not shown) to the customer  
13 telling them that they must have a laser printer to ship using the specified location.

14 **[0191]** If the Shipper is Logged On to the System and has established an account, the  
15 System will default the Shipping Location to the Shipper's specified Preferences which the  
16 Shipper inputs (not shown) the first time that the Shipper logs into the System. If the  
17 Shipper's specified Preference is a "customer drop off" location, the System populates the  
18 Origin Zip Code with the Shipper's default Zip Code which the Shipper inputs (not shown)  
19 the first time that the Shipper logs into the System.

20 **[0192]** If no location is selected by the Shipper, the System displays a message (not shown)  
21 asking the Shipper to select a shipping location.

22 **[0193]** In the Package area 1075 of the screen depicted in FIG. 26 there are the following  
23 controls or control groups: 1) "Packaging" which includes various types of parcel packaging ,  
24 as shown in item numbers 1043-1047 and includes Length 1048, Width 1050 and Height  
25 1049 which are required data fields for parcels designated by the Shipper as the type "Other  
26 Packaging"; 2) Weight 1051 (If the Shipper specifies one of the recognized carrier packaging  
27 types (Letter, Pak, Box, Tube) the field will be auto filled with "letter", "pak", etc.); and 3)  
28 additional handling 1052. If "Letter" is selected the weight will be set by the System to 0.5  
29 lbs. Otherwise, weight may be input by the Shipper (612, FIG. 27a) using a user input device



1 such as a keyboard, with weights ranging from 1 to 150 lbs. If a specific weight is selected or  
2 input, the Packaging Type will be set to Carrier Box.

3 **[0194]** In order to identify the weight of the parcel to the System, in one embodiment of the  
4 invention, the Shipper's PC is configured with a scale and the System communicates with the  
5 Shipper's scale using the user's client web browser. FIGS. 27A through 27C depict the logic  
6 flow for communications between the System and a Shipper's PC and a scale configured with  
7 the Shipper's PC. As depicted in FIGS. 27A through 27C, the Shipper establishes in the  
8 System certain information about the Shipper's PC configuration at the time the Shipper sets  
9 up an Account 601. If the Shipper's PC is configured with a scale, the Shipper specifies scale  
10 configuration information 602 such as: the make and model of scale, and the type of port  
11 (e.g., serial or parallel) with which the scale is configured with the PC. Further, the System  
12 provides storage and access 603 for the Shipper's scale configuration information in a  
13 database 604.

14 **[0195]** Continuing with FIGS. 27A through 27C, the System supports various makes and  
15 models of scales. Each scale make and model has a set of features and requirements for which  
16 the System must be programmed in order for the System to communicate properly with each  
17 particular scale. The System provides an ActiveX control dedicated to communications with  
18 peripheral devices configured with client PCs ("Shipping Station ActiveX Control") 607.  
19 Contained within the Shipping Station ActiveX Control is a table (the "scale table") 608  
20 containing entries for each supported scale make and model and provides logic to process the  
21 communication information for each scale make and model as appropriate. It should be  
22 understood by someone skilled in the art that the Shipping Station ActiveX Control facilitates  
23 communications with various devices on the client machine. The Shipping Station ActiveX  
24 Control 607 and the scale table 608 are requested 606 by the web page (the "System/scale  
25 interface") containing the Weight field 1051 at the time that the Shipper activates 605 the  
26 Weight field 1051. Once the web page requests the Shipping Station ActiveX Control 607,  
27 the Shipping Station ActiveX Control 607 is automatically installed on the client 609. In the  
28 event that the Shipping Station ActiveX Control is updated to facilitate the support of  
29 additional scale makes and models, the Shipping Station ActiveX Control is automatically

1   reinstalled on the particular client PC the next time that the Shipper activates the Shipping  
2   Station ActiveX Control.

3   **[0196]** Continuing with FIGS. 27A through 27C, the Shipper places 610 the Subject Parcel  
4   on the scale, such as, e.g., the scale 1024a depicted in FIG. 4, and 1024n depicted in FIG. 7.  
5   The Shipper activates the Shipping Station ActiveX Control by placing the cursor of the  
6   Shipper's PC on the Weight field 1051 (such as the Weight field 1051 depicted in FIGS. 15  
7   and 26). The System checks the Shipper's scale configuration information to determine 611  
8   whether the Shipper's PC is configured with a scale. If so, the System activates the  
9   System/scale interface 613. Otherwise, the user may input the weight 612 in the Weight field  
10   1051 as depicted in e.g., FIG. 26.

11   **[0197]** In one embodiment of the System/scale interface aspect of the invention, the System  
12   uses ActiveX control language and the client's web browser, such as Internet Explorer  
13   browser. Continuing with FIGS. 27A through 27C , using the Shipper's scale configuration  
14   information, the System calls Windows libraries 615 to open the serial or parallel port with  
15   which the scale is configured, as the case may be and as is specified in the Shipper's scale  
16   configuration information. Windows is an operating system used with most PCs.

17   **[0198]** Continuing with FIGS. 27A through 27C , the System uses the information for the  
18   particular scale make and model from the scale table 608 of scale makes and models to send a  
19   communication query to the particular scale 616. Typically, the communication query  
20   information required by a particular scale make and model is a particular set of characters.  
21   Each scale make and model recognizes a unique set of characters as a request for a weight.  
22   Accordingly, the appropriate set of characters that means a request for weight to a particular  
23   scale make and model is stored in the scale table for a particular scale make and model.

24   **[0199]** Continuing with FIGS. 27A through 27C, after a proper query, a scale will return a  
25   data stream containing the weight of the parcel 617. Depending on the scale make and model,  
26   other types of information may be contained in the return data stream. The System accesses  
27   the scale table 608 to interpret 618 the return data stream according to the scale make and  
28   model rules as stored in the scale table and as programmed in the Shipping Station ActiveX  
29   Control.

1 [0200] Other scale communication information is contained in the scale table for each scale  
2 make and model, including, for example: the character string that communicates a request as  
3 to whether or not the weight is stabilized; the default contents of the return data stream of the  
4 weight from a particular scale make and model; and the character string to request that the  
5 scale send the weight mode with the return data stream. Weight mode is the mode with which  
6 the scale measures weight (e.g., pounds, kilograms, etc.).

7 [0201] In one embodiment, if no weight difference is determined, as long as the Shipper's  
8 cursor remains on the Weight field 1051 (such as the Weight field 1051 depicted in FIGS. 15  
9 and 26), the System polls the scale repeatedly requesting the weight and requesting  
10 notification that the weight is stabilized 619. Each time the System polls the scale, the System  
11 tests to determine 620 whether or not there is a difference in the weight as compared with the  
12 last time that the System polled the scale. If the System determines a difference in weight,  
13 then the System uses the Shipping Station ActiveX Control to fire an event 621 to the client  
14 web browser to display on the User Interface screen that the weight has changed.

15 [0202] In one embodiment, once the Shipper removes the cursor from the Weight field  
16 1051, the System stops polling the scale 622. If prior to the last polling to the scale, the scale  
17 notifies the System that the weight has stabilized 623, the System will proceed with preparing  
18 the Graphic Array if requested to do so by the Shipper 625. Otherwise, if the System  
19 determines a difference in weight, the System notifies the Shipper that the weight is not stable  
20 624.

21 [0203] The Shipper can use the Shipper's input device connected to the Shipper's PC, such  
22 as a mouse 12a, as depicted in FIG. 4, to position the cursor on one of the navigational  
23 buttons 102-105 shown at the bottom of the screen as depicted in FIG. 26 described above. If  
24 the Shipper clicks the "Next" button 102, the System will display the next Screen, which, in  
25 the embodiment depicted, is the Rates and Times Screen (an exemplary embodiment of which  
26 is depicted in FIG. 36A described below). If the Shipper clicks the "Reset" button 103, the  
27 System will clear the values displayed on the current screen. If the Shipper clicks the  
28 "Cancel" button 104, the System will cancel the Shipper's Parcel Specifications and the  
29 Shipper's service request. If the Shipper clicks the "Help" button 105, the System will

1 display help text to explain to the Shipper the appropriate possible actions.

2 [0204] Returning to FIG. 25, Shipping Weight can be input by clicking the Shipping Weight  
3 pull down menu button 191b which will cause a display of commonly selected weights, such  
4 as "Letter - 0.5 lbs" and weights from 1 to 150 lbs. Alternatively, in one exemplary  
5 embodiment, the User inputs the weight of the package by placing the actual package on a  
6 scale that is configured with the User's computer and with which the System is programmed  
7 to interact as disclosed above.

8 [0205] The User is also asked to identify whether the item is irregular or requires non-  
9 standard packaging 192. Regarding Loss Protection, the default is Basic Coverage 193. If  
10 the User instead selects Declared Value 194, the User is required to enter a value 195 greater  
11 than \$0.00 and less than or equal to \$50,000.00.

12 [0206] Once the User has entered the package specific information 191a-195, as described  
13 above, the User can request the System to preview the shipping charges that will be presented  
14 to a Buyer/Bidder. To do so, the User may either: 1) choose an example destination 196a and  
15 uses the destination pull down menu button 196c to select a sample destination city 196b  
16 from a list of cities; or 2) choose to enter an example zip code 197a by entering a sample zip  
17 code 197b. Then the user clicks the Preview button 198 to display the sample charges. If a  
18 sample destination city was selected from the pull down list of cities, once the User clicks the  
19 Preview button 198, the System identifies the appropriate zip code for the selected city and  
20 moves that zip code into the Destination Zip code field 197b.

21 [0207] FIG. 28 depicts an exemplary further supplemental Shipper Parcel Specification  
22 Screen such as in a simplified Internet embodiment of the invention, which in the  
23 embodiment depicted is titled the Service Options Screen. The Service Options Screen  
24 provides for Shipper input of Service Option Selections (1076, 1077, 1078, 1083-1088) and  
25 displays a Single Day Rate Graphic Array. The Service Options supported in the depicted  
26 embodiment are: 1) Loss Protection (Declared Value) 1076; Delivery Notification 1077,  
27 namely 2) E-Mail Delivery Notification 1083; 3) Verbal Delivery Confirmation 1085; and  
28 other options 1078, namely 4) "Service must be guaranteed" 1086; 5) "Destination is a  
29 Residence" 1087; and 6) "Signature not Required" 1088. Selection of an option on the screen

1 depicted in FIG. 28 is accomplished by the Shipper placing the cursor on the option selection  
2 mechanism and clicking the Shipper's user input device.

3 **[0208]** With respect to the Loss Protection (Declared Value) Service Option, if the Shipper  
4 selects the Declared Value Option 1081, the Shipper must enter a value 1082 of greater than  
5 \$100.00, and equal to or less than \$50,000.00. The default for Loss Protection is "Basic  
6 Coverage" 1080 which provides automatic coverage for the first \$100.00 of Declared Value  
7 If the Declared Value option 1081 is selected and a value 1082 entered, the System will  
8 update the Single Day Rate Graphic Array 1096 with changes for each individual Carrier's  
9 rates, e.g., 1097.

10 **[0209]** It should be noted that the Carrier Rules described herein, such as in the case of the  
11 defaults, threshold values, and the like concerning Loss Protection, are contained in the  
12 Carrier Rules database (e.g., 1404a through 1404n as depicted in FIG. 38), and for special  
13 cases, are programmed as part of the System. Carrier Rules vary from Carrier to Carrier;  
14 Carrier Rules are subject to change. The Carrier Rules described herein are therefore not a  
15 limitation of the invention.

16 **[0210]** With respect to the E-Mail Delivery Notification Option, two controls are provided -  
17 a checkbox 1083 and an "E-Mail Others" button 1084. If the E-Mail Delivery Notification  
18 Option checkbox 1083 is checked the rates, such as those displayed in the Single Day Rate  
19 Graphic Array 1096, will be updated to reflect each Carrier's charges for the provision of E-  
20 Mail Notification services. If Shipper clicks the "E-Mail Others" button 1084, the following  
21 will occur: 1) If the checkbox 1083 has not already been checked, it will be checked by the  
22 System; and 2) an "E-Mail Others" pop-up window will be displayed by the System as  
23 depicted in FIG. 60 and described below.

24 **[0211]** With respect to the Verbal Delivery Confirmation Option, if the Verbal Delivery  
25 Confirmation Option checkbox 1085 is checked, the rates, such as those displayed in the  
26 Single Day Rate Graphic Array 1096, will be updated to reflect each Carrier's charges for the  
27 provision of Verbal Delivery Confirmation services. If the Verbal Delivery Confirmation  
28 Option checkbox 1085 is checked, the System will use the Shipper's Return Address Phone  
29 and Name as supplied by the Shipper during Account setup (not shown), as the information to

1 be supplied to UPS.

2 [0212] With respect to the "Service must be guaranteed" Option, if the "Service must be  
3 guaranteed" Option checkbox 1086 is checked, the rates and Carrier/Service cells, such as  
4 those displayed in the Single Day Rate Graphic Array 1096, will be updated to remove any  
5 Carrier/Service cell for which service is not guaranteed.

6 [0213] With respect to the "Destination is a Residence" Option, if the "Destination is a  
7 Residence" Option checkbox 1087 is checked, the rates and Carrier/Service cells, such as  
8 those displayed in the Single Day Rate Graphic Array 1096, will be updated to remove any  
9 Carrier/Service cell which does not provide service to Residence Destinations.

10 [0214] With respect to the "Signature not Required" Option, in the embodiment depicted in  
11 FIG. 28, if the "Signature not Required" Option checkbox 1088 is checked, no change will be  
12 applied to the rate graphic. In the embodiment depicted in FIG. 28, the "Signature not  
13 Required" Option is a FedEx only flag and does not effect any other Carrier or any Carrier  
14 rate.

15 [0215] The Single Day Rate Graphic Array as displayed in FIG. 28 is similar to the Graphic  
16 Array described below as depicted in FIG. 36A in that the Single Day Rate Graphic Array is  
17 dynamically dimensioned and reflects the Carriers (1032-1 through 1032-7) that provide the  
18 delivery service requested by the Shipper for a particular Subject Parcel. As with the Graphic  
19 Array, the embodiment of the Single Day Rate Graphic Array depicted in FIG. 28 uses a  
20 color-coded legend 1091 and color (e.g., 1140a, 1141a, 1142a) to distinguish the rates for  
21 each Carrier (e.g., 1140b, 1141b, 1142b) from the rates for the other Carriers.

22 [0216] The Single Day Rate Graphic Array contains a number of elements. First, the  
23 selected delivery date 1090 is displayed at the top of Single Day Rate Graphic Array. The  
24 displayed date is bordered on the left 1098 and right 1099 with arrow buttons. If the Shipper  
25 clicks the left arrow button 1098, the date will go back one valid delivery date. If the Shipper  
26 clicks the right arrow button 1099, the date will move forward one valid delivery date. The  
27 range of valid delivery dates is determined by the System according to the Expected Ship  
28 Date (element 1060 as depicted in FIG. 36A).

29 [0217] Sorted, valid delivery times 1093-1 through 1093-5 for all valid dates are displayed

1 down the left side of the Single Day Rate Graphic Array. Above the delivery times are up  
2 and down arrow buttons 1101a and 1101b respectively. If an up or down arrow button (1101a  
3 and 1101b respectively) is pressed, the list of available times 1093-1 through 1093-5 will  
4 scroll up or down appropriately, if and only if the list exceeds the Single Day Rate Graphic  
5 Array display area 1096.

6 [0218] A Ship Location Type field 1066 and Ship Location drop down menu activator 1067,  
7 are displayed below the Single Day Rate Graphic Array and operate in a manner as described  
8 in FIG. 36A. If the Shipper changes the Ship Location selection, the System will update the  
9 Single Day Rate Graphic Array to reflect any rate changes or surcharges that result from the  
10 change.

11 [0219] As with the Rates and Times Screen (described below as depicted in FIG. 36A), the  
12 Single Day Rate Graphic Array is color coded by Carrier in a color-coding legend 1091 - that  
13 is, a distinct color is visually depicted in a legend as corresponding to each respective Carrier.  
14 Carrier cell entries, e.g., 1097, for each Carrier are presented in a color-coded display of the  
15 available rate, by date and time.

16 [0220] As depicted in FIG. 28, the color for the Carrier identified as "Airborne" 1140b is  
17 depicted in the color coding legend 1091 with a right-diagonal cross-hatch symbol 1140a.  
18 Accordingly, each Carrier cell entry, e.g., 1097, contained within the Single Day Graphic  
19 Array with a particular distinct color, in this case depicted with the right-diagonal cross-hatch  
20 symbol 1140a, corresponds to a delivery of the Subject Parcel supported by the Carrier  
21 "Airborne" 1140b.

22 [0221] Each Carrier cell entry, e.g., 1097, contains a graphic element, e.g., 1097a, which  
23 contains what is known as "ALT text". A Shipper viewing the Single Day Rate Graphic  
24 Array online can place the PC's cursor on the graphic element, e.g., 1097a of a particular  
25 Carrier cell entry, e.g., 1097, to display a pop-up screen (not shown) that displays the ALT  
26 text for that particular Carrier cell entry. The ALT text contains information about the  
27 Carrier, as described in FIG. 36A, such as the full Carrier name and the full Carrier service  
28 name. The contents of the ALT text described herein is exemplary and is not a limitation of  
29 the invention.

1 [0222] Appearing in each of each of the color-coded Carrier cell entries is a monetary value,  
2 e.g., 1097b, of the price that the corresponding Carrier would charge to deliver the Subject  
3 Parcel according to the time and date specified. For example, as depicted in FIG. 28, the  
4 Carrier cell entry 1097, depicted with the right-diagonal cross-hatch symbol 1140a, contains  
5 the amount \$9.00 (1097b). Accordingly, the amount \$9.00 (1097b) is the price that the  
6 Carrier Airborne would charge to deliver the Subject Parcel at the identified time of 12:00  
7 p.m. 1093-3 on the identified date of Monday, September 28, 1999 1090.

8 [0223] Similarly, as depicted in FIG. 28, the color for the Carrier identified as "FedEx"  
9 1141b is depicted in the color coding legend 1091 with a left-diagonal cross-hatch symbol  
10 1141a. Accordingly, each Carrier cell entry contained within the Graphic Array with the left-  
11 diagonal cross-hatch symbol, e.g., 1107, corresponds to a delivery of the Subject Parcel  
12 supported by the Carrier "FedEx."

13 [0224] Further, as depicted in FIG. 28, the color for the Carrier identified as "UPS" 1142b is  
14 depicted in the color coding legend 1091 with a vertical cross-hatch symbol 1142a.  
15 Accordingly, each Carrier cell entry contained within the Graphic Array with the vertical  
16 cross-hatch symbol, e.g., 1108, corresponds to a delivery of the Subject Parcel supported by  
17 the Carrier "UPS."

18 [0225] In the embodiment of the Service Options Screen depicted in FIG. 28, the  
19 navigational buttons operate much the same as has been previously described except that  
20 clicking the "Back" button 117 will display the previous screen, which in the embodiment  
21 depicted is the Rates and Times Screen (FIG. 36A); clicking the "Next" button 102 will  
22 display the next screen, which in the embodiment depicted is the Summary Screen (FIG. 48).  
23 The Shipper must select a Carrier cell entry before the System will display the Summary  
24 Screen. To select a Carrier cell entry, the Shipper places the cursor over the entry and clicks  
25 the user input device. In an alternative embodiment, the Shipper double clicks a Carrier cell  
26 entry to select the entry. Clicking the Reset button 103 will clear all fields in the Service  
27 Option Screen depicted in FIG. 28 and return the display of the Location and Package Screen  
28 (as described above with regard to FIGS. 15 and 26).

29 [0226] Returning to FIG. 25, once the User is satisfied with the previewed charges, the User



1 can create a Seller's link. To do so, the User must choose the type of Link, HTML 199 or  
2 Web Address only 200, enter the Link Text 201 that will be displayed, and click the Go  
3 button 202.

4 [0227] Once the User clicks on the "Go" button 202, the System generates an HTML  
5 hyperlink and moves the HTML hyperlink in the "Link" box 203a. If the HTML hyperlink  
6 text exceeds the space available on the Create a Seller's Link Screen, the User can click on  
7 the up and down scroll buttons, 203b1 and 203b2 respectively.

8 [0228] FIG. 30 depicts an exemplary alternative embodiment of the Create a Seller's Link  
9 screen. In this embodiment, the System collects the package specific information when the  
10 Seller enters the System and then presents the screen as depicted in FIG. 30 to display the  
11 generated hyperlink.

12 [0229] On the Seller's Link Screen depicted in FIG. 30, an Affiliate's Logo 215 is  
13 displayed. The Affiliate's Logo 215 represents the logo of an affiliated eCommerce/eAuction  
14 provider. When Affiliate co-branding is desired, an affiliate identifier is appended to the end  
15 of the URL that refers to the Sell It application as that URL is provided in the affiliate  
16 Provider's Web site. An affiliate identifier is an account number that begins with the prefix  
17 "AFF". When a Seller clicks on a logo or hyperlink for the System that has an affiliate  
18 identifier, the affiliate identifier is sent to the System with the hyperlink. If the System  
19 receives an affiliate identifier in a hyperlink, the System accesses the System database 22 as  
20 depicted in FIG. 5, retrieves the affiliate's logo and color scheme, and uses the affiliate's  
21 logo, page element specifications, and color scheme to alter page elements of the System  
22 screens.

23 [0230] In one embodiment, the System generates an HTML hyperlink by executing a JAVA  
24 script routine (in alternative embodiments, other scripts are used). The JAVA routine extracts  
25 the Seller's package-specific information from the Create a Seller's Link HTML page (i.e.,  
26 Weight, Irregular or Non-Standard Packaging, Loss Protection, Destination Zip code, Link  
27 Type and Link Text) and integrates the information with a URL (Universal Resource Locator)  
28 that points to the address at which a System web page exists, or a series of System web pages  
29 exist, that will display shipping cost comparisons for a Buyer/Bidder. In one embodiment,

1 the URL information is hard coded in the web page. The hyperlink built by the System  
2 contains data as well as an address. In an alternative embodiment, the URL is dynamically  
3 generated.

4 [0231] In order to create the Link, the System places the appropriate HTML tags and text in  
5 a sequence that can be rendered by a web browser. An example of a hypertext link, like the  
6 one generated in FIGS. 25 and 29, that the "Create Link" application creates is depicted in  
7 FIG. 31. Some of the text of the Link (a hyperlink) depicted in FIG. 31 is a template.  
8 However, several components are customized according to the Seller's and the specific item's  
9 information. For instance, the example hyperlink depicted in FIG. 31 contains a variable data  
10 item named "K" 210-1 which is set equal to the account number 210-2 ("A6V1XZ" in this  
11 case) of the Seller's account 210. The example hyperlink depicted in FIG. 31 also contains a  
12 variable named "W" which is set equal to the weight in pounds of the package to be shipped  
13 (in this case "10") 211; a variable named "V" set equal to the declared value for loss  
14 protection of the package (in this case "0") 212; and a variable named "H" which is set equal  
15 to an indicator, which if set to "1", the package has irregular or non-standard packaging, if set  
16 to "0" (as in this case"), the package is regular with standard packaging 213.

17 [0232] After the System generates the HTML hyperlink, the Seller can copy the HTML  
18 hyperlink text 203a as depicted in FIG. 30 using generally available text editing features such  
19 as click, drag and copy. The Seller then returns to the Seller's web site or to the  
20 eCommerce/eAuction Provider's from which the Seller entered the System and paste the Link  
21 text in the Seller's eCommerce/eAuction item description.

22 [0233] The Buyer's/Bidder's experience is described in detail below. However, for  
23 purposes of describing the Seller's Link, when the Buyer/Bidder clicks on the Seller's Link in  
24 the Seller's web page, the Buyer's/Bidder's Web Browser will use the URL to locate the  
25 System Web page that is addressed by the Link. The System will be presented with and  
26 receive as input the information in the hypertext link, including the variables and their  
27 respective contents as described above 210-213 in connection with FIG. 31.

28 [0234] With the Seller's account number 210, the System accesses the System database 22  
29 as depicted in FIG. 5 and retrieves the following types of information about the Seller: 1)

1 Package origin address; 2) Carriers and services that the Seller has chosen to use; 3) Custom  
2 and public carrier rates the Seller can use; 4) Additional handling charges that the Seller  
3 wants to impose; and 5) Payment methods the Seller will allow the buyer to use. This type  
4 of information was collected by the System during the Seller's Registration process as was  
5 described above (e.g., in connection with FIGS. 9-14, 16-25).

6 [0235] With the Seller's information as collected through the Registration process and with  
7 the package specific information as provided by the hyperlink Seller's Link, the System, at  
8 the address provided by the URL, is programmed to interact with the Buyer, as will be  
9 described in detail below, to facilitate shipping of the package, payment information  
10 collection, and depending upon the previously provided (during Seller registration)  
11 instructions of the Seller, payment processing.

12 [0236] FIG. 32 depicts an alternative embodiment of a hyperlink generated by the System.  
13 Instead of the hyperlink explicitly containing the Seller's account number 210 and package  
14 specific information, e.g., 211-213, as depicted in FIG. 31, the hyperlink depicted in FIG. 32  
15 provides a Package Identifier ("PID") 220. A PID hides Seller account information and  
16 package specific information from the Buyer/Bidder by replacing the explicit embedded  
17 information with a single string of facially meaningless characters. In an embodiment of the  
18 System that generates a PID for each package/Seller's Link, every time a Seller creates a  
19 URL with a PID, the System creates a new and unique PID. Without access to the iShip  
20 database, there is no information in a PID from which to determine a Seller's information.

21 [0237] The System stores the PID 220 in a PID table in the System database 22 (such as  
22 depicted in FIG. 5) and stores the Seller's account and package specific information, e.g.,  
23 210-213 (such as depicted in FIG. 31) with the PID.

24 [0238] In another embodiment, the details associated with the Seller's account, such as the  
25 Seller's various eCommerce and shipping preferences, are stored in detail with the PID 220.  
26 Storing detailed information with a PID 220 provides for additional flexibility in that new  
27 Seller information can be associated with the new PID while not influencing a previously  
28 generated PID and its associated set of information.

29 [0239] FIGS. 33A and 33B represent a database schema diagram that depicts an exemplary

embodiment of tables in which data is stored by the System regarding a particular Seller Account, and from which information is retrieved in order to begin the process of presenting to the Buyer/Bidder a shipping cost multi-carrier, multi service comparison Graphic Display, which itself will be discussed in more detail below.

[0240] As depicted in FIGS. 33A and 33B, the database schema 250 is comprised of an Account User table 251 (comprising, e.g., 251-1, 251-2, 251-3, 251-4), a Users table 252 (comprising, e.g., 252-1, 252-2, 252-3, 252-4), an Account User Configuration table 253 (comprising, e.g., 253-1, 253-2, 253-3, 253-4), a Carrier Account table 254 (comprising, e.g., 254-1, 254-2, 254-3, 254-4, 254-5), an Account table 255 (comprising, e.g., 255-1, 255-2, 255-3, 255-4), an Account and Carrier Account table 256 (comprising, e.g., 256-1, 256-2, 256-3), an Address table 257 (comprising, e.g., 257-1, 257-2, 257-3, 257-4, 257-5, 257-6, 257-7), a Site Type table 258 (comprising, e.g., 258-1, 258-2, 258-3, 258-4), an Account and Site Type table 259 (comprising, e.g. 259-1, 259-2), an Account and Site table 260 (comprising, e.g., 260-1, 260-2), and a Site table 270 (comprising, e.g. 270-1, 270-2, 270-3).

As depicted in FIGS. 33A and 33B, the Account User table 251 comprises, e.g., an account number ("AccountNo") 251-1, a user ID ("UserID") 251-2, an OID Address ("AddressOID") 251-3, a date of creation ("CreateDate") 251-4, etc. Users table 252 comprises a user ID ("UserID") 252-1, a LogOnName 252-2, a Password 252-3, an active indicator ("Active") 252-4, etc. The Account User Configuration table 253 comprises, e.g., an account number ("AccountNo") 253-1, a UserID 253-2, an Item 253-3, a Value 253-4, etc. The Carrier Account table 254 comprises a Carrier Account ID 254-1, a Carrier Account Name 254-2, a Billing Address OID 254-3, an Active indicator 254-4, a Commissioned indicator 154-4, etc. The Account table 255 comprises, e.g., an Account Number 255-1, a Mailing Address OID 255-2, an Active indicator 255-3, Tracking Number information 255-4, etc. The Account and Carrier Account table 256 comprises, e.g., an Account Number 256-1, a Carrier Account ID 256-2 and a Carrier ID 256-3. The Address table 257 comprises, e.g., an Address OID 257-1, a Contact Name 257-2, an email address 257-3, a Company Name 257-4, an Address 257-5, a City 257-6, a State 257-7, etc. The Site Type table 258 comprises, e.g., a Site Type ID 258-1, a Site Type OID 258-2, a Description 258-3, a Name 258-4, etc. The Account and Site Type

1 table 259 comprises an Account Number 259-1 and a Site Type ID 259-2. The Account and  
2 Site table 260 comprises, e.g., an Account Number 260-1 and a Site OID 260-2. The Site  
3 table 270 comprises a SiteOID 270-1, an Active indicator 270-2, and an Address OID 270-3.  
4 [0241] The Account table 255 holds, among other things, information about each Seller's  
5 account. In preparing the multi-carrier shipping cost comparison Graphic Display, the System  
6 accesses the Account table in order to determine whether the Account number 210-2  
7 contained in the hyperlink text is a valid Account number 255-1 and in an Active state 255-3.  
8 [0242] The Account User table 251 is used, among other things, to associate the Seller's  
9 account information with the Seller's security and address information. An address pointer  
10 251-3 into the Address table 257 is used 257-1 to retrieve the Seller's origin address.  
11 [0243] The Account User Configuration table 253 contains the Seller's preference settings  
12 (not shown) as specified by the Seller. These include Seller's choice of carriers, services,  
13 payment options, type of drop-off / pickup option, and any handling charges the Seller wishes  
14 to impose on the buyer.  
15 [0244] The Address table 257 holds all the addresses that are used in System applications.  
16 In addition to normal mailing address information, other items stored in this database table  
17 include the Seller's e-mail address and phone numbers.  
18 [0245] The Carrier Account table 254 holds the carrier account information that the System  
19 uses when a Seller ships a package. As well, this table 254 contains information for  
20 generating each Seller's rates for each carrier.  
21 [0246] The Account and Carrier Account table 256 ties the carrier accounts 254-1 from the  
22 carrier Account table 254 to the Carrier Accounts 256-2 with which the Seller has specified as  
23 a preferred Carrier to a particular Seller's account 256-1.  
24 [0247] The Site Table 270 contains information about drop off and pickup site locations.  
25 The Site Type table 258 contains information about each type of site.  
26 [0248] The Account and Site table 260 relates a particular Seller Account 260-1 to a  
27 particular site pointer 260-2 which in turn points to a particular site record 270-1 in the Site  
28 table 270.  
29 [0249] The Account and Site Type table 259 relates a particular Account 259-1 to a

1 particular site type 259-2 which in turn points to a particular site type record 258-1.

2 [0250] In one embodiment, once the Seller has decided upon the Seller's preferred options,  
3 the information in the Site Type, Account and Site Type, Account and Site and Site tables  
4 258-270 are stored in the Account User Configuration table 253.

5 [0251] Most eCommerce web sites and eAuction sites allow the Seller to generate a custom  
6 Seller's web page for each item being sold. Typically, the Seller's web page utilizes HTML  
7 for the layout, and descriptions and pictures of the item sold or auctioned. During the process  
8 of establishing an eCommerce/eAuction web page, the Seller utilizes the System to register  
9 for the System's shipping management services, to enter the Seller's preferences as described  
10 above, and to enter parameters such as, for example, the weight and packaging, loss  
11 protection and value of the package, as described above that describe the particular item the  
12 Seller is selling/auctioning. The Seller then uses the Create a Seller's Link function of the  
13 System to create a hyperlink. The Seller then uses customary edit controls to copy the  
14 hyperlink and paste the hyperlink into the description of the item to be sold at the Seller's web  
15 site. The result is an HTML hyperlink to view the shipping charges from the auction item  
16 description field, an exemplary embodiment of which is depicted in FIG. 34.

17 [0252] As depicted in FIG. 34, the exemplary item bidding requirements and circumstances  
18 301 are described in the Seller's auction web site page. A description of the item available  
19 for bidding is provided 302. The Seller has used the System to copy the hyperlink 203a  
20 created by the system into the description 302 of the item. After returning to the Seller's  
21 auction web site page describing the particular item, the Seller used customary edit controls to  
22 paste the hyperlink into the description 302 of the item 303. The Seller's web site page 53 is  
23 depicted in FIG. 10C.

24

#### 25 D. THE BUYER'S EXPERIENCE IN AN ECOMMERCE EMBODIMENT

26 [0253] In an eCommerce embodiment of the present invention, the Buyer/Bidder enters the  
27 Seller's eCommerce/eAuction web site page, such as the one depicted in FIG. 34, and reviews  
28 the Seller's description of the item to be sold/auctioned. If the Buyer/Bidder is interested in  
29 the item, the Buyer/Bidder may click on the System hyperlink 303 for that Seller's item

1 shipping charges.

2 [0254] If the Buyer (80, e.g., FIG. 10C) clicks on the System hyperlink 303, as depicted in  
3 FIG. 10c, the Buyer/Bidder enters the System at the URL address supplied by the hyperlink.  
4 FIG. 35 is a graphic representation of an exemplary Buyer shipping rating information  
5 collection screen that the Buyer would see upon entry into the System. As depicted in FIG.  
6 35, the System displays a Buyer data collection screen 55 (in FIG. 10C) to the Buyer,  
7 instructing the Buyer to enter the Buyer's zip code and other options, and to click on the Get  
8 Rates button 317 to get a comparison of rates 310. The Buyer enters the deliver-to zip code  
9 311, identifies whether the delivery will be made to a business address 312 or a residence  
10 313, and whether yes 314 or no 315 the Buyer wants the selected Carrier/service to guarantee  
11 a delivery time. The System instructs the Buyer to click the "Back" button on the Buyer's  
12 web browser to return to the Seller's item web site page 316.

13 [0255] Once the Buyer has supplied the necessary information, if the Buyer clicks the Get  
14 Rates button 317, the System validates the information supplied by the Buyer and then  
15 combines the information supplied by the Buyer with the information set for the Seller during  
16 the Seller's registration/eCommerce registration and calculates and displays a multi-carrier,  
17 multi-service rate and time shipping cost comparison Graphic Array 56 (as depicted in FIG.  
18 10C).

19 [0256] An exemplary embodiment of a multi-carrier, multi-service rate and time shipping  
20 cost comparison Graphic Array in an exemplary simplified Internet embodiment of the  
21 invention is depicted in FIG. 36A.

22  
23 a) THE GRAPHIC ARRAY DISPLAY

24 [0257] FIG. 36A depicts an exemplary Dynamically Dimensioned Multi-Carrier, Multi-  
25 Service Graphic Array online display as part of an exemplary supplemental Shipper Parcel  
26 Specification Input Screen. FIG. 36A depicts a Graphic Array for an exemplary simplified  
27 Internet embodiment. In the embodiment of the Graphic Array depicted in FIG. 36A, the  
28 particular screen is titled the Rates and Times Screen.

29 [0258] As depicted in FIG. 36A, the exemplary Graphic Array contains the following

1 information and display elements: 1) valid delivery dates 1063 (1063-1 through 1063-3)  
 2 across the top of the graphic display for the selected Ship Date; 2) sorted, valid delivery times  
 3 1064 (1064-1 through 1064-6) for all valid dates down the left side of the graphic display; and  
 4 3) color coded by Carrier, Carrier cell entries, e.g., 1065, for each available rate, by date and  
 5 time.

6 **[0259]** In the exemplary embodiment depicted in FIG. 36A the Graphic Array comprises an  
 7 array of intersecting rows and columns. Each column corresponds to a day and date of parcel  
 8 delivery. In FIG. 36A, the days and dates of delivery shown are "TUE 28 SEP 99" (1063-1),  
 9 "WED 29 SEP 99" (1063-2) and "THU 30 SEP 99" (1063-3). As depicted in FIG. 36A,  
 10 space for other columns (1063-4 through 1063-7) are available for display; in the case of the  
 11 example depicted in FIG. 36A however, no dates are displayed in those columns.

12 **[0260]** Each row of the Graphic Array corresponds to a time of delivery. In FIG. 36A, the  
 13 times of delivery are shown as "8:00 AM" (1064-1), "10:30 AM" (1064-2), "12:00 PM"  
 14 (1064-3), "3:00 PM" (1064-4), "4:30 PM" (1064-5), and "5:00 PM" (1064-6).

15 **[0261]** At the intersection of each row (1064-1 through 1064-6) and column (1063-1  
 16 through 1063-7) of the Graphic Array is a "cell." In FIG. 36A, cells will be referred to by the  
 17 element 1071, and by the intersecting row (1 through 6) and column (1 through 7) the  
 18 intersection of which forms the space for each cell (1071-1-1, 1071-1-2, . . . 1071-6-7). Some  
 19 of the cells depicted in FIG. 36A are empty, e.g., 1071-5-1, 1071-6-1, 1071-6-3, 1071-6-4.  
 20 Empty cells represent the circumstances that none of the Carriers supported by the System  
 21 (the "supported Carriers") support delivery of the Subject Parcel for the time and date for  
 22 which that cell represents the intersection.

23 **[0262]** Some cells depicted in FIG. 36A have one or more cell entries. In FIG. 36A, each  
 24 cell entry represents a particular Carrier. Each Carrier cell entry is color coded with a unique  
 25 color, the unique color corresponding to a particular Carrier as is discussed in more detail  
 26 below; each Carrier cell entry contains a graphic element, e.g., 1147a, and a monetary  
 27 amount, e.g., 1147b, which represents the price for which the corresponding Carrier would  
 28 deliver the subject parcel. For instance, cell 1071-1-1 contains a single Carrier cell entry  
 29 1148. Cell 1071-3-1 contains two Carrier cell entries 1065 and 1149.



1 [0263] A color-coding legend 1062 is displayed on the Screen to identify by a name (1140b,  
2 1141b, 1142b, and 1143b) and a color-coding symbol (1140a, 1141a, 1142a, and 1143a), each  
3 of the supported Carriers (e.g., 1140, 1141, 1142, 1143) that provide the service according to  
4 the particular Shipper's Parcel Specifications for the particular Subject Parcel.

5 [0264] For purposes of this application, unique colors are depicted with graphic symbols.  
6 For example, a right-diagonal hash mark symbol 1140a is used herein to represent the color  
7 red; a left-diagonal hash mark symbol 1141a is used herein to represent the color purple; a  
8 vertical hash mark symbol 1142a is used to represent the color amber; and a horizontal hash  
9 mark symbol 1143a is used to represent the color blue. The particular hash mark symbols  
10 used herein and the colors mentioned herein are exemplary and are not a limitation of the  
11 invention.

12 [0265] Each cell of the Graphic Array that is not empty contains one or more color-coded  
13 Carrier cell entries. For example, in FIG. 36A, cell 1071-3-1 contains two Carrier cell entries,  
14 1065 and 1149. Carrier cell entry 1065 is color-coded with the right-diagonal hash mark  
15 symbol (representing the color red) which, according to the color-coding legend 1062,  
16 corresponds 1140a with the Carrier identified as "Airborne" 1140b. Carrier cell entry 1149 is  
17 color coded with the horizontal hash mark symbol (representing the color purple) which,  
18 according to the color-coding legend 1062, corresponds 1143a with the Carrier identified as  
19 "USPS" 1143b.

20 [0266] Each Carrier cell entry, e.g., 1065, contains a graphic element, e.g., 1065a, which  
21 contains what is known as "ALT text". As depicted in FIG. 36A, a Shipper viewing the  
22 Graphic Array online can place the PC's cursor on the graphic element, e.g., 1065a of a  
23 particular Carrier cell entry, e.g., 1065, to display a pop-up screen 1069 that displays the ALT  
24 text for that particular Carrier cell entry. In some embodiments, the ALT text will be  
25 displayed by merely placing the cursor over the graphic element for a particular Carrier cell  
26 entry and leaving the cursor in that position for a certain time interval. In alternative  
27 embodiments, the Shipper must click on the graphic element for a particular Carrier cell entry  
28 in order to display the ALT text. In the exemplary embodiment depicted in FIG. 36A, the  
29 displayed ALT text, e.g., the text displayed in pop-up screen 1069, contains the full Carrier

1 name (in the depicted case, "Airborne Express") and the full Carrier service name (in the  
2 depicted case, "Express Overnight Service") for the Carrier 1140b (in this case, Airborne) to  
3 which that Carrier cell entry corresponds.

4 [0267] As depicted in FIG. 36A, the color for the Carrier identified as "Airborne" 1140b is  
5 depicted in the color coding legend 1062 with a right-diagonal cross-hatch symbol 1140a.  
6 Accordingly, each Carrier cell entry contained within the Graphic Array with the right-  
7 diagonal cross-hatch symbol, e.g., 1065, corresponds to a delivery of the Subject Parcel  
8 supported by the Carrier "Airborne." Appearing in each of the color-coded Carrier cell  
9 entries, e.g., 1065 is a graphic element, e.g., 1065a, and a monetary value, e.g., 1065b. The  
10 monetary value, e.g., 1065b corresponds to the price that the corresponding Carrier would  
11 charge to deliver the Subject Parcel according to the time 1064-3 and date 1063-1 specified  
12 according to the row and column of which the intersection (which, in the case described is  
13 cell 1071-3-1) contains the Carrier cell entry 1065. For example, as depicted in FIG. 36A, the  
14 Carrier cell entry 1065, depicted with the right-diagonal cross-hatch symbol, contains the  
15 monetary amount "\$9.00." Accordingly, the amount \$9.00 is the price that the Carrier  
16 Airborne would charge to deliver the Subject Parcel at the identified time of 12:00 p.m. 1064-  
17 3 on the identified date of Tuesday, September 28, 1999 1063-1.

18 [0268] Similarly, as depicted in FIG. 36A, the color for the Carrier identified as "FedEx"  
19 1141b is depicted in the color coding legend 1062 with a left-diagonal cross-hatch symbol  
20 1141a. Accordingly, each Carrier cell entry contained within the Graphic Array with the left-  
21 diagonal cross-hatch symbol, e.g., 1147, corresponds to a delivery of the Subject Parcel  
22 supported by the Carrier "FedEx."

23 [0267] Further, as depicted in FIG. 36A, the color for the Carrier identified as "UPS" is  
24 depicted in the color coding legend 1062 with a vertical cross-hatch symbol 1142.  
25 Accordingly, each Carrier cell entry contained within the Graphic Array with the vertical  
26 cross-hatch symbol, e.g., 1148, corresponds to a delivery of the Subject Parcel supported by  
27 the Carrier "UPS."

28 [0268] Similarly, as depicted in FIG. 36A, the color for the Carrier identified as "USPS" is  
29 depicted in the color coding legend 1062 with a horizontal cross-hatch symbol 1143.

1 Accordingly, each Carrier cell entry contained within the Graphic Array with the horizontal  
2 cross-hatch symbol, e.g., 1149, corresponds to a delivery of the Subject Parcel supported by  
3 the Carrier "UPS."

4 [0269] In the embodiment of the Graphic Array depicted in FIG. 36A, the Graphic Array is  
5 dynamically dimensioned. For instance, only the dates and days (1063-1 through 1063-3) for  
6 which delivery that conforms to the particular Shipper's Parcel Specifications for the  
7 particular Subject Parcel are displayed across the top of the graphic. For example, for the  
8 date Tuesday, September 28, 1999 (1063-1), at the time 5:00 p.m. (1064-6), no Carrier  
9 supports delivery of the Subject Parcel.

10 [0270] Further, as depicted in FIG. 36A, only the times (1064-1 through 1064-6) during  
11 which at least one of the Carrier/Services identified as supporting the delivery are displayed  
12 along the viewer's left side of the Dynamically Dimensioned Multi-Carrier Graphic Array  
13 online display.

14 [0271] Still further, as depicted in FIG. 36A, a Carrier cell entry, e.g., 1065, is displayed for  
15 each of, but only for each of, the Carriers/Services that support delivery for a particular day  
16 and time in the cell of the Graphic Array that represents delivery on a particular day and at a  
17 particular time. When the circumstances require, the System displays one or more Carrier  
18 cell entries in a single cell. For instance, cell 1071-3-1 contains two entries, 1065 and 1149;  
19 whereas cell 1071-1-1 contains only a single cell. Accordingly, as depicted in FIG. 36A, the  
20 cell size expands vertically to accommodate multiple Carrier cell entries.

21 [0272] In the exemplary embodiment depicted in FIG. 36A, the color-coding legend 1062  
22 for each of the Carriers/Services represented in the Graphic Array is displayed with color-  
23 coding graphic elements (1140a through 1143a) and identification labels (1140b through  
24 1143b) for each relevant Carrier/Service along the viewer's right side of the rating and timing  
25 graphic. Alternatively, instead of the printed name, the logo for the particular Carrier/Service  
26 can be displayed. As another alternative, the Carrier/Service logo can be displayed in color in  
27 the color-coding legend 1062.

28 [0273] The particular arrangement of the color legend 1062 depicted in FIG. 36A and the  
29 particular colors used in the color legend depicted therein are exemplary and are not a

1 limitation of the invention. In an alternative embodiment, instead of using color, other  
2 visually distinctive methods are used to differentiate between different Carriers/Services. For  
3 instance, other visually distinctive methods of Carrier/Service differentiation include but are  
4 not limited to: three-dimensional texture effects, other three-dimensional effects, two-  
5 dimensional markings (for instance, dots, cross-hatching, and the like), lighting effects,  
6 graphic symbols (for instance, the logos of the Carriers/Services) and any combination of the  
7 aforementioned features with color.

8 [0274] In the embodiment of the Graphic Array depicted in FIG. 36A, the exemplary  
9 Graphic Array is depicted as horizontally wide enough to accommodate seven delivery days  
10 (1063-1 through 1063-7) within a particular delivery timespan. The depiction in FIG. 36A of  
11 the Graphic Array as a fixed size accommodating up to seven delivery days is exemplary and  
12 is not a limitation of the invention. In alternative embodiments, the Graphic Array online  
13 display collapses or expands in total size to reflect the actual number of rows and columns  
14 that need to be present in order to display the Carrier cell entries for the Carriers/Services that  
15 support delivery of the Subject Parcel according to the Shipper's Parcel Specifications.

16 [0275] The arrangement as depicted in FIG. 36A of the parcel delivery days and dates  
17 (1063-1 through 1063-7) across the top and the parcel delivery times (1064-1 through 1064-6)  
18 along the left side of the Graphic Array is exemplary and is not a limitation of the invention.  
19 In one alternative embodiment, the parcel delivery days and dates are displayed across the  
20 bottom, and the parcel delivery times are displayed on the viewer's right side, of the Graphic  
21 Array. In other alternative embodiments, the parcel delivery days are arranged on one of the  
22 two sides of the Graphic Array and the parcel delivery times are arranged along the top or the  
23 bottom of the Graphic Array. In such an alternative embodiment, the cells of the Graphic  
24 Array are expandable horizontally to accommodate the appropriate number of relevant  
25 Carriers/Services.

26 [0276] As depicted in FIG. 36A, the Shipper is asked to input the Expected Ship Date 1060.  
27 In the exemplary embodiment depicted, a drop down menu activation mechanism 1061  
28 provides the Shipper the ability to activate a pull down menu (not shown) of seven entries  
29 beginning with the current date and includes the six days immediately following the current

1 date. The format used is "M/D/YY - Day name". "Today" and "Tomorrow" are displayed  
2 appropriately. The number of entries provided by the selection mechanism, the format of the  
3 Expected Ship Date, and other features described herein are exemplary and are not a  
4 limitation of the invention.

5 [0277] In the exemplary embodiment depicted in FIG. 36A, once the Shipper selects the  
6 Expected Ship Date, the System uses the Expected Ship date and the other information  
7 provided by the Shipper, as in the screens depicted in FIGS. 15 and 26 described above, to  
8 access the Carrier Rules, apply the Carrier Rules, and prepare the Graphic Array containing  
9 the delivery prices and delivery times for the Subject Parcel according to the Shipper's Parcel  
10 Specifications. The System will then generate the signals necessary to display the Graphic  
11 Array and cause the Graphic Array to be displayed on the Shipper's PC.

12 [0278] Once the Graphic Array is displayed, the Shipper can change previously input  
13 information and the System will automatically regenerate the Graphic Array with the delivery  
14 rates and delivery times that have been updated to reflect the new information. For instance,  
15 if the Shipper selects a new shipping date, the System will regenerate the Graphic Array with  
16 the appropriate new rates and times. The logic for regenerating the Graphic Array is  
17 described in more detail below.

18 [0279] In the exemplary embodiment depicted in FIG. 36A, a Ship Location Type drop  
19 down menu activator 1067 is located below the Graphic Array. The particular location of the  
20 Ship Location Type selection mechanism as described herein is exemplary and is not a  
21 limitation of the invention. The list of locations is the same as the Shipping Location Type  
22 drop down menu described above in the description of FIGS. 15 and 26. If the Shipping  
23 Location class is a "ship center", a "Find Location" button 1068 is displayed next to the drop  
24 down menu. In order to open the Drop Off Locator in a pop-up window, the Shipper places  
25 the Shipper's PC cursor on the "Find Location" button 1068 and clicking the Shipper's user  
26 input device. The Origin Zip Code and Ship Location type values supplied by the Shipper are  
27 used as parameters for the Drop Off Locator to locate a list possible Drop Off Location  
28 choices. The Shipper can select a Drop Off Location from the Drop Off Locator menu. The  
29 system dynamically responds to changes by the Shipper to Origin Zip Code and Ship

1 Location type to present choices of Drop Off Location choices.

2 **[0280]** Navigational buttons appear at the bottom of the Rates and Times Screen depicted in  
3 FIG. 36A. Clicking the “Back” button 117 will return the Shipper to the previously displayed  
4 screen, which in the embodiment depicted is the Location and Package Screen as depicted in  
5 FIGS. 15 and 26. Clicking the “Next” button 102 will cause the next screen, which in the  
6 embodiment depicted is the Service Option Screen (FIG. 28), to be displayed but only if the  
7 Shipper has selected a particular Carrier cell entry. For example, if the Shipper click on a  
8 particular Carrier cell entry such as 1065, the System will allow the Shipper to then click on  
9 the “Next” button 102 and proceed to the Service Option Screen as depicted in FIG. 28.

10 **[0281]** If a user returns to the Rates and Times Screen (FIG. 36A) from the Service Option  
11 Screen (FIG. 28), any Service Options selected by the Shipper from the Service Option  
12 Screen (FIG. 28) will effect the displayed rates and will be displayed (not shown) as  
13 abbreviations below the Shipping Location field 1066.

14 **[0282]** The System in an exemplary eCommerce embodiment such as the one described here  
15 creates a multi-carrier, multi-service, shipping cost comparison Graphic Array in much the  
16 same way as is disclosed above with regard to the creation of the Graphic Array in an  
17 exemplary simplified Internet embodiment. The difference is that in an eCommerce  
18 embodiment, instead of collecting only Shipper input, the System collects origination data  
19 including origin zip code, subject parcel data, and Carrier/Service filtering data from the  
20 Seller, and then completes the Parcel Specifications for the subject parcel by collecting input  
21 from the Buyer, including destination zip code.

22 **[0283]** Using the subject parcel’s Parcel Specifications, the System is programmed to  
23 access databases containing information about each supported Carrier. Each supported  
24 Carrier has a unique rating schedule, delivery and pickup rules and schedules, and  
25 certification requirements (the “Carrier Rules”). The System is further programmed to apply  
26 each supported Carrier’s Rules to each Shipper’s Parcel Specifications for the corresponding  
27 Subject Parcel. The System calculates the Shipping Charges based on zip-to-zip pricing  
28 where the Seller has provided the origin zip code and the Buyer has provided the destination  
29 zip code.

1 [0284] In an eCommerce embodiment, if the Seller selected as the Seller's preference, "Item  
 2 cost includes shipping charges" (170, FIG. 21), then the rates displayed will be "FREE". If  
 3 the Seller selected as the Seller's preference, "Buyer pays actual shipping charges" (171, FIG.  
 4 21), then the rates displayed will be the total shipping charge as calculated according to each  
 5 Carrier's rules for each Service available according to the Seller's expressed preferences. If  
 6 the Seller selected as the Seller's preference, "Buyer pays shipping and additional charges"  
 7 (172, FIG. 21), then the System will calculate and display rates that are the sum of: 1) the  
 8 shipping rate for the applicable service according to each Carrier's rules; 2) If the Seller  
 9 checked "Add Percentage of Shipping Cost" (173, FIG. 21), the product of the percentage  
 10 entered in the Percentage of Shipping Cost field (174, FIG. 21) and the total shipping rate  
 11 calculated according to the Carrier's rules; 2) if the Seller checked "Add Fixed Handling  
 12 Charge" (175, FIG. 21), the dollar value entered in the Fixed Handling Amount field (176,  
 13 FIG. 21); and 4) if the Seller indicated "Add System Service Fee" (177, FIG. 21), then the  
 14 System Service Fee amount as indicated in the System database 22.

15 [0285] The Dynamically Dimensioned Multi-Carrier, Multi-Service Graphic Array online  
 16 display presents only rating and delivery timing information for the Carriers that offer  
 17 shipping of the particular Subject Parcel according to the particular Shipper's Parcel  
 18 Specifications and which conform with the Seller's Carrier/Service preferences as selected  
 19 according to the available options as described above regarding e.g., FIGS. 19 and 20.

20 [0286] FIG. 36F is a graphic representation of an alternative exemplary Dynamically  
 21 Dimensioned Multi-Carrier, Multi-Service Graphic Array online display as a Preview Rates  
 22 Screen (also referred to in some embodiments as a Rates and Times Screen) in an alternative  
 23 exemplary embodiment of the invention. The Graphic Array format of the Preview Rates  
 24 Screen depicted in FIG. 36F is sortable by price (i.e., cheapest first), by delivery time (i.e.,  
 25 fastest is first), or preferred carrier, as governed by the enterprise and User preferences. The  
 26 Preview Rates Screen provides the User with the capability to optimize the Rates 5308  
 27 according to the Best Price 5136, or the Fastest Delivery 5135.

28 [0287] The exemplary Preview Rates Screen depicted in FIG. 36F depicts an array of dates  
 29 for delivery 5303-5305, multiple Carriers, e.g., 5128 (UPS), 5310 (FedEx), and 5311

(Airborne Express). If the Carriers that provide Services to ship the package according to the User's specifications provide such services on more days than space exists on a single screen display of the Rate Grid, left and right scroll buttons (not shown) are provided.

[0288] The exemplary Preview Rates Screen depicted in FIG. 36F is expandable for each Carrier to display multiple Services for that Carrier, e.g., 5300 for UPS. The Services for a Carrier can be displayed by the User by clicking a scroll down button, e.g., 5129 for UPS. Each listed Service for the Carrier identifies the time for delivery, e.g., 5306. When the Preview Rates Screen is displayed, the Carrier for which the User has specified a preference (if such a preference has been specified) is displayed in the expanded mode, such as is depicted in FIG. 36F for UPS so that all Services supporting shipment of the subject parcel according to the User's specifications are displayed 5300; Carriers for which no preference has been indicated are displayed in contracted mode, such as is the case for Fed Ex 5310, Airborne Express 5311 and UPS 5128.

[0289] In the embodiment depicted in FIG. 36F, only the Carriers and Services that support shipment of the subject parcel according to the User's specifications are displayed. In one embodiment of the invention, the User can limit the default display of Carrier and Service comparison to certain Carriers and certain Services. In one such embodiment of the invention, a Show All button (not shown) is provided. Clicking the Show All button causes the System to display all Carriers, Services, and Days of Delivery that support shipment of the subject parcel according to the User's specifications, even if the User has previously limited the available Carriers, Services and Days of Delivery.

[0290] A price is displayed in an Array cell, e.g., 5307, 5302, for Carrier/Service that supports delivery of the subject parcel on the specified day of delivery 5303-5305. According to the User's Optimization Selection 5135-5136, an Optimizer icon 5301 is displayed in the particular Graphic Array cell entry that reflects the optimal Carrier/Service.

[0291] As was described above, each Carrier is represented in the Graphic Array/Rate Grid by a different color. In the embodiment of the Rate Grid depicted in FIG. 36F, the optimally rated shipping entry for each Carrier is highlighted in the color for that Carrier; all other



1 entries for that Carrier are in grey. The presence or absence of Carriers in the Graphic Array  
2 display is driven by User-specified preferences, if any, and by service choices the user has  
3 made (for example, by choosing a billing option that only certain Carriers support).

4 **[0292]** The rates calculated and displayed in the Graphic Array are customizable. Some  
5 Users may wish to see the iShip System transaction charge included in the rate quote. In one  
6 embodiment of the invention, a Rating button is provided on the same screen on which the  
7 Graphic Array is displayed, with which the User can toggle the rates displayed in the Graphic  
8 Array back and forth between the actual shipping rates (including all discounts and fees) and  
9 the rate that the Carrier charges for shipping.

10  
11 b) GENERATION OF THE GRAPHIC ARRAY DISPLAY

12 **[0293]** To develop the rates for display in a Graphic Rates Comparison Array such as the  
13 ones depicted in FIGS. 36A and 36F, the System rating component is instantiated in the  
14 server-side script. The rating component's rate information method is invoked with the rate  
15 parameters embedded in the URL. Based on Carriers' business rules, the rates and their  
16 service option charges for all Carriers/Services are calculated from each respective Carrier's  
17 zone data, service/delivery time data and rate data.

18 **[0294]** The System keeps the Carrier data up-to-date in the System database 22. The  
19 application does not use any carriers' Application Program Interface (API) functions to get the  
20 rate information. All of carrier rate data is stored in the System database 22 and all business  
21 rules to calculate the rates are implemented within the System.

22 **[0295]** FIGS. 36B through 36E are high level data retrieval and logic flow diagrams  
23 depicting the data and high level logic that the system uses to calculate a shipping rate. As  
24 depicted in FIG. 36B, the following shipping information is used to calculate a shipping rate:  
25 Origin postal code, Destination postal code, Weight, Packaging, Drop off / Pickup, Country  
26 code 3001. For each Carrier 3002, the rating component of the System uses the origin and  
27 destination postal codes 3003. The rating component of the System obtains 3003 the zone id  
28 from the zone table 3008 and gathers 3004 the time for deliveries for all available services

1 from the service delivery time table 3009. From the rate table 3010, the rating component  
2 obtains services charges for the zone id, packaging type and weight 3005. For each service,  
3 the rating component gathers all possible service options charges 3006. After gathering  
4 necessary information, the rating component returns an array of rate information 3007. Each  
5 element in the array represents a Carrier/Service and consists of service charge, service option  
6 charges, and delivery times.

7 **[0296]** The System calculates the rates according to the following overview logic as  
8 depicted in FIGS. 36C-36D. As depicted in FIGS. 36C through 36D, the System retrieves all  
9 rate IDs (published, net, and retail) by joining the following database tables on the System's  
10 AccountNo: AccountAndCarrierAcnt; CarrierAccount; RateDefinition 3020.

11 **[0297]** As depicted in FIGS. 36C through 36D, the System then determines the billing rules  
12 for all of the Carrier/Service combinations and their service options by joining the following  
13 tables on CarrierID, ServiceID, and ServiceOptionID: BillingOption;  
14 BillingOptionAndService; BillingOptionAndServiceOption 3021.

15 **[0298]** As depicted in FIGS. 36C through 36D, for each carrier 3022, the System performs  
16 the following procedures: 1) determine if the particular carrier supports the given billing  
17 option based on step 2, 3026. If not, continue with the next carrier 3027; 2) Apply carrier  
18 business rules, including: a) Calculate dimensional weight 3023; b) Determine billable weight  
19 3024: actual weight, dimensional weight, oversize weight or letter weight; c) Validate  
20 package weight and dimensions 3025; (If the rate input violates carrier business rules 3026,  
21 continue to next carrier 3027); 3) Determine the zone ID from CarrierZone table for the given  
22 origin/destination postal codes 3028; 4) Determine service delivery times 3029 (including  
23 Saturday/Sunday delivery times) by joining the following tables on destination postal code: a)  
24 CarrierDeliveryArea; b) CarrierServiceDelTime; 5) Determine all service charges from  
25 CarrierRate table by RateID, ZoneID, ServiceID and Weight 3030; 6) Determine the service  
26 option charges for each Carrier/Service 3031 by joining the following tables on CarrierID and  
27 ServiceID: ServiceOption; ServiceOptionAttribute ServiceAndServiceOption; and 7) Apply  
28 billing options to service option charges 3032 (different service option charges could be billed

1 to different parties for various billing options).

2 **[0299]** As depicted in FIG. 36E, the expected delivery times for each Carrier/Service  
 3 returned in the rate information determine the placement of the rate grid for the particular  
 4 Carrier/Service cell: the delivery date determines the columns 3040 while the delivery time  
 5 resolves the rows 3041. In the event that multiple rate entries collide (yes to test 3042), the  
 6 alphabetical order of the particular Carrier's name is further used to determine the Graphic  
 7 Array entry order within the same date and time bucket 3043. If there is no collision or once a  
 8 collision is resolved 3043, the same Carrier/Service can be placed in a second time slot in the  
 9 grid under Saturday or Sunday column 3045 if the Saturday or Sunday delivery is applicable  
 10 to the particular Carrier/Service 3044. If Saturday or Sunday delivery does not apply (no to  
 11 test 3044), or once a Saturday/Sunday time slot is indicated 3045, the System returns 3046.

12 **[0300]** In an eCommerce embodiment of the invention, a Shipper/Seller can preview a  
 13 shipping rate comparison Graphic Array prior to copying the System-created Link, e.g., 203a  
 14 as depicted in FIG. 25, for the Seller's eCommerce site. To preview the Graphic Array  
 15 comparison of shipping costs, the Seller clicks on the Preview button 198, such as is depicted  
 16 in FIG. 25. FIGS. 37A and 37B represent a System interactivity data and logic flow diagram  
 17 depicting an exemplary embodiment of the Create Link and the Buyer's Preview Shipping  
 18 Rates functionality in an eCommerce embodiment of the present invention. FIGS. 37A and  
 19 37B depict the interactivity between the Seller's 8-1 and Buyer's 8-2 client computers and the  
 20 System's server computers 20a-21z regarding this functionality. Also depicted are the data  
 21 accesses to the System database 22. An arrow 230 extending from the top of the diagram and  
 22 pointing down towards the bottom of the figure graphically represents the passage of time.

23 **[0301]** As depicted in FIGS. 37A and 37B, the Seller, using the Seller's computer 8-1, clicks  
 24 on the Create a Seller's Link selection option 331 notifying the System servers, e.g., 21a-21z,  
 25 to generate a display of the Create a Seller's Link screen 332 for display on the display  
 26 monitor of the Seller's computer 8-1. In one embodiment, the Servers 21a-21z send 332 the  
 27 necessary information and instructions to build the hyperlink to the Seller's computer 8-1.  
 28 The Seller enters the link text and clicks the go button and the Seller's computer 8-1 creates

1 the Link 333. The Seller then copies the link, returns to the Seller's web page, and pastes the  
2 link 334 in the description of the item to be sold at the eCommerce/eAuction Provider's web  
3 site 345.

4 [0302] The Buyer, using the Buyer's computer 8-2, enters the Seller's web page 335 at the  
5 eCommerce/eAuction Provider's web site 345. The Seller's web page at the  
6 eCommerce/eAuction Provider's web site 345 displays the item description with the  
7 hyperlink to the System 336 to the Buyer's computer 8-2. The Buyer clicks on the hyperlink  
8 337, causing the System's servers 20a-20z to access 338 the System database 22 to retrieve  
9 339 the Seller's account and eCommerce shipping preference information. The System  
10 servers 21a-21z send a screen to the Buyer's computer 8-2 requesting delivery destination  
11 information 340. The Buyer at the Buyer's computer 8-2 enters the delivery destination  
12 information and clicks on the Get Rates button 341 which signals the System Servers 20a-21z  
13 to prepare the multi-carrier, multi-service Graphic Array. The System Servers 20a-20n access  
14 342 the System data base 22 and retrieve 343 the Seller's preferences and account  
15 information. The System Servers 21a-21z calculate the rates and prepare the Graphic Array  
16 344 for display on the display monitor of the Buyer's computer 8-2.

17 [0303] Whether or not the Buyer/Bidder (sometimes simply referred to herein as the Buyer)  
18 uses the hyperlink 303 to preview the shipping charges, if the Buyer buys (or is the high  
19 bidder), the Seller is provided with the Buyer's (or high bidder's) email address and name 54  
20 (as depicted in FIG. 10C) either directly or by the sponsoring Provider. At that point, the  
21 Seller enters the System to supply the System with Buyer information (57 and 58 as depicted  
22 on FIG. 10D) so that the System can contact the Buyer (80, e.g., FIG. 10D) for details and to  
23 facilitate the purchase and shipping of the item.

24 [0304] In contrast to the collection of both Seller and Buyer information in an eCommerce  
25 embodiment, the generation of the Graphic Array in the exemplary simplified Internet  
26 embodiment is accomplished using input from the Shipper only. FIG. 38 is a simplified flow  
27 diagram depicting an exemplary high level overview logic flow of the System and the  
28 interaction with the Shipper/User such as in an exemplary simplified Internet embodiment of

1 the invention. As depicted in FIG. 38, at least one of the Servers 20a-21z are programmed to  
2 provide a User Interface ("UI") that prompts each Shipper user for information about a  
3 particular parcel (the "Subject Parcel") and the Shipper's shipping and delivery requirements  
4 ("Shipper Parcel Specifications") 1401a-1401n. At least one of the Servers 20a-21z is  
5 programmed to receive as a set of input data a particular Shipper's Shipper Parcel  
6 Specifications for a particular Subject Parcel 1402. In response to each Shipper's Shipper  
7 Parcel Specifications, at least one of the Servers 20a-21z accesses 1403 one or more databases  
8 of information concerning, among other things, the Carrier Rules for each of the Carriers  
9 supported by the System (the "Supported Carriers") 1404a through 1404n. The Carrier Rules  
10 for each of the Supported Carriers are contained in one or more databases 1404a through  
11 1404n.

12 [0305] As further depicted in FIG. 38, the System then applies the Carrier Rules for all  
13 Supported Carriers to each particular set of Shipper Parcel Specifications 1403. From the  
14 result of the application by the System of the Carrier Rules to a particular set of Shipper  
15 Parcel Specifications, the System prepares a Graphic Array that displays a rating and timing  
16 comparison of the delivery services by the supporting Carriers that are available to provide  
17 the delivery of the Subject Parcel according to the Shipper's Parcel Specifications 1405. The  
18 System then formats the Graphic Array for display on the Shipper's PC 1406, and generates  
19 the signals to the Shipper's PC to display the formatted Graphic Array 1407.

20 [0306] In one embodiment of the invention, the System provides multiple modes of  
21 operation, among which are the Service Comparison Mode and the Shipping Mode. The  
22 Service Comparison Mode requires origin and destination zip codes but does not require full  
23 address information. The purpose of the Service Comparison Mode is to provide the Shipper  
24 with multi-Carrier comparisons of rates, and shipping and delivery options and requirements  
25 for each of multiple Carriers. In the Shipping Mode, the Shipper must provide the full  
26 address and contact information. The purpose of the Shipping Mode is to print a shipping  
27 label or otherwise provide the information necessary to prepare a shipping manifest  
28 document. Shipper Parcel Specifications are input in both the Service Comparison Mode and  
29 the Shipping Mode.

1 [0307] FIGS. 39A through 39C are simplified flow diagrams depicting the initial Timing  
2 and Rating procedure to generate a Graphic Array in an exemplary simplified Internet  
3 embodiment of the invention. In the embodiment of the invention depicted in FIGS. 39A  
4 through 39C, the functions of the Shipper entering shipping information 1150, displaying  
5 errors to the Shipper that insufficient shipping information has been provided and prompting  
6 the Shipper for additional information 1153, and displaying the Carrier/Service rate and time  
7 graphic 1160, are all processed by the Web Browser at the Client. In the embodiment  
8 depicted, all other functions and processes depicted in FIGS. 39A through 39C are performed  
9 by one or more of the NOC Servers.

10 [0308] It should be noted that the depicted separation of functions between the Web  
11 Browser at the Client on the one hand and the NOC Servers on the other hand represents an  
12 initial procedure to construct the Graphic Array in response to initial Shipper input of Shipper  
13 Parcel Specifications. As is explained in more detail below, after the initial construction of  
14 the Graphic Array, the System can distribute certain of the functions for supplemental  
15 regeneration of the Graphic Array to the Web Browser Client.

16 [0309] As depicted in FIGS. 39A through 39C, the Shipper (User) enters shipping  
17 information (Shipper Parcel Specifications) 1150. The System validates the shipping  
18 information 1151.

19 [0310] In the embodiment depicted, at a minimum, the System requires Source Postal Code,  
20 Destination Postal Code, Parcel Weight, Type of Shipment, and the Shipping Location in  
21 order to determine a timing schedule and rates for each supported Carrier. If at 1152 the  
22 Shipper has not provided at least these minimum specifications, then the System displays  
23 error messages 1153 prompting the Shipper to input further Shipper Parcel Specifications  
24 1150.

25 [0311] Continuing with FIGS. 39A through 39C, if the Shipper has supplied the minimum  
26 required specifications, then the System accesses the Shipper Database 1195 to identify any  
27 user-specified Carrier designations and to determine the Carrier accounts for the appropriate  
28 Shipper 1154. Using the Shipper Parcel Specifications, the System then accesses the Carrier

1 Databases (1404a through 1404n) and determines all possible Carrier/Services that support  
2 shipping of the subject parcel 1155.

3 [0312] It should be noted that in some embodiments, the Shipper can restrict the identity of  
4 Carriers to be used in the construction of the Graphic Array. A Shipper may choose to restrict  
5 the System to certain Carriers, for instance, if the Shipper prefers to work only with certain  
6 Carriers.

7 [0313] Continuing with FIGS. 39A through 39C, the System then examines each  
8 Carrier/Service in the set of supporting Carrier/Services 1156. The next step 1157 is a  
9 juncture for return of control from a number of points in the System logic and is performed  
10 for each Carrier/Service in the set of supporting Carrier/Services.

11 [0314] If the System has examined all possible supporting Carrier/Services 1158, the  
12 System assembles the Graphic Array from the delivery rate set 1159 and displays the Graphic  
13 Array to the user 1160. As was previously explained, the dimensions of the Graphic Array are  
14 dynamic.

15 [0315] As long as there are further Carrier/Services that remain to be examined in the set of  
16 supporting Carrier Services, the System continues to perform the process described below.

17 [0316] Using the Expected Shipping Date, the System switches the Carrier/Service's  
18 shipping timespan into possible delivery dates and times 1161. Next 1162, the System  
19 determines whether the shipping timespan ends on a Saturday 1163. If so, the System  
20 accesses the Carrier Database (1404a through 1404n) to determine whether the particular  
21 Carrier/Service supports Saturday Delivery 1164. If the particular Carrier/Service does not  
22 support Saturday Delivery, then the particular Carrier/Service is eliminated 1177 from the  
23 delivery rate set and the System proceeds with the next Carrier/Service in the delivery rate set  
24 1157.

25 [0317] If the particular Carrier/Service supports Saturday Delivery, the System determines  
26 the appropriate Saturday delivery rate for the particular Carrier/Service 1165.

27 [0318] Continuing with FIGS. 39A through 39C, next, the System determines whether the  
28 shipping timespan ends on a Sunday 1168. If the shipping timespan ends on a Sunday, the

1 System accesses the Carrier Database (1404a through 1404n) to determine whether the  
2 particular Carrier/Service supports Sunday delivery 1166. If the particular Carrier/Service  
3 does not support Sunday delivery, then the particular Carrier/Service is eliminated from the  
4 delivery rate set 1177 and the System proceeds with the next Carrier/Service in the delivery  
5 rate set 1157.

6 [0319] If the particular Carrier/Service supports Sunday Delivery, the System determines the  
7 appropriate Sunday delivery rate for the particular Carrier/Service 1167.

8 [0320] The System then determines whether there is a business day delivery within the  
9 shipping timespan 1169. If so, the System accesses the Carrier Database (1404a through  
10 1404n) to determine whether the particular Carrier/Service supports business day delivery  
11 1170. If the particular Carrier/Service does not support business day delivery, then the  
12 particular Carrier/Service is eliminated from the delivery rate set 1177 and the System  
13 proceeds with the next Carrier/Service in the delivery rate set 1157.

14 [0321] If the particular Carrier/Service supports business day delivery, the System  
15 determines the appropriate business day delivery rate for the particular Carrier/Service 1171.

16 [0322] Continuing with FIGS. 39A through 39C, the System next determines whether the  
17 Shipper has requested E-Mail delivery notification 1172. If so, the System accesses the  
18 Carrier Database (1404a through 1404n) to determine whether the particular Carrier/Service  
19 supports E-Mail delivery notification 1173. If the particular Carrier/Service does not support  
20 E-Mail delivery notification, then the particular Carrier/Service is eliminated from the  
21 delivery rate set 1177 and the System proceeds with the next Carrier/Service in the delivery  
22 rate set 1157.

23 [0323] If the particular Carrier/Service supports E-Mail delivery notification, the System  
24 adds the appropriate charge for the E-Mail delivery notification service to each of the  
25 particular Carrier/Service's delivery rates 1174.

26 [0324] Continuing with FIGS. 39A through 39C, the System then determines whether the  
27 Shipper has requested verbal delivery notification 1175. If so, the System accesses the  
28 Carrier Database (1404a through 1404n) to determine whether the particular Carrier/Service



1 supports verbal delivery notification 1176. If the particular Carrier/Service does not support  
2 verbal delivery notification, then the particular Carrier/Service is eliminated from the delivery  
3 rate set 1177 and the System proceeds with the next Carrier/Service in the delivery rate set  
4 1157.

5 [0325] If the particular Carrier/Service supports verbal delivery notification, the System  
6 adds the appropriate charge for the verbal delivery notification service to each of the  
7 particular Carrier/Service's delivery rates 1178.

8 [0326] Next 1179, the System determines whether the Shipper has requested that the  
9 Carrier/Service guarantee delivery time 1180. If so, the System accesses the Carrier Database  
10 (1404a through 1404n) to determine whether the particular Carrier/Service supports  
11 guaranteed delivery times 1181. If the particular Carrier/Service does not support guaranteed  
12 delivery times, then the particular Carrier/Service is eliminated from the delivery rate set  
13 1177 and the System proceeds with the next Carrier/Service in the delivery rate set 1157.

14 [0327] If the particular Carrier/Service supports guaranteed delivery times, the System adds  
15 the appropriate charge for the guaranteed delivery times service to each of the particular  
16 Carrier/Service's delivery rates 1182.

17 [0328] Continuing with FIGS. 39A through 39C, the System then determines whether the  
18 Shipper has requested a "Call for Pickup" shipping location 1184. If so, the System accesses  
19 the Carrier Database (1404a through 1404n) to determine whether the particular  
20 Carrier/Service supports "Call for Pickup" services 1185. If the particular Carrier/Service  
21 does not support "Call for Pickup" services, then the particular Carrier/Service is eliminated  
22 from the delivery rate set 1177 and the System proceeds with the next Carrier/Service in the  
23 delivery rate set 1157.

24 [0329] If the particular Carrier/Service supports "Call for Pickup" services, the System adds  
25 the appropriate charge for the "Call for Pickup" service to each of the particular  
26 Carrier/Service's delivery rates 1186.

27 [0330] Continuing with FIGS. 39A through 39C, the System next determines whether the  
28 Shipper has requested a "Residential Delivery" 1187. If so, the System accesses the Carrier

1 Database (1404a through 1404n) to determine whether the particular Carrier/Service supports  
2 “Residential Delivery” services 1188. If the particular Carrier/Service does not support  
3 “Residential Delivery” services, then the particular Carrier/Service is eliminated from the  
4 delivery rate set 1177 and the System proceeds with the next Carrier/Service in the delivery  
5 rate set 1157.

6 [0331] If the particular Carrier/Service supports “Residential Delivery” services, the System  
7 adds the appropriate charge for the “Residential Delivery” service to each of the particular  
8 Carrier/Service’s delivery rates 1189.

9 [0332] The System then determines whether the Shipper has requested a “Loss Protection”  
10 services 1190. If so, the System accesses the Carrier Database (1404a through 1404n) to  
11 determine whether the particular Carrier/Service supports “Loss Protection” services 1191. If  
12 the particular Carrier/Service does not support “Loss Protection” services, then the particular  
13 Carrier/Service is eliminated from the delivery rate set 1177 and the System proceeds with the  
14 next Carrier/Service in the delivery rate set 1157. The System then determines 1192 whether  
15 the requested loss protection is within the service's range; if not, the System proceeds with the  
16 next Carrier/Service in the delivery rate set 1157.

17 [0333] Continuing with FIGS. 39A through 39C, if the particular Carrier/Service supports  
18 “Loss Protection” services, and if the requested loss protection is within the service's range,  
19 the System calculates the appropriate charge for the “Loss Protection” service and adds the  
20 appropriate charge to each of the particular Carrier/Service’s delivery rates 1193 before  
21 proceeding with the next Carrier/Service in the delivery rate set 1157.

22 [0334] FIG. 40 is a graphic representation depicting an exemplary embodiment of a multi-  
23 carrier, multi-service shipping rates comparison Graphic Array 320 in an exemplary  
24 eCommerce embodiment of the invention.

25

26 c) AUTOMATIC DYNAMIC REGENERATION OF DISPLAY

27 [0335] In the exemplary embodiments of the invention described here, the System  
28 automatically and dynamically regenerates the display of the Graphic Array and certain

1 portions of other screens when the Shipper makes online changes to Shipper input. To do  
 2 this, the System generates executable code which it distributes with certain displayable frames  
 3 to the Web Browser Client. This distribution of code for purposes of regenerating the Graphic  
 4 Array differs from the initial generation of the Graphic Array as was described above. For  
 5 example, in the embodiment of the invention depicted in FIGS. 39A through 39C, in the  
 6 initial development of the Graphic Array, the System distributes the functions that initially  
 7 generate the Graphic Array as follows: the Shipper entering shipping information 1150,  
 8 displaying errors to the Shipper that insufficient shipping information has been provided and  
 9 prompting the Shipper for additional information 1153, and displaying the Graphic Array  
 10 1160, are all processed by the Web Browser at the Client; all other functions and processes  
 11 depicted in FIGS. 39A through 39C are performed by one or more of the NOC Servers 20a-  
 12 21z.

13 [0336] Distribution to the Web Browser Client by the System of executable code that  
 14 regenerates the Graphic Array provides the capability to dynamically reflect in the Graphic  
 15 Array any changes that the Shipper may enter to the various Shipper Parcel Specifications;  
 16 the Graphic Array immediately displays the new information without requiring the Shipper to  
 17 request a recalculation, such as by clicking on a "Regenerate" button or the like.

18 [0337] To facilitate regeneration of the Graphic Array, the System generates executable  
 19 code which it distributes with the frame, such as the frame that is displayed to the user for  
 20 collecting the Parcel Specifications, to the Web Browser Client. A displayable frame is a set  
 21 of information for display on the client display device. For example, in FIG. 36A, in one  
 22 embodiment of the invention, a first frame of the screen depicted in FIG. 36A comprises the  
 23 Title "Rates & Times" 1109a, the instruction "Click on the price to select a delivery date,  
 24 time and carrier." 1109b, the legend "Date you expect to ship your package:" 1109c, the input  
 25 field for the Expected Shipping Date 1060, the legend "I'll ship the package from:" 1109d  
 26 and the input field for the Shipping Location 1066; a second frame of the screen depicted in  
 27 FIG. 36A comprises the Graphic Array.

28 [0338] As the System generates the display of each frame, the System generates executable

1 code which it distributes with, e.g., the Rate & Times frame, to the Web Browser Client.  
2 Thereafter, the Web Browser Client uses the executable code to automatically regenerate the  
3 display of the Graphic Array each time the Shipper makes changes to the Shipper Parcel  
4 Specifications. In one embodiment of the dynamic regeneration aspect of the invention, the  
5 executable code distributed to the Web Browser Client uses JavaScript.

6 [0339] In some cases, the executable code sent to the Web Browser Client provides the  
7 information and the capability to regenerate the Graphic Array without any further  
8 communication with the Server. In other cases, the Web Client Browser must return control to  
9 the Server so that the Server can access data maintained by or accessible by the Server; the  
10 Server then regenerates the Graphic Array or otherwise provides the Web Browser Client  
11 with the information necessary to regenerate the Graphic Array.

12 [0340] In an exemplary embodiment of the automatic dynamic regeneration aspect of the  
13 invention, the executable code distributed to the Web Browser Client contains the logic to  
14 apply Carrier Rules to Shipper Parcel Specification changes. For instance, Shipper changes to  
15 the Service Options screen as depicted in FIG. 28 would be automatically processed by the  
16 Web Client Browser and the Web Client Browser would regenerate the Single Day Rate  
17 Graphic Array depicted therein to reflect the Shipper changes. In one such automatic  
18 dynamic regeneration embodiment, only those functions that do not require further access to  
19 the relevant Carrier's database are distributed to the Web Browser Client.

20 [0341] It should be noted that, according to the automatic dynamic regeneration aspect of  
21 the invention, if after the Shipper views the Graphic Array the Shipper enters changes to any  
22 of the factors with which the System calculates the rates and develops the Graphic Array, the  
23 System uses a similar logic flow to regenerate the Graphic Array as was explained above in  
24 relation to FIGS. 39A through 39C.

25 [0342] The dynamic regeneration capability is used to automatically regenerate response  
26 screens in many places throughout the System. For instance, as was mentioned above, as in  
27 the case of FIG. 36A, if the Shipper changes Origin Zip Code and/or Ship Location Type, the  
28 System will automatically regenerate a list of possible Drop Off Location choices.

d) COMPLETING PARCEL SPECIFICATIONS AND THE  
BUYER'S INFORMATION

[0343] In an eCommerce embodiment of the invention, the System collects information from both a Seller (the Shipper) and a Buyer (the Recipient). The Seller (Shipper) inputs information about the parcel to be shipped and initial information about the Buyer. The Buyer then inputs information such as shipping address and payment information. Depending upon the Seller's preferences, the Buyer may also be asked to choose one of multiple carriers and multiple shipping services.

[0344] FIG. 41 is a graphic representation of a Seller's Buyer Information Screen (57, FIG. 10D) in an eCommerce embodiment of the invention. The Seller enters the screen in one embodiment by logging in to the System and then selecting the Sell It option 31a and by selecting the Request Buyer Info submenu option 31b-3. The System provides the Seller with instructions to complete the requested data 350. The Seller inputs the Buyer's Name 351, the Buyer's e-mail address 352, an Order/Item number 353, a Description of the Goods to be Shipped 354a (the Seller may scroll through the description using the scroll buttons 354b and 354c if the description exceeds the online screen window for the description text), and a message to the buyer 355a (the Seller may scroll through the message using the scroll buttons 355b and 355c if the message exceeds the online screen window for the message text).

[0345] Buyer information and package/item information is mapped by the System into the appropriate shipping data fields (i.e., Buyer name is mapped to Recipient Company/ name; Buyer e-mail is mapped to Recipient e-mail, item/order number is mapped to reference number, etc.).

[0346] Clicking on the Next button 102 will cause the System to display the Next screen, which in this case is the package specific information screen (58, FIG. 10D) as depicted in FIG. 42.

[0347] FIG. 42 is a graphic representation of an exemplary embodiment of a Subject Parcel data screen. The Seller inputs the weight by clicking on the weight pull down menu button

1 358-2 and selecting a weight 358-1 from the list. An “Irregular or Non-Standard Packaging”  
2 indicator 359 is provided. The Seller selects Loss Protection, the default being Basic Coverage  
3 360, or Declared Value 361. If the Seller selects Declared Value 361, the Seller must enter a  
4 value 362 greater than \$0.00 and less than or equal to \$50,000.00. The Seller also enters the  
5 Item Cost to be displayed to the Buyer 364 and indicates whether or not the System should  
6 show the Buyer the total of the Item Cost and Shipping Charges 363. Once the Seller has  
7 entered the information, if the Seller clicks on the Send button 365, the System validates the  
8 information input and prepares an e-mail to the Buyer (59, FIG. 10D).

9 [0348] At this point, the System generates a System package tracking number. A System  
10 tracking number is a unique number generated internally by the System to identify a particular  
11 package shipped using the System. One embodiment of the way in which the System  
12 generates a System package tracking number is disclosed below in the Tracking section of the  
13 disclosure of the present invention.

14 [0349] FIG. 43 is a graphic representation of an exemplary embodiment of a System-  
15 prepared e-mail to the Buyer. The System builds the e-mail to contain the identification of the  
16 System as the sender 370, the e-mail of the Buyer 352 as supplied by the Seller, a Subject  
17 identification containing the item number 353 as supplied by the Seller, the Buyer name 351  
18 as supplied by the Seller, the Seller name 375 as retrieved from the Seller’s account  
19 information retrieved after the Seller logged into the System before entering Request Buyer  
20 Info 31b-3 (e.g., as depicted in FIG. 24), a Reference number as provided by the Seller 353,  
21 instructions to the Buyer 371 to click on the embedded hyperlink 372, and some further  
22 instructions to the Buyer 374. The System builds the hyperlink 372 according to a preset  
23 URL location 372-1 as provided from the System database 22, and specifying the System  
24 package tracking number 372-3 as the value for a variable named “T=” 372-2.

25 [0350] If the Buyer’s e-mail program is integrated with the Buyer’s web browser, then the  
26 Buyer can click on the hyperlink/URL 372 contained in the e-mail. Otherwise, the Buyer  
27 must copy the hyperlink/URL 372 into the Address/Location field of the web browser. When  
28 the Buyer clicks on the hyperlink/URL 372, the System displays the first screen (60, FIG.

1 10D) in the Buyer Response process.

2 [0351] FIG. 44 is a graphic representation of an exemplary embodiment of the Buyer  
3 Response Introduction screen. The System provides the Buyer with instructions 380. The  
4 System instructs the Buyer 382 to indicate 383 the Buyer's choice not to supply the requested  
5 shipping information and an explanation as to why 384-1. The Buyer can scroll through the  
6 explanation using the up and down scroll keys 384-2 and 384-3 if the text of the description  
7 exceeds the online screen window for the text. The Buyer sends the refusal notification and  
8 message by clicking the Send button 385. Otherwise, if the Buyer wishes to proceed, the  
9 Buyer clicks the Next button 381 which will cause the System to display a Buyer Shipping  
10 Information Collection screen (61, FIG. 10D).

11 [0352] FIG. 45 is a graphic representation of an exemplary embodiment of the Buyer  
12 Shipping Information Collection screen (61, FIG. 10D). The System requests that the Buyer  
13 input the Buyer's delivery address information and then click the Next button 389. The Buyer  
14 inputs the delivery address information including the Company/Name 390, the Attention to  
15 name 391, the street address 392, the floor/room number 393, the department 394, the city  
16 395, the state 396-1 using the pull down menu button 396-2, the zip code 397, the telephone  
17 number 398, the fax number 399, and whether the delivery address is a business 400 or a  
18 residence 401. If the Buyer then clicks the Next button 102, the System validates the  
19 information supplied by the Buyer and displays a screen (62, FIG. 10D) as depicted in FIG. 46  
20 containing a selection as to whether yes 405 or no 406 the Buyer wants a guaranteed delivery  
21 time. Once the Buyer selects the guarantee choice, then the Buyer clicks the Get Rates button  
22 407 to request that the System prepare and display the multi-carrier, multi-service shipping  
23 rates comparison Graphic Array 320.

24 [0353] An exemplary embodiment of the Graphic Array 320 in an exemplary eCommerce  
25 embodiment of the invention is depicted in FIG. 46. The Graphic Array 320 presents a multi-  
26 carrier, multi service rate and time shipping cost comparison as similarly disclosed above and  
27 described with respect to FIG. 36A.

28 [0354] The System creates the Graphic Array in much the same way as is disclosed above

1 with respect to FIG. 36A except that, with respect to the eCommerce embodiment, instead of  
2 only Shipper input, the System collects origination data including origin zip code, subject  
3 parcel data, and Carrier/Service filtering data from the Seller, and then completes the Parcel  
4 Specifications for the subject parcel by collecting input from the Buyer, including destination  
5 zip code.

6 **[0355]** Using the subject parcel's Parcel Specifications, the System 1 is programmed to  
7 access databases containing information about each supported Carrier. Each supported  
8 Carrier has a unique rating schedule, delivery and pickup rules and schedules, and  
9 certification requirements (the "Carrier Rules"). The System 1 is further programmed to  
10 apply each supported Carrier's Rules to each Shipper's Parcel Specifications for the  
11 corresponding Subject Parcel. The System calculates the Shipping Charges based on zip-to-  
12 zip pricing where the Seller has provided the origin zip code and the Buyer has provided the  
13 destination zip code.

14 **[0356]** The System provides an online display of a Dynamically Dimensioned Multi-Carrier  
15 Graphic Array such as is depicted in FIG. 46. If the Seller selected as the Seller's preference,  
16 "Item cost includes shipping charges" (170, FIG. 21), then the rates displayed will be  
17 "FREE". If the Seller selected as the Seller's preference, "Buyer pays actual shipping  
18 charges" (171, FIG. 21), then the rates displayed will be the total shipping charge as  
19 calculated according to each Carrier's rules for each Service available according to the  
20 Seller's expressed preferences. If the Seller selected as the Seller's preference, "Buyer pays  
21 shipping and additional charges" (172, FIG. 21), then the System will calculate and display  
22 rates that are the sum of: 1) the shipping rate for the applicable service according to each  
23 Carrier's rules; 2) If the Seller checked "Add Percentage of Shipping Cost" (173, FIG. 21),  
24 the product of the percentage entered in the Percentage of Shipping Cost field (174, FIG. 21)  
25 and the total shipping rate calculated according to the Carrier's rules; 2) if the Seller checked  
26 "Add Fixed Handling Charge" (175, FIG. 21), the dollar value entered in the Fixed Handling  
27 Amount field (176, FIG. 21); and 4) if the Seller indicated "Add System Service Fee" (177,  
28 FIG. 21), then the System Service Fee amount as indicated in the System database 22.



1 [0357] The Dynamically Dimensioned Multi-Carrier, Multi-Service Graphic Array online  
2 display presents only rating and delivery timing information for the Carriers that offer  
3 shipping of the particular Subject Parcel according to the particular Shipper's Parcel  
4 Specifications and which conform with the Seller's Carrier/Service preferences as selected  
5 according to the available options as described above regarding FIGS. 19 and 20.

6 [0358] The Buyer uses a user input device such as a mouse, track ball, or the like, to pick a  
7 Carrier and Service. To make the selection, the Buyer, for instance, places the cursor of the  
8 Buyer's PC on the displayed Carrier cell entry (e.g., 408 as depicted in FIG. 46; e.g., 1065 as  
9 depicted in FIG. 36A) in the Graphic Array and clicks the Buyer's user input device (the  
10 "Selected Carrier").

11 [0359] Once the Shipper selects a particular Graphic Array Carrier cell element, (e.g., 408 as  
12 depicted in FIG. 46; e.g., 1065 as depicted in FIG. 36A) the System then processes the  
13 shipping transaction. In an exemplary simplified Internet embodiment of the invention, the  
14 System processes the Shipper's shipping transaction using Shipper information from the  
15 Shipper Database 1195 (e.g., as depicted in FIG. 39A) and information for the Selected  
16 Carrier from the Carrier Database 1404a through 1404n (e.g., as depicted in FIG. 39A). In an  
17 exemplary eCommerce embodiment of the invention, the System processes the shipping  
18 transaction using information supplied by both the Seller/Shipper and the Buyer/Recipient and  
19 information for the Selected Carrier.

20 [0360] In an eCommerce embodiment of the invention, once the Buyer selects a Carrier and  
21 Service, the System prepares a Shipping Summary Screen (63, FIG. 10D) an exemplary  
22 embodiment of which is depicted in FIG. 47. The System reports a summary of the Shipping  
23 information including the delivery address 410, the Carrier/Service 411 and the itemized and  
24 total charges for the item and shipping 412. In addition, if the Seller requested the System to  
25 collect payment information, the System provides a drop down selection menu button 413-2  
26 which when clicked will display a list of the methods of payment 413-1 previously selected by  
27 the Seller (e.g., 179a-179g, and 180, as depicted in FIG. 21). If a credit card payment method  
28 is indicated, the Buyer is required to supply a credit card number 414, and the expiration date

1 month 415-1 (using a drop down menu button 415-2) and year 416-1 (using a drop down  
2 menu button 416-2). The Buyer is instructed to click the Cardholder Information button 417  
3 if the cardholder name and address are different than the shipping name and address 419. If  
4 the Cardholder and shipping information match, the Buyer clicks the Send button 418 to send  
5 the payment information to processing.

6 [0361] In an exemplary simplified Internet embodiment of the invention, the System  
7 generates a Shipping Summary Screen once the Shipper has picked a particular  
8 Carrier/Service entry from a Graphic Array comparison. FIG. 48 depicts an alternative  
9 exemplary embodiment of a Shipping Summary Screen such as in an exemplary simplified  
10 Internet embodiment of the invention. In the embodiment depicted in FIG. 48, the Shipper has  
11 picked a particular Carrier/Service entry from a Graphic Array comparison (e.g., 1065 as  
12 depicted in FIG. 36A). The Shipping Summary Screen depicted in FIG. 48 displays the  
13 Shipper Parcel Specifications 1110 and provides a detailed list and total, of the selected  
14 Carrier's charges 1111. Clicking on the "Next" button 102 causes the display of the first of a  
15 series of several screens (not shown) requesting the necessary Shipper and Recipient  
16 information. Once the Shipper has input all of the necessary information, the Shipper is  
17 presented with a final Summary and Payment Screen (not shown), which in addition to the  
18 fields depicted in FIG. 48, further requests Payment information, such as Payment Method,  
19 Credit Card No., Expiration Date, and Credit Card Type.

20 [0362] Returning to the eCommerce embodiment depicted in FIG. 47, if the Buyer clicks the  
21 Cardholder Information button 417, the System displays a Cardholder Information collection  
22 screen (64, FIG. 10d), an exemplary embodiment of which is depicted in FIG. 49. The Buyer  
23 is asked to supply the Cardholder name 420, Street address 421, State 422-1 (using a pull  
24 down menu button 422-2), and zip code 423. The Buyer clicks the Save button 424 to save  
25 the cardholder information.

26 [0363] As depicted in FIG. 10D, once the Buyer in an eCommerce embodiment has  
27 completed all Buyer Response screens, the System enters the System package tracking  
28 number in the System's Shipping Log for the Seller, an exemplary embodiment of which is

1 depicted in FIG. 50. The System also notifies the Seller via e-mail (66, FIG. 10D) that the  
2 Buyer has completed all of the necessary shipping and payment information.

3  
4 E. SHIPPING THE PACKAGE

5 [0364] In an exemplary eCommerce embodiment of the invention, the System notifies the  
6 Seller via e-mail (66, FIG. 10D) once the Buyer has completed all of the necessary shipping  
7 and payment information. An exemplary embodiment of a Seller notification e-mail is  
8 depicted in FIG. 51. In the Seller notification e-mail, the System identifies the System as the  
9 sender 370, the Seller's e-mail 107 (e.g., as depicted in FIG. 12) as the recipient 375, and the  
10 item number 353. The e-mail contains a message 425 and instructions 427 to log on to the  
11 System 426 to view a Shipping Log. The Shipping Log provides a platform with which the  
12 Shipper/Seller controls the shipping and attendant functions for all packages shipped or to be  
13 shipped by the particular Shipper/Seller.

14 [0365] The Seller can view the Shipping Log by selecting the View Shipping Log submenu  
15 option 32b-2 from the Ship It menu option 32b (which provides various submenu options  
16 including Shipping Preferences 32b-1, View Shipping Log 32b-2, Ship a Package 32b-3, Price  
17 a Package 32b-4, Send Shipment Notification 32b-5, UPS End of Day 32b-6 and Log Off  
18 32b-7). The Shipper/Seller can control the display order of the Shipping Log by selecting  
19 from a choice of several reporting controls. The Shipping Log (65, FIG. 10D) as depicted in  
20 FIG. 50 provides reporting controls such as Display selection 430 (with a pull down menu  
21 button 431), time period 432 (with a pull down menu button 433), and sort by 434 (with a pull  
22 down menu button 435). The Seller can click on the Update View button 436 to request an  
23 up-to-date report. Each Shipping log line item contains the System tracking number 438, the  
24 addressee name 437, the Carrier 440 and Service 439, the Ship date 441 and delivery date  
25 442, and control buttons that allow the Seller to request details 443, instruct the system to ship  
26 the item 444, void the shipment 445, or reprint a label 446.

27 [0366] FIG. 52 is a graphic representation of an exemplary embodiment of a Void Package  
28 screen that the System displays if the Seller clicks on the Void button 445 on the Shipping

1 Log. The Void Package screen provides a summary report of the information about the  
2 particular package 452, provides a View Details button 451 if the Seller wants additional  
3 detailed information about the package, and a Void Package button 453 if the Seller finally  
4 decides to void the identified package.

5 [0367] FIG. 53 is a graphic representation of an exemplary embodiment of a Reprint Label  
6 screen which provides a report about the package 454, a View Details button 451, and a  
7 Generate Label button 455. If the User clicks the Generate Label button 455, the System will  
8 generate and print a shipping label (69, FIG. 10E) for according to the appropriate Carrier and  
9 Service, as limited by the Seller and as finally selected by the Buyer.

10 [0368] As mentioned above, in some embodiments, the Shipper can use the System to  
11 locally print on the Shipper's printer device a bar-coded shipping label according the Selected  
12 Carrier's certification standards. In some embodiments, the bar-coded shipping label,  
13 including two dimensional bar code labels, and other types of shipping labels, can be printed  
14 on either a thermal label printer or on a laser printer. The Shipper specifies the type of printer  
15 to the system during initial setup procedures. Thereafter, the System uses, as appropriate, the  
16 thermal printer or laser printer module to prepare the label image for printing on the Shipper's  
17 printer.

18 [0369] FIG. 54 depicts a flow diagram of one embodiment of the aspect of the invention that  
19 provides printing of bar-coded shipping labels on printer devices which are compatible with  
20 the client system on which the web browser is running, such as an HP-compatible laser  
21 printer. As depicted in FIG. 54, one of the NOC Servers, for instance, the Shipping Server,  
22 e.g., 21t as depicted in FIG. 7, gets the Label Size from the Carrier Label Specification 1250,  
23 the Label Layout from the Carrier Label Specification 1251, Label Data from the Shipper  
24 Database 1252, and the Label Quality in Dots Per Inch ("DPI") as set by the Server 1253, and  
25 uses this information to Generate the Label 1254.

26 [0370] The Server then creates, and causes the display on the client browser's display device  
27 of, a text string with a specified font face and in a specified font size in an HTML table data  
28 cell with a specified width 1255. If the client browser is using a 096 display device DPI, the

1 display device will display said text string in the HTML table data cell in a single line. If on  
2 the other hand, the client browser is using a 120 display device DPI, the display device will  
3 display said text string in the HTML table data cell in two lines.

4 [0371] In creating the display of the text string, the Server also sends a message to the  
5 Shipper asking the Shipper to answer the following question: do you see the text string  
6 displayed on your screen as a single line or as wrapped text in multiple lines? The Server  
7 receives the Shipper's response and determines from the response whether the Shipper's  
8 display device has displayed the text as a single line or as wrapped text in multiple lines 1256.  
9 If the text is displayed as a single line, then the client browser 1258 display device DPI is 96.  
10 Otherwise, the client browser 1257 display device DPI is 120.

11 [0372] Next, the Server calculates the shipping label HTML image size in pixels 1259 by  
12 multiplying the Carrier-specified label size from the Carrier Label Specification times the  
13 client browser display device DPI as determined by the previous step.

14 [0373] Next, the System displays the generated label image in the client browser 1260 with  
15 an HTML image tag and an HTML image size in pixels as calculated in the prior step.

16 [0374] The client browser calculates the size of the label to be printed in inches by dividing  
17 the label HTML image size in pixels as calculated in a prior step by the client browser display  
18 device DPI 1261; the client browser then prints out the label with the size calculated 1261.

19 [0375] FIG. 55 depicts a flow diagram of an exemplary embodiment of the aspect of the  
20 invention that provides printing of dimensionally accurate images, such as dimensionally  
21 sensitive symbologies including two-dimensional bar codes and other two-dimensional  
22 machine readable symbologies. This aspect of the invention provides the printing of such  
23 dimensionally accurate images on various types of printer devices including among others  
24 HP-compatible laser printers. The printer devices can be configured with remote computers,  
25 such as PC's, that will receive signals to print the dimensionally accurate image over a  
26 communications network such as the Internet. Each PC having a client browser or executing  
27 like software, and each PC being configured with a pre-established Image Resolution that  
28 applies to the display device and the printer device configured with the PC.

1 [0376] As depicted in FIG. 55, a computer, such as Server 20t as depicted in FIG. 7,  
2 determines the Image Size 1350, the Image Layout 1351, any relevant Image Data 1352, and  
3 the Image Resolution in Dots Per Inch ("DPI") or in any other measure of Image Resolution  
4 1353. The Server 20t uses this information to Generate the Image.

5 [0377] Alternatively, the Image has previously been created; the Server 20t determines from  
6 the Image, the Image Size 1350, the Image Layout 1351, any relevant Image Data 1352, and  
7 the Image Resolution in DPI or in any other measure of Image Resolution 1353 (collectively  
8 referred to hereinafter as the "Image Characteristics").

9 [0378] The Server 20t determines the possible Image Resolution Categories and associated  
10 values for client PC's 1354. Image Resolution Categories and associated values include  
11 information such as the number of text strings, and the length of and characteristics (font face,  
12 font size, and HTML table cell width) of each of the identified number of, text strings that  
13 must be used to determine the Image Resolution of client display devices 1355-1356.

14 [0379] An HTML table cell width is fixed in that the physical width of the display of the  
15 HTML table cell does not change depending upon the resolution of the client device; a text  
16 string comprised of characters having a particular font and font size has a scalable width,  
17 depending upon the resolution of the client device resolution. Use of an HTML table cell to  
18 measure the resolution of client devices is not a limitation of the invention. In an alternative  
19 embodiment, a graphic element other than an HTML table cell, having a fixed width, is used  
20 to measure the resolution of client devices.

21 [0380] The possible Image Resolution Categories and values are stored in the memory of the  
22 Server 20t and updated on some basis. In an alternative embodiment, the possible Image  
23 Resolution Categories and values are input into the Server computer.

24 [0381] The Server 20t then analyzes the Image Characteristics, and the possible Image  
25 Resolution categories and/or values 1355, and creates the appropriate number of text strings  
26 and associated HTML table cells 1356. Each text string is created to have a specified font  
27 face, a specified font size, and an associated HTML table cell with a specified width 1356.  
28 The computer then causes the display of the text strings in the associated HTML table cells on

1 the remote client PC's display device 1358.

2 [0382] In creating the display of the text string, the Server also sends a message to the  
3 recipient PC asking the user to answer the following question: is the first text string displayed  
4 on your screen as a single line or as wrapped text in multiple lines? The Server 20t receives  
5 the remote user's response and determines from the response whether the remote user's PC's  
6 display device has displayed each of the text strings as a single line or as wrapped text in  
7 multiple lines 1256. The Server 20t then sets the PC's Remote Image Resolution for printing  
8 the Image 1359 according to the results of the user's PC's display of the text strings.

9 [0383] Next, the Server calculates the Remote HTML Image Size in pixels 1360 by  
10 multiplying the Image Size times the PC's Remote Image Resolution as determined by the  
11 previous step.

12 [0384] Next, the Server displays the generated image on the display device of the remote PC  
13 1361 with an HTML image tag and the Remote HTML Image Size in pixels as calculated in  
14 the prior step.

15 [0385] The client browser of the remote PC calculates the size of the Image to be printed  
16 ("Remote Print Image Size") in inches by dividing the Remote HTML Image Size in pixels by  
17 the Remote Image Resolution 1362; the client browser then prints out the Image with the  
18 Remote Print Image Size 1362.

19 [0386] In one embodiment of the invention, instead of printing a shipping label at the  
20 Shipper's printer, a Package Number 1120 is displayed online on a Package Number Screen  
21 with notification that the label will be printed at a shipping location previously designated by  
22 the Shipper. FIG. 56 depicts an exemplary embodiment of a Package Number Screen. The  
23 Shipper can Void the Package Label at this point by clicking the Void Package button 1121.  
24 The Shipper can request shipping of a new parcel by clicking the "New Package" button 1122  
25 or can indicate completion of shipping instructions by clicking the "Done" button 1123.

26 [0387] FIG. 57 depicts an exemplary embodiment of a Generate Shipping Label Screen in an  
27 exemplary simplified Internet embodiment of the invention. The Shipper is given instructions  
28 1125 as to how to print the label. Clicking the "Generate Label" button 1124 causes the bar-

1 coded label to be generated.

2 [0388] FIG. 58 depicts an exemplary embodiment of a Print Label Screen in an exemplary  
3 simplified Internet embodiment of the invention. At the top of the Screen, an instruction 1130  
4 is displayed to scroll to the bottom of the screen for instructions. The generated label 1131 is  
5 displayed in the main body of the screen. Instructions for printing the label 1132 are  
6 displayed at the bottom of the screen. Clicking the "Print Label" button 1133 (visible only for  
7 supported web browsers) will cause the label to be printed. Clicking the "Done" button 1134  
8 will close the web browser window.

9 [0389] Returning to the exemplary eCommerce embodiment, if the Seller chooses to ship a  
10 specified package, e.g., by clicking on the Ship button 444 as depicted in FIG. 50, the System  
11 requests the Seller to input information to e-mail a notification to the Buyer that the package  
12 is being shipped. FIG. 59 is a graphic representation of an exemplary embodiment of a Send  
13 Ship Notification screen (67, as depicted in FIG. 10E). In one eCommerce embodiment, this  
14 information is automatically prepared by the System and an e-mail (e.g., 70 as depicted in  
15 FIG. 10E) is automatically sent to the Buyer (80, e.g., FIG. 10E) when the Seller ships the  
16 package. In one embodiment, the Seller completes the information in this screen only if the  
17 Seller ships the package with a Carrier or a service that is not supported by the System.

18 [0390] In an exemplary FIG. 60 depicts an exemplary E-Mail Others "Messages" pop-up  
19 Window in an exemplary simplified Internet embodiment which allows the Shipper to identify  
20 the "To" or "cc" status of the desired notification 1101 using a drop down menu activator  
21 1102 and which allows the user to enter each e-mail recipient's Name 1103 and E-Mail  
22 Address 1104. FIG. 60 depicts two Recipients 1107 and 1108; the screen is exemplary and is  
23 not a limitation of the invention.

24 [0391] Returning to the exemplary eCommerce embodiment, when the Seller chooses to  
25 ship a specified package, the System prepares and displays a Ship a Package Summary report  
26 (68, FIG. 10E) an exemplary embodiment of which is depicted in FIG. 61.

27 [0392] If the Seller/Shipper ships packages using UPS, the Seller will need to run UPS End  
28 of Day processing (71, FIG. 10E) at least once each day a package is shipped using UPS.



1 FIG. 62 is an exemplary embodiment of the UPS End of Day screen. The System provides  
2 instructions 470 and a Perform End-of-Day button 471. The System also provides Reprint  
3 instructions to reprint a driver record from a previous End-of-Day process 472 and a Find  
4 Driver Record button 473.

5 [0393] FIG. 63 is a graphic representation of an exemplary embodiment of a Reprint Driver  
6 Record Screen that lists prior driver records 480, each record provides a Reprint button 481  
7 which when clicked will reprint the driver record (72, FIG. 10E).

8 [0394] After the Seller has completed printing the label, the Seller must give the package to  
9 the Carrier (73, FIG. 10E) so that it can be delivered via the Carrier (74, FIG. 10E).

10 [0395] The System provides complete tracking and reporting capabilities for packages  
11 shipped through it, and for packages for which a Carrier tracking number is known as  
12 described below and as disclosed in U.S. Provisional Patent Application Serial No.  
13 60/170,186 previously attorney docket number 36618/DBP/I249 now attorney docket number  
14 36620/DBP/I249, the disclosure of which has previously been incorporated for all purposes  
15 herein by reference.

16 [0396] FIGS. 64A-1, 64A-2, 64B-1 and 64B-2 are System interactivity data and logic flow  
17 diagrams depicting an exemplary eCommerce embodiment of the process by which the  
18 System completes the information necessary to ship a package. References in the explanation  
19 and description of FIGS. 64A-1, 64A-2, 64B-1 and 64B-2 to the Buyer mean to the Buyer and  
20 the Buyer's computer 8-2; references to the Seller mean to the Seller and the Seller's  
21 computer 8-1; references to the System mean the System servers, 20a-20n (the database  
22 servers) and 21a-21z (the other System servers); references to the System database mean to  
23 the entire logical System database 22.

24 [0397] The Seller eCommerce Preference setup Processes 231 through 239 have been  
25 previously described herein above. After the Seller has completed setting up eCommerce  
26 preferences, and after the Seller is notified of a sale, the Seller enters the System and prepares  
27 to enter Buyer information by clicking on the Buyer information submenu option 501. The  
28 System then displays a Buyer Information screen 502 to the Seller. The Seller then enters

1 Buyer information and clicks the Next button 503. The System responds by displaying the  
2 Item and Cost screen 504. The Seller enters the item and cost information and sends the  
3 information to the System 505.

4 [0398] The System uses the information provided by the Seller to create a new package  
5 record in the System database and sets the status of the package to “waiting for buyer’s  
6 response” 506. The System prepares and sends an e-mail to the Buyer requesting information  
7 to complete the shipment and including a URL hyperlink to the System web site page that is  
8 available to intake the Buyer’s information, the URL containing a System package tracking  
9 number for the specified package 507. The System also prepares and sends an e-mail to the  
10 Seller informing the Seller that the e-mail has been sent to the Buyer 508.

11 [0399] The Buyer upon receipt of the System e-mail, uses a web browser to navigate the  
12 URL in the System e-mail and enter the System 509. The System retrieves the System  
13 package tracking number from the URL provided by the user’s browser to access 510 and  
14 retrieve 511 the package information from the System database. The System provides the  
15 Buyer with an introduction and instructions to complete the process 512. If the Buyer chooses  
16 to proceed, the Buyer clicks the Next button 513. The System then requests Buyer shipping  
17 information 514. The Buyer completes the Buyer shipping information and clicks the Next  
18 button 515. The System accesses 516 and retrieves 517 from the System database rating  
19 information, including the Seller’s preferences. The System uses the rating information and  
20 prepares and displays for the Buyer a multi-carrier, multi-service shipping cost comparison  
21 Graphic Array 518. The Buyer selects a Carrier/Service entry from the Graphic Array to ship  
22 the package 519. The System verifies the information and requests payment information from  
23 the Buyer in accordance with the Seller’s preferences 520. The Buyer selects a payment  
24 method, enters payment information and Sends the information to the System 521. The  
25 System stores all Buyer information and associates that information with the package, and  
26 updates the package status to “buyer has replied” 522. The System sends an e-mail to the  
27 Seller notifying the Seller that the Buyer has replied 523. The System in some embodiments  
28 sends an e-mail to the Buyer notifying the Buyer that the System has informed the Seller that  
29 the Buyer has replied 524.

1 [0400] The Seller requests a Shipping Log of “Today’s Packages” 525. The System  
2 accesses the System database 526 to retrieve 527 a Shipping Log of the Seller’s packages that  
3 need to be processed. The System displays the Shipping Log to the Seller 528. The Seller  
4 locates the package to which the Buyer responded and clicks the Ship button 529. The  
5 System displays the Shipping screen to the Seller 530.

6 [0401] FIGS. 65A and 65B represent a database schema diagram that depicts an exemplary  
7 embodiment of tables in which data is stored by the System regarding a particular package  
8 and a particular Seller’s Account, and from which information is retrieved in order to facilitate  
9 the shipment of a package. The database schema depicted in FIGS. 65A and 65B provides an  
10 Account User table 251, a Users table 252, an Account User Configuration table 253, a  
11 Carrier Account table 254, an Account table 255, an Account and Carrier Account table 256,  
12 an Address table 257, a Site Type table 258, an Account and Site Type table 259, an Account  
13 and Site table 260, and a Site table 270, all of which were previously described herein above  
14 with respect to FIGS. 33A and 33B. The database schema with respect to package  
15 information further provides the Package Table 261. The Package Table 261 contains for  
16 each package, among other things, a Package OID (a pointer) 261-1, the actual weight 261-2,  
17 length 261-3, width 261-4, height 261-5, System package tracking number 261-6, site type ID  
18 261-7, Site OID (a pointer) 261-8, Account number 261-9, User ID 261-10, From contact  
19 name 261-11, From address 1 261-12, To contact name 261-13, To address 1 261-14, Bill  
20 contact name 261-15, and the Bill address 1 261-16.

21

22 F. TRACKING

23 [0402] The tracking features described below apply similarly to both an exemplary  
24 simplified Internet embodiment and to an exemplary eCommerce embodiment of the  
25 invention.

26

27 1) USER REQUESTED TRACKING

28 [0403] In order to track a particular package using the System, a Shipper identifies a tracking

1 number for that package to the System and requests that the System report the status of the  
2 package. Two types of tracking numbers are used to track packages: 1) Carrier tracking  
3 numbers and 2) System tracking number.

4 **[0404]** Each Carrier assigns each package a tracking number that uniquely identifies each  
5 package and which is used to trace packages as the package moves through the particular  
6 Carrier's system to the package's destination. The Shipper or the package recipient uses the  
7 tracking number for a particular package to track, locate, and verify delivery of the particular  
8 package.

9 **[0405]** A System tracking number is a unique number generated internally by the System to  
10 identify a particular package shipped using the System. The Shipper inputs the Shipper's  
11 Parcel Specifications for the Subject Parcel. Using each Shipper's Parcel Specifications, the  
12 System is programmed to access databases containing information about each supported  
13 Carrier. Each supported Carrier has a unique rating schedule, delivery and pickup rules and  
14 schedules, and certification requirements (the "Carrier Rules"). The System is further  
15 programmed to apply each supported Carrier's Rules to each Shipper's Parcel Specifications  
16 for the corresponding Subject Parcel. The System provides an online display of a  
17 Dynamically Dimensioned Multi-Carrier, Multi-Service Graphic Array as depicted, e.g., in  
18 FIGS. 36A and 46 described above.

19 **[0406]** The Shipper in this case uses a user input device to pick the preferred Carrier, by for  
20 instance placing the cursor of the Shipper's PC on the displayed Carrier cell entry, e.g. 1065a,  
21 in the Graphic Display as depicted in FIG. 36A and clicking the Shipper's user input device  
22 (the "Selected Carrier").

23 **[0407]** As a result of the Shipper selecting a Carrier cell entry in the Graphic Display to ship  
24 a package, the System assigns the package a System package tracking number and adds a  
25 record containing all of the pertinent information about the package to the System database  
26 22. Following are exemplary Shipping tracking numbers: MAGGY841VRY50;  
27 MAGGY84B496RF; MAGGY84X0FJ45. In one embodiment, the System Tracking  
28 Number is based on a Base-33 number system. The characters available are: Zero (0) through

PSTM0002/MRK/STM

1 nine (9) and A through Z excluding "I" (i), "L" (l), and "O" (o). Each letter represents a value,  
2 as depicted in the table below:

3 A = 10 F = 15 M = 20 S = 25 X = 30

4 B = 11 G = 16 N = 21 T = 26 Y = 31

5 C = 12 H = 17 P = 22 U = 27 Z = 32

6 D = 13 J = 18 Q = 23 V = 28

7 E = 14 K = 19 R = 24 W = 29

8 Each System Tracking Number is 13 alphanumeric characters. Position 1 is the letter 'M'.  
9 Positions 2 - 7 are a System Account number. Positions 8 - 12 are a five-digit ID. Position 13  
10 is a Check Digit.

11 **[0408]** To calculate the Check Digit, the System performs the following steps: 1)  
12 Consecutively multiply the numeric value of each of positions 2-7; 2) Consecutively multiply  
13 the numeric value of each of positions 8 - 12; 3) Add both results; 4) Divide by 31; 5) Convert  
14 the remainder value to a Base-33 number. The converted value is the Check Digit.

15 **[0409]** Referring to FIG. 5 once again, when a Shipper/User ships a package using the  
16 System, one or more of the System's Servers, e.g., 21a-21n create a new System tracking  
17 number. When a new System tracking number is created, one of the System's Database  
18 Servers, e.g., 20a-20n, adds a new package record with the newly created System tracking  
19 number to a Package Table 28.

20 **[0410]** The Package Table 28 resides in the System database 22 and contains package  
21 records for System processed packages. An exemplary embodiment of the Package Table  
22 contains the following information: 1) Package Tracking State ID; 2) Package Shipping State  
23 ID; 3) Actual Delivery Time; 4) Delivered To information; 5) Shipping Date; 6) Carrier  
24 Tracking Number; 7) System Tracking Number; 8) Carrier ID; 9) Actual Package Weight; 10)  
25 Service Description; and 11) Package OID. The content of these fields are described further  
26 below.

27 **[0411]** The Package Tracking State ID specifies the tracking state of the package. In an

1 exemplary embodiment of the invention, there are four different tracking states: 1) Null (New  
2 Packages or Shipped Packages); 2) Manifested (at the end of each day, package information is  
3 moved to the Package History Table for tracking purposes); 3) In Transit (The Carrier has  
4 picked up packages); 4) Delivered (Packages have been delivered to the shipping destination).

5 [0412] The Package Shipping State ID specifies the shipping state of a package. In an  
6 exemplary embodiment of the invention, there are two different shipping states: 1) Shipped  
7 (New Packages or Shipped Packages); 2) Manifested (at the end of each day, package  
8 information is moved to the Package History Table for tracking purposes).

9 [0413] The Actual Delivery Time specifies the Date/Time that the package was actually  
10 delivered. The Delivered To information identifies the person or place to which the package  
11 was delivered (e.g., left with receptionist, receptionist front desk, or guard). The Ship Date  
12 specifies the date on which the Carrier picked up the package. The Carrier Tracking Number  
13 identifies the Carrier-specific package tracking number. The System Tracking Number  
14 specifies the unique Package tracking number internally generated by the System (each  
15 System tracking number corresponds to exactly one Carrier-specific tracking number). The  
16 Carrier ID specifies an identification code for the particular Carrier. The Actual Package  
17 Weight specifies the actual weight of the package as opposed to the billed weight. The  
18 Service Description describes the type of services used to ship the package e.g., Overnight, 3  
19 Day Ground, Second Day Air, etc. The Package OID contains a Globally Unique Identifier  
20 ("GUID") for each package.

21 [0414] When the System creates a new package record, the record remains in the Package  
22 Table 28 during an initial period of time, for example, the first day during which the record is  
23 created, so that the Shipper/User can modify information about the package or void the  
24 package record as appropriate. In an exemplary embodiment of invention, the System  
25 performs certain processing on a periodic basis, such as at the end of each business day. This  
26 type of processing is referred to herein as "End Of Day" processing. In an exemplary  
27 embodiment of the invention, during "End of Day" processing, the System removes all new  
28 package records from the Package Table 28 and moves the records to a Package History Table

29 which also resides on the System Database 22. In an exemplary embodiment, Package History Table 29 records contain the same data fields as described above regarding Package Table 28 records.

[0415] FIG. 68 is a graphic representation of a Shipper online user input screen that is displayed on the Shipper's display screen 10. If a Shipper/User wants to track a particular package, the Shipper/User enters the tracking number that identifies the particular parcel package of interest in the "Enter tracking number" field 2035. It should be understood by those with ordinary skill in the art that the User may be someone other than the Shipper. For instance, the User may be a Recipient who wishes to track a package being sent to the user. Once the User has entered a tracking number, the User submits a request to track the particular package identified by clicking on the Submit button 2036.

[0416] FIG. 69 is a logic flow diagram that depicts the high level logic for tracking the status of a particular package. The User enters 2018a and 2018b a tracking number 19 in the tracking number field 2035 (as was shown in FIG. 68). The System first validates 2050 the tracking number 19. The System performs the validation process by attempting to access the record on the System database 22 that is associated with the tracking number 19. To do this, the System requests that a System database server, e.g., 20a (as depicted in FIG. 5) locate and retrieve the package record that is associated with the tracking number 19. The System database server, e.g., 20a as depicted in, e.g., FIG. 5, uses the entered tracking number 19 to search the System database 22 to locate and retrieve the specified package record. In one embodiment, the System database server, e.g., 20a as depicted in, e.g., FIG. 5, is programmed to perform database accesses using Sequel 7.0.

[0417] Through the validation process, the System determines whether the tracking number 19 is a System tracking number or a Carrier tracking number. Below are examples of Carrier tracking numbers.

UPS - 1z8595610344113190

Airborne - 3918984344

FedEx - 811152682326

PSTM0002/MRK/STM

1 USPS - ej585489546us

2 Yellow Freight - 2100003475

3 [0418] If a user enters a Carrier tracking number as the tracking number 19, then depending  
4 upon the status of the package, or the number of times that the package was tracked, there  
5 may be no information in the System database 22 for the Carrier tracking number. In such a  
6 case, the System then uses algorithms provided by each Carrier to determine the Carrier  
7 identification.

8 [0419] If the System determines that there is information about the package on the System  
9 database 22, then the System analyzes the Package Shipping State. If the Package Shipping  
10 State of the retrieved record is "Manifested" or "In Transit" and the Package Tracking State is  
11 not "Delivered", then the System prepares to track the package using the appropriate Carrier  
12 system. If the Package Shipping State of the retrieved record is "Delivered", or other final  
13 status, then the System reports the status of the package to the user.

14 [0420] If the tracking number 19 is a valid System tracking number, then the System extracts  
15 the Carrier's tracking number and Carrier's ID from the package record retrieved from the  
16 System database 22 before issuing a request 2054. Otherwise, if the tracking number 19 is a  
17 Carrier tracking number, then the System extracts the Carrier's ID from the package record  
18 before issuing a request 2052 to the Carrier's Internet system. The System uses the Carrier's  
19 ID to retrieve from the System database 22 the Internet URL for the Carrier's Internet web  
20 site. The URL information is configurable.

21 [0421] Returning for a moment to FIG. 5, using the Carrier's Internet URL, the System then  
22 makes an HTTP connection to the Carrier's web server, e.g., 23-2, 24-2, 25-2, 26-2, or 27-2,  
23 using the URL information for the particular Carrier's web server. Depending upon the  
24 Carrier, the System's 1 request and report interface with the Carrier's web server is  
25 programmed in HyperText Markup Language ("HTML") (e.g., 24-1, 25-1, 27-1), Extensible  
26 Markup Language ("XML") (e.g., 26-1), or both HTML and XML (e.g., 23-1). FIG. 66  
27 depicts an exemplary XML formatted request for submitting a tracking request to a Carrier.  
28 FIG. 67 depicts an exemplary successful tracking response, also in XML format, returned by



1 the Carrier.

2 [0422] Then, as depicted in FIG. 69, the System transmits the Carrier's tracking number  
3 over the HTTP connection (2052 or 2054). The System instructs the Carrier's web server as  
4 to what information is requested based on the connection made using the URL.

5 [0423] If the Carrier's web server successfully responds 2055 to the System's 1 tracking  
6 request, the System disconnects from the Carrier's web server and parses the response data.  
7 Some Carriers' response data contains unnecessary text information. The System strips out  
8 all of the unnecessary text in order to parse the relevant information.

9 [0424] If the System database 22 does not have any previous record of the package, such as  
10 would be the case if the package had not been shipped using the System shipping application,  
11 then the System does not store any data about the package in the Package Table or the  
12 Package History Table.

13 [0425] Otherwise, the System then updates the System database 22 and reports the  
14 information to the Shipper/User 2056. If the package is reported as delivered, the System  
15 populates the Package History Table 29 in the System database. As was previously  
16 mentioned, in an exemplary embodiment, Package History Table 29 records contain the same  
17 data fields as described above regarding Package Table 28 records.

18 [0426] If on the other hand, the Carrier's Internet web server returns an unsuccessful report  
19 from test 2050, the System reports the failure 2051 to the User. FIG. 70 is a graphic  
20 representation of an exemplary unsuccessful tracking report to the User. The Tracking Failure  
21 Report Screen as depicted in FIG. 70 informs the User that the System was unable to track the  
22 package 2060 and displays 2061 the package tracking number 19 that the User previously  
23 entered. The Tracking Failure Report Screen asks the User to verify the accuracy of the  
24 tracking number and to specify a Carrier by name 2062. The Tracking Failure Report Screen  
25 provides a pull down menu button 2063, that when clicked, displays a list 2064 of the  
26 supported Carriers. The user enters a new tracking number 19 in the tracking number field  
27 2035 and specifies the Carrier by highlighting one of the Carriers displayed in the list 2064.  
28 The user submits the request by clicking on the Submit button 2036 (covered by the pull down

1 selection list 2064 in FIG. 70).

2 **[0427]** If the Carrier's system successfully returns tracking information, then the System  
3 displays the package's current status. As depicted in FIG. 71, if the package has a "Delivered"  
4 status, the System reports the Status 2071; status as of Last Scan including date time and  
5 location 2072; Delivered To location 2073; Delivery Date 2074; Delivery Time 2075;  
6 Delivery Location 2076; Signed by 2077; Carrier Name 2078; Service 2079 and Tracking  
7 Number 2080.

8 **[0428]** Status 2071 reports the Delivery Status, also referred to as the Track, or Tracking,  
9 State. Last Scan 2072 reports Last scan information for the particular package. When a  
10 package is moved from one location to another, the label of the package is scanned according  
11 to each Carrier's processing requirements. Also, many Carriers scan package labels when  
12 packages are received by the recipients. Delivered To 2073 reports the person or place to  
13 which the package was delivered (e.g., left with receptionist, receptionist front desk, or  
14 guard). Delivery Date 2074 reports the date on which the package was delivered. Delivery  
15 Location 2076 reports, for most carriers, the city, zip code, and state information for the  
16 location to which the package was delivered. However, for some carriers, such as UPS, the  
17 delivery location reports where the package was dropped off (e.g., front porch, front door).  
18 Signed By 2077 reports the name of the person who signed the package after receiving it.  
19 Carrier 2078 reports the name of the Carrier that delivered the package. Service 2079 reports  
20 the type of shipping service (i.e., Ground). Tracking Number 2080 reports the System  
21 tracking number or carrier tracking number entered by the User.

22 **[0429]** The User is invited to enter another tracking number 19 in the tracking number field  
23 2035 and click the Submit button 2036 to submit the next tracking request.

24 **[0430]** As depicted in FIG. 72, if the package has not yet been delivered, the System reports  
25 the information available, e.g., the Status 2071, Last Scan 2072, Carrier 2078 and Tracking  
26 number 2080. In such a case, the System asks the User if the User want to be notified 2090  
27 when the identified package is delivered. The System provides the User with input fields to  
28 register to receive, and have sent, e-mail notification after the package is delivered. A user

1 can enter up to three names, 2091, 2093 and 2095, and up to three e-mail addresses, 2092,  
2 2094, and 2096, to receive the delivery confirmation. The User submits the e-mail notification  
3 (with message 2097) by clicking on the Submit button 2036-1.

4 [0431] If the User completes the e-mail notification input fields with at least one e-mail  
5 name and address, e.g., 2091 and 2092, the System creates an entry in a Track Response Table  
6 30 which is a table contained in the System Database 22 as depicted in FIG. 5. The Track  
7 Response Table entry contains the tracking number 19 earlier specified by the User and  
8 displayed 2080 in the Tracking Report Screen depicted in FIG. 72. The System uses the  
9 Track Response Table 30. The System performs Automatic Tracking for all of the package  
10 tracking numbers contained in the Track Response Table 30 at the time that the Automatic  
11 Tracking procedure is executed. Automatic Tracking is described in more detail below.

12 [0432] The User can then enter another tracking number 19 in the tracking number field  
13 2035 and submit the new request by clicking on the Submit button 2036-2. When the Carrier  
14 delivers the package, the System detects the delivery through one of several ways, as will be  
15 further explained below, and then sends e-mail with a link to the web page with the most up to  
16 date package status.

17 [0433] In an alternative embodiment, if the tracking number 19 is a Carrier tracking number,  
18 the Server will validate the Carrier tracking number is a valid tracking number. If the Carrier  
19 tracking number is not a valid number, the Server will return an invalid tracking number  
20 error. If the Carrier tracking number is a valid number, the Server will not attempt to match  
21 the number to a manifested package; the Server will track the package using the particular  
22 Carrier's Internet tracking routine; and will return the tracking response to the Web Client of  
23 the requesting Shipper/User.

24 [0434] In an alternative embodiment, if the tracking number 19 is a System tracking number,  
25 then the System validates the System tracking number to ensure that it is a valid System  
26 tracking number. If the System tracking number is not a valid tracking number, the Server  
27 will return an invalid tracking number error. If the System tracking number is a valid tracking  
28 number the Server queries the System database 22 to find the Carrier tracking number which

1 corresponds to the System tracking number. If no package record is found for the System  
2 tracking number, then the Server will return an error to the Web Client of the requesting  
3 Shipper. The error message will indicate that no package record was found; it will request the  
4 user to verify that the tracking number was from a package which had been dropped off notify  
5 the user that a package be tracked on the same day it shipped. If the package record is found  
6 and the actual ship date is the same as the current date, the Server will return an error to the  
7 Web Client of the requesting Shipper indicating that the user/Shipper cannot track the package  
8 on the same day it is shipped.

9 [0435] In this alternative embodiment, once the Server has identified the Carrier tracking  
10 number, the Server will track the package using the Carrier's Internet tracking routine. If the  
11 tracking response from the Carrier's Internet tracking routing indicates an error, the Server  
12 will make another attempt to track the package through the Carrier's Internet tracking routine.  
13 If the second tracking request results in an error, the Server will notify the Web Client of the  
14 requesting Shipper that the Carrier is unable to track the package, and will log a tracking  
15 request error containing the Error Log number, the System tracking number, the Carrier  
16 tracking number, the time and date the tracking request occurred, the error response reported  
17 by the Carrier, and the Account Name of the user/Shipper making the tracking request, if that  
18 information is available.

19 [0436] If, on the other hand, the Carrier returns a valid tracking response, the Server will  
20 update the package status in the Server Database with the tracking response and will return the  
21 detailed package information to the Web Client of the requesting user/Shipper from the  
22 System Database as described below.

23 [0437] If the user supplied a Carrier tracking number, the Web Client will display the basic  
24 tracking information provided by the particular Carrier's Internet tracking function. In one  
25 embodiment of the invention, when the user provides a Carrier tracking number to track a  
26 package, the user/Shipper's Web Client requires the user/Shipper to identify the Carrier.

27 [0438] If the user/Shipper provides a System tracking number, then if the user/Shipper is  
28 logged on to the account, or otherwise enters valid login information, that information must

1 correspond to the Account which shipped the package. In that case, the user/Shipper's Web  
2 Client will display the following information: System tracking number; recipient address;  
3 drop off location; Carrier and service; Carrier tracking number if available; actual ship date if  
4 available; delivery address if available; delivery location if available; delivery date if  
5 available; delivery time if available; signed for by information if available; package rate;  
6 package weight; package dimensions; packaging; customer reference information; all scan  
7 activity.

8 [0439] If on the other hand, the user/Shipper is not logged on to the account, fails to enter  
9 valid login information, or is logged on to an Account which does not correspond to the  
10 Account which shipped the package; the user/Shipper's Web Client will display the following  
11 information: System tracking number; recipient contact name; recipient company name;  
12 Carrier and service; Carrier tracking number if available; actual ship date if available; delivery  
13 address if available; delivery location if available; delivery date if available; delivery time if  
14 available; signed for by information if available; package weight; customer reference  
15 information; all scan activity.

16

17 **2) AUTOMATIC TRACKING**

18 [0440] Automatic Tracking of packages with Priority Delivery Notification is performed  
19 when the package meets the following criteria: the package is a manifested package; the  
20 package was shipped using Priority Delivery Notification; The actual ship date of the package  
21 is the earlier than the current date; the package does not have the status of Delivered or Lost.

22 [0441] Automatic Tracking of a particular package can be requested by the User, as depicted  
23 in FIG. 72 and as was described above

24 [0442] If the package fulfills all of the above-described automatic tracking criteria, the  
25 System places a record in the Track Response Table 30 and thereafter tracks the package on  
26 some regular periodic time interval, for example, every four hours beginning at a staggered  
27 start time. The start time is determined randomly and is staggered to occur at regular intervals  
28 every four hours.

1 [0443] The System tracks the package using the specified Carrier's Internet tracking routine  
2 as was previously described above. If the Carrier's Internet tracking routine returns a tracking  
3 response that the tracking request is an error, the Server will track the package at the next  
4 staggered tracking time. If the second tracking request response is also an error, the Server  
5 will track the package at the next scheduled four hour interval. If the third tracking request  
6 fails, the Server will log a tracking request error containing the following information: error  
7 log number; System tracking number; Carrier tracking number; time and date the tracking  
8 request occurred; and the error response from the Carrier. In the event that the third tracking  
9 request fails, the Server will issue an Automatic Tracking Alert, for instance, to System  
10 Support, containing the error log number.

11 [0444] If the tracking request results in a successful tracking response, the Server will update  
12 the package status in the Package History Table 29 in the System Database 22 with the  
13 tracking response information. If the package status returned is Delivered, the Server will  
14 send delivery notification via e-mail to the notification address(e), e.g., 2091 - 2096 as  
15 depicted in FIG. 72, as previously supplied by the Shipper/User. For a Delivered package, the  
16 Server will update the Package History Table 29 in the System Database 22 to indicate that  
17 the package has been delivered, that a delivery notification e-mail has been sent, and the date  
18 and time that the e-mail was sent.

19 [0445] If the manifest package was shipped without Priority Delivery Notification, then on  
20 any day after the actual ship date, as long as the status of the package is not Delivered or Lost,  
21 the System will track the package every day at a non-peak period. If the tracking response is  
22 an error, the Server will not attempt a second tracking request. If the tracking response is  
23 successful, the System will update the package status in the System Database 22 with the  
24 tracking response information.

25 [0446] The System will verify that all packages with a status of Delivered were delivered  
26 within the guaranteed delivery time. For each Delivered package for which delivery was not  
27 made with the guaranteed delivered time, the Server will generate a Delivery Exception  
28 containing the following information: Carrier account number for the Drop Off Location;

1 Carrier tracking number; date of shipment; complete destination address information; delivery  
2 exception ID number.

3 [0447] In one embodiment of the invention, there are four types of scripts, or procedures,  
4 that run regularly to update the Package History Table 29 and the Track Response Table 30 in  
5 the System database 22: 1) Track All Scripts, 2) Track Inbound Script, 3) Inbound  
6 Confirmation Mail Script and 4) Delivery Confirmation Script. Each is described further  
7 below.

8 [0448] Track All Scripts are run on a regular basis. There is a Track All script for each  
9 Carrier (e.g., FedEx, UPS, Airborne, and Yellow Freight). Each Track All script executes a  
10 set of instructions that enumerate the package records in the Package History Table 29 to get  
11 updated information from a specific Carrier's database. If a System tracking number has a  
12 delivered tracking state, then the next time a user tries to get tracking information for this  
13 particular tracking number, the System will not need to connect to the Carrier's web server to  
14 get the package status information.

15 [0449] Track Inbound Script is run on a regular basis. Track Inbound Script searches the  
16 Track Response Table 30 and enumerates all entries in the table to get updated information  
17 from multiple Carriers' databases. If a tracking number has a delivered tracking state, then  
18 Users are notified via e-mail that their packages have been delivered. Also, if the tracking  
19 number is a System tracking number then the Package History Table 29 gets updated with this  
20 delivered tracking state information for optimization purposes. By updating the Package  
21 History Table 29, the System does not need to re-connect to carriers' web servers to get  
22 information about a package that has been already delivered.

23 [0450] Inbound Confirmation Mail Script is run on a regular basis. It searches the Track  
24 Response Table 30 for packages that have a delivered track state. When the script finds  
25 delivered packages for Users who requested to receive e-mail notifications, it sends e-mail  
26 notifications to them with delivery information.

27 [0451] Delivery Confirmation Script is run on a regular basis. It searches the Package  
28 History Table 29 and enumerates all entries in the table for which the User has requested

1 delivery notification when the subject package has been delivered to destination. When the  
2 script finds delivered packages in the Package History Table 29 for Users who requested to  
3 receive e-mail notifications, it sends e-mail notifications to them with delivery information.

4

5 3.) COUNTER MANIFEST SYSTEM (CMS) TRACKING

6 [0452] As an alternative to using an Internet embodiment of the invention, a user can track  
7 packages by using the counter Manifest System CMS feature of the invention. In such an  
8 embodiment, CMS is a standalone-dedicated system that uses a connection to one of the  
9 System's servers (the "CMS Server") to track packages. CMS can be connected to one of the  
10 System servers in many different ways, including among others, DSL dial-up, ISDN dial-up,  
11 Modems, T1 line, Hughes VSAT link or other communications systems.

12 [0453] In the CMS environment, a company maintains a connection for the CMS to the  
13 CMS Server to track packages for customers. The CMS User track packages for the CMS  
14 User's customers by entering a tracking number in the CMS tracking page. CMS tracking  
15 allows a customer to register for a delivery confirmation to receive e-mail notifications when  
16 packages are delivered. Also, customers can register using the System's Internet embodiment  
17 to receive inbound delivery notifications for the packages that are shipped using the CMS.

18 [0454] FIG. 73 is a graphic representation of an exemplary CMS online user input screen.  
19 The User inputs a tracking number 19 in the input tracking number field 2100 and submits a  
20 request to the System to track the package associated with the input tracking number 19 by  
21 clicking on the "Track" button 2102 or the "Find Package" button 2101.

22 [0455] FIG. 74 is a graphic representation of an exemplary CMS display screen that reports  
23 a successful tracking result 2103. After reading the tracking report, the User can request that  
24 another package be tracked by clicking the "Track Another" button 2104.

25 [0456] FIG. 75 is a graphic representation of an exemplary CMS error tracking report  
26 display screen. The tracking number 19 is displayed with an error message 2105. The user  
27 can request that another package be tracked by clicking the "Track Another" button 2104.

28



4.) MANIFEST AND INBOUND TRACKING

[0457] A User can register with the System to establish a shipping account. Once a User has established an account, the System will record in the System database 22 information for every package shipped under the User's account. The information contained in the System database 22 under the User's account is referred to as the User's Shipping Log.

[0458] The System provides the User with online capability to request information about the User's Shipping Log. FIG. 76 is a graphic representation of an exemplary embodiment of a "My Tracking" Screen. On the viewer's left side of the My Tracking Screen display, a "My Tracking submenu 2110 is provided to allow the User to select options. By clicking on and highlighting one of the My Tracking submenu 2110 options, the User can select to view the User's Account's Shipping Log 2111, to View Inbound Packages 2112, to Add Inbound Packages 2113, and to indicate Tracking Preferences 2114. The User can also input a tracking number 19 into the Quick Track input field 2115 and request that the System track the identified package by clicking the "go" button 2116.

[0459] FIG. 77 is a graphic representation of an exemplary embodiment of a Shipping Log Screen. A logged on registered User enters this display screen by clicking on the My Tracking submenu 2110 User's Account's Shipping Log option 2111. If the User is both logged on and registered, then in response to the User clicking on the My Tracking submenu 2110, User's Account's Shipping Log option 2111, the System presents a Shipping Log Screen with certain selection criteria. In the embodiment depicted in FIG. 77, the System initializes selection criteria fields with certain default values. For instance, the Shipping Log will search the system database 22 for the name of the individual to whom the particular account belongs and displays the name of the person 2109. Further, the Shipping Log application will search the System database 22 for all packages shipped under the User's account that conform to the criteria specified in the input fields of the FIG. 77 screen.

[0460] The Shipping Log Screen provides for User selection of the Type of package, e.g., "All Packages" from the Display option 2118 and Display option pull-down menu button 2117; "For the Past" time period 2119 with a pull-down menu button 2120, e.g., for the past

1 “Month” during which packages were shipped; and “Sort By” 2121-2122 which allows the  
2 User to select the order of the Shipping Log report entries.

3 [0461] In response to the Shipping Log request, the System creates a list and displays an  
4 online Shipping Log record for the packages shipped under the User’s account and which fit  
5 the selection criteria. For each such package, the System displays: the Status of the package  
6 2125 and the tracking number 2080, the name of the shipper 2126, the Carrier Service 2127,  
7 the name of the Carrier 2128, the Ship Date 2129, and the Delivery Date and time 2129-2130.  
8 If the User wants more information for a particular package in the Shipping Log, the User  
9 highlights the appropriate record in the list and clicks the “Details” button 2124. An “Update  
10 View” button 2123 is also provided.

11 [0462] FIG. 78 is a graphic representation of an exemplary embodiment of a Detailed  
12 Shipping Log Entry Screen which is displayed if the User highlights the appropriate record in  
13 the Shipping Log list and clicks the “Details” button 2124. The System displays the Shipping  
14 Log date and time 2140, the System tracking number 2141, the estimated weight of the  
15 package 2142, the billed weight of the package 2143, the Packaging type 2144, the Carrier  
16 and Service 2145, a description of the goods shipped 2146, the shipping status 2071, the  
17 Carrier tracking number 2080, the Shipped Date 2147, the Expected data of arrival 2148, the  
18 Last Scan information 2072, the Recipient’s name and address 2149, the Return name and  
19 address 2150, the Ship from location 2153, the base shipping service charge 2151, and the  
20 total shipping charge 2152.

21 [0463] FIG. 79 is a graphic representation of an exemplary embodiment of a detailed “Quick  
22 Track” result screen which displays the same type of information described above for FIG. 78.  
23 The way that a User obtains this display is to enter a tracking number 19 into the Quick Track  
24 input field 2115, and by then clicking on the “go” button 2116.

25 [0464] A registered logged on User can view inbound packages if the User first identifies to  
26 the System package tracking numbers for each of the packages the status of which the User is  
27 interested in monitoring. FIG. 80 is a graphic display of an exemplary embodiment of an  
28 “Add Inbound Packages” Screen. The User requests this screen by clicking on the “Add

1 Inbound Package” option 2113 of the “My Tracking” submenu 2110. The User inputs  
2 identification information, such as the tracking number 19 in the input tracking number field  
3 2035, the Carrier 2128, and the Order/Item 2161. The User can also specify that the System is  
4 to provide e-mail notification 2162 with an e-mail message 2163. By clicking on the “E-mail  
5 Others” button 2164, the User can request an “E-mail Others” screen providing input similar  
6 to that, items 2091-2097, and 2036-1, described above for the tracking screen depicted in FIG.  
7 72. By clicking on the “Add” button 2165, the User requests that the record identified in the  
8 User’s input be added to a list for that User of Inbound Packages to be monitored. A “Cancel”  
9 button 2166 is also provided.

10 [0465] Once the User has input the identification information for the packages the status of  
11 which the User wants to monitor, and added all such records to the User’s Inbound Tracking  
12 List, the User can then view the status of those identified Inbound packages. To do so, the  
13 user clicks on the “View Inbound Packages” option 2112 of the “My Tracking” submenu  
14 2110. FIG. 81 is a graphic representation of an exemplary embodiment of a “View Inbound  
15 Packages” Summary Screen. Similar to the Shipping Log Screen as discussed above in  
16 relation to FIG. 77, the View Inbound Packages Summary Screen displays information about  
17 packages identified by the User as Inbound Packages. As depicted on FIG. 81, the User can  
18 specify reporting criteria such as Display limitations 2117-2118, and sorting requests 2121-  
19 2122. The User can request details about a particular package by highlighting the reporting  
20 line on the screen and clicking the “Details” button 2124. The User can delete a particular  
21 package from Inbound Package Tracking by highlighting the reporting line on the screen and  
22 clicking the “Delete” button 2170. An “Update View” button 2123 is also provided.

23 [0466] FIG. 82 is a graphic representation of a View Inbound Packages Detail Screen. The  
24 type of information displayed on this screen is similar to the type of information described  
25 with respect to the Shipping Log Detail Screen as depicted in FIG. 78 and discussed above.

26  
27 ILLUSTRATIVE EMBODIMENTS

28 [0467] Although this invention has been described in certain specific embodiments, many

PSTM0002/MRK/STM

1 additional modifications and variations would be apparent to those skilled in the art. It is,  
2 therefore, to be understood that this invention may be practiced otherwise than as specifically  
3 described. Thus, the embodiments of the invention described herein should be considered in  
4 all respects as illustrative and not restrictive, the scope of the invention to be determined by  
5 the appended claims and their equivalents rather than the foregoing description.  
6